

Australian/New Zealand Standard™

**Gypsum linings—Application and  
finishing**



## **AS/NZS 2589:2017**

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee BD-011, Interior Board Lining. It was approved on behalf of the Council of Standards Australia on 20 February 2017 and by the New Zealand Standards Approval Board on 7 March 2017. This Standard was published on 13 April 2017.

---

The following are represented on Committee BD-011:

Association of Wall and Ceiling Industries of Australia  
Association of Wall and Ceiling Industries of New Zealand  
Australian Chamber of Commerce and Industry  
Australian Paint Manufacturers' Federation  
Gypsum Board Manufacturers of Australasia  
Housing Industry Association  
Master Builders  
South Australian Housing Trust

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standard Web Shop at [www.saiglobal.com](http://www.saiglobal.com) or Standards New Zealand web site at [www.standards.govt.nz](http://www.standards.govt.nz) and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

---

*This Standard was issued in draft form for comment as DR AS/NZS 2589:2016.*

---

# Australian/New Zealand Standard™

## Gypsum linings—Application and finishing

Original as AS 2589—1983 and in part as AS CA20—1950.  
Previous edition AS/NZS 2589:2007.  
Second edition 2017.  
Reissued incorporating Amendment No. 1 (November 2018).

### **COPYRIGHT**

© Standards Australia Limited

© The Crown in right of New Zealand, administered by the New Zealand Standards Executive

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, PO Box 1473, Wellington 6140.

## PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee BD-011, Interior Board Lining, to supersede AS/NZS 2589:2007, *Gypsum linings—Application and finishing*.

*This Standard incorporates Amendment No. 1 (November 2018). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.*

The objective of this Standard is to provide manufacturers, designers and users of gypsum linings with requirements for the application and finishing of such linings in residential and commercial construction applications. This Standard provides a reference for the building industry and specifiers, and a basic Standard for adoption in contracts.

This edition incorporates the following major changes to the previous editions:

- (a) Inclusion of surface tolerances.
- (b) Cross-reference and alignment to AS/NZS 2311.

Statements expressed in mandatory terms in notes to tables are deemed to be requirements of this Standard.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

## CONTENTS

	<i>Page</i>
<b>SECTION 1 SCOPE AND GENERAL</b>	
1.1 SCOPE.....	5
1.2 APPLICATION .....	5
1.3 NORMATIVE REFERENCES .....	5
1.4 DEFINITIONS.....	7
1.5 ALTERNATIVE SYSTEMS AND MATERIALS.....	9
<b>SECTION 2 MATERIALS</b>	
2.1 GENERAL.....	11
2.2 GYPSUM PLASTERBOARD LINING .....	11
2.3 FIBRE-REINFORCED GYPSUM LINING.....	11
2.4 GYPSUM CORNICE.....	11
2.5 FRAMING SUBSTRATES .....	11
2.6 TIMBER FRAMING .....	11
2.7 METAL FRAMING .....	12
2.8 MASONRY .....	13
2.9 FASTENERS.....	13
2.10 CORNER BEAD AND EDGE TRIM.....	14
2.11 JOINT REINFORCING TAPES AND CEMENTS FOR FINISHING.....	15
2.12 MASTIC ADHESIVE.....	15
2.13 DECORATIVE MATERIALS.....	15
<b>SECTION 3 DESIGN REQUIREMENTS</b>	
3.1 QUALITY OF GYPSUM LINING, APPLICATION AND FINISHING.....	16
3.2 STRUCTURAL ACTIONS .....	18
3.3 STRUCTURAL MOVEMENTS .....	19
3.4 CONTROL JOINTS .....	19
3.5 SUBSTRATES .....	21
3.6 VENTILATION AND MOISTURE MANAGEMENT.....	24
3.7 LIGHTING.....	25
3.8 ORIENTATION .....	25
3.9 PAINTING OF GYPSUM LININGS.....	25
3.10 DEVICES GENERATING HEAT .....	25
3.11 INSULATING SYSTEMS.....	25
3.12 EXTERNAL APPLICATIONS.....	25
<b>SECTION 4 INSTALLATION</b>	
4.1 SITE CONSIDERATIONS.....	26
4.2 SUBSTRATES .....	26
4.3 LAYOUT.....	28
4.4 GYPSUM PLASTERBOARD .....	31
4.5 FIBRE-REINFORCED GYPSUM LININGS .....	43
4.6 FIXING OF CORNICES .....	46
4.7 ASSESSMENT OF THE SURFACE CONDITION AT HANDOVER.....	46
4.8 INSULATING SYSTEMS.....	51

## APPENDICES

A	MEASURING THE MOISTURE CONTENT OF TIMBER FRAMING.....	52
B	DECORATION.....	55
C	VISIBLE SAG IN CEILINGS .....	60
D	DESIGN CONSIDERATIONS.....	64
E	POSSIBLE CAUSE OF UNEVEN LININGS.....	67
F	PARTIAL SHEET REPLACEMENT .....	68

BIBLIOGRAPHY.....	69
-------------------	----

Currently in preview, click buy full version

## STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

**Australian/New Zealand Standard**  
**Gypsum linings—Application and finishing**

## SECTION 1 SCOPE AND GENERAL

**1.1 SCOPE**

This Standard sets out the requirements for the application and finishing of gypsum lining and related design considerations.

This Standard does not cover the following:

- A1 | (a) High density gypsum plasterboard linings greater than 800 kg/m<sup>3</sup>.
- (b) Fire-resisting systems.
- (c) Wet area gypsum lining systems.
- (d) Sound insulating systems.
- (e) Bracing systems.

The wall and ceiling fastening systems are limited to wind category N4, as specified in AS 4055 or NZS 3604.

NOTE: For specialty plasterboards with a density greater than 800 kg/m<sup>3</sup> refer to manufacturer's specifications.

**1.2 APPLICATION**

This Standard provides a choice of different levels of finish, which allows for flexibility of application. Unless otherwise specified, compliance with this Standard is achieved by a Level 4 finish for all gypsum linings except for those areas which are non-visible and generally non-habitable (i.e. non-walk-in cupboards, concealed storage areas and non-livable attics) where a Level 3 finish is acceptable.

This Standard is suitable for use with gypsum plasterboard in accordance with AS/NZS 2588, fibre-reinforced gypsum linings in accordance with Clause 2.3 and gypsum cornices in accordance with Clause 2.4.

**1.3 NORMATIVE REFERENCES**

The following are the normative documents referenced in this Standard:

NOTE: Documents referenced for guidance and informative purposes are listed in the Bibliography.

AS/NZS 397	Continuous hot-dip metallic coated steel sheet and strip—Coatings of zinc and zinc alloyed with aluminium and magnesium
1684	Residential timber-framed construction
1684.1	Part 1: Design criteria
1684.2	Part 2: Non-cyclonic areas
1684.3	Part 3: Cyclonic areas
1684.4	Part 4: Simplified—Non-cyclonic areas