

Australian/New Zealand Standard™

Pipelines — Gas and liquid petroleum

Part 2: Welding



AS/NZS 2885.2:2020

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee ME-038, Petroleum Pipelines. It was approved on behalf of the Council of Standards Australia on 14 May 2020 and by the New Zealand Standards Approval Board on 6 May 2020.

This Standard was published on 29 May 2020.

The following are represented on Committee ME-038:

APGA Research and Standards Committee
Australasian Corrosion Association
Australian Institute of Petroleum
Australian Petroleum Production and Exploration Association
Australian Pipelines and Gas Association
Department of Energy and Mining (SA)
Department of Mines, Industry Regulation and Safety (WA)
Department of Natural Resources, Mines and Energy (Qld)
Department of Planning and Environment — Division of Energy, Water and Portfolio Strategy
Department of Primary Industry and Resources (NT)
Energy Networks Australia
Energy Safe Victoria
New Zealand Institute of Gas Engineers
Weld Australia
Worksafe New Zealand

This Standard was issued in draft form for comment as DR AS/NZS 2885.2:2019.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

ISBN 978 1 76072 850 2

Australian/New Zealand Standard™

Pipelines — Gas and liquid petroleum

Part 2: Welding

Originates as AS CB28—1992.
Previous edition AS 2885.2—2007.
Revised and redesignated as AS/NZS 2885.2:2016.
Second edition 2020.

COPYRIGHT

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee ME 038, Petroleum Pipelines, to supersede AS/NZS 2885.2:2016.

The inclusion of roles and responsibilities in AS/NZS 2885.2:2020, was approved by the Standards Development Committee on 1 May 2015, as a one-off exemption to the directives of *Standardization Guide 009: Preparation of Standards for Legislative Adoption*.

The objective of this Standard is to provide requirements for the welding of pipelines designed and constructed in accordance with AS 2885.1, *Pipelines—Gas and liquid petroleum, Part 1: Design and construction*.

The objective of this revision is to address the following public comments, which became necessary after the release of the 2016 edition:

- (a) All weld metal chemical analysis for boron content is only required for cellulosic consumables with tensile strength greater than or equal to that of E8010 in [Clause 4.2.1](#).
- (b) Added a note to Table 7.3 (7.4.1 in this edition) to cover scenarios where CVN tests are not practicable.
- (c) Errors in [Table 8.1](#) and [8.2](#) amended.
- (d) Figure 8.1 amended by correcting details for spherical tee and fitting errors.
- (e) Removed the requirement in [Clause 5.6.2](#) to have the long sides of rectangular lugs in the circumferential direction of the pipe.
- (f) Removed the requirement for over-sizing where STRENGTH MATCHING between run pipe and filler metal does not occur in circumferential fillet welds in [Clause 5.6.3](#).
- (g) [Clause 6.4.3](#) has been amended to limit qualification of pipeline assembly welding to alternative standards only for grades below 765.
- (h) Removed the requirement for electrode brand name as an ESSENTIAL VARIABLE for root runs performed with E6010 consumable in [Table 6.1\(B\)](#).
- (i) The wording in [Clause 16.9](#) has been reverted to the 2007 revision, due to changes that contradicted the statement that ESSENTIAL VARIABLES do not apply to in-service welds.
- (j) Changed wording in [Clause 16.14](#) to remove restriction of leak testing hot tap COMPONENTS above the pipeline pressure.
- (k) Errors in Table 17.1 (17.2.1 in this edition) have been corrected.
- (l) [Clauses 17.2.3](#) and [17.2.5](#) (17.2.4 and 17.2.6 in this edition) have been revised to account for the difference in severity between surface breaking and embedded flaws. Limits for inadequate penetration due to high/low have been instated in line with API 1104, *Welding of pipelines and related facilities, Spec 5L, Specification for line pipe*.
- (m) A new defect acceptance table ([Table 17.3.1](#)) has been produced for sentencing to Tier 1 using UT for improved usability of this Standard. Introduced requirement for individual indications with a vertical height (through-wall) dimension determined to be greater than 25 % of the t_N to be deemed as defects when sentencing to Tier 1 using UT, this is based on API 1104.
- (n) ENGINEERING CRITICAL ASSESSMENT in [Clause 17.5](#) has been revised to take into account the different toughness testing requirements of the ECA standard used and additional items have been added to input assumptions.
- (o) A new defect acceptance table ([Table 18.4.1](#)) has been produced for sentencing to Tier 1 using visual inspection, MPT and DPI.

- (p) Appendix H has been removed and instead reference has been made to DNV-RP-F118 where required.

The above list of changes is not intended to be complete. Users of this Standard should not rely on the list in order to ascertain whether there have been changes made to the previous version of the Standard.

Statements expressed in mandatory terms in notes to tables are deemed to be requirements of this Standard.

Small caps have been used throughout this document to indicate terms that are defined in [Clause 1.5](#) e.g. AUTOMATIC WELDING.

The terms “may”, “should” and “shall” are not in small caps but are defined terms that are used in this Standard to indicate an option (may), a recommendation (should) or a mandatory statement (shall).

The terms “normative” and “informative” are used in Standards to define the application of the appendices to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is only for information and guidance.

Contents

Preface	ii
Section 1 Scope and general	1
1.1 Scope.....	1
1.2 Normative references.....	2
1.3 Terms and definitions.....	5
1.4 Approval.....	13
1.5 Qualification.....	13
1.6 Retrospectivity.....	13
1.7 Carbon equivalent (CE).....	13
1.8 Heat input (arc energy).....	4
Section 2 Safety	15
2.1 Production welding.....	15
2.1.1 General.....	15
2.1.2 Electrical safety during welding.....	15
2.1.3 Welding environment.....	15
2.1.4 Equipment and compressed gases.....	15
2.1.5 Electric and magnetic fields (EMF).....	15
2.2 Welding or cutting on a pipeline after commissioning.....	15
2.2.1 General.....	15
2.2.2 Risk assessment.....	16
2.3 Safety and protection from ionizing radiation.....	16
Section 3 Qualifications	17
3.1 General.....	17
3.2 Welding engineering.....	17
3.3 Welding supervision.....	18
3.4 Welding inspection.....	19
3.5 Welders and welding operators.....	19
Section 4 Materials	20
4.1 Scope of section.....	20
4.2 Consumables.....	20
4.2.1 General.....	20
4.2.2 Storage and handling of consumables.....	20
Section 5 Design of a welded joint	22
5.1 General.....	22
5.2 Butt welds between components of equal nominal thickness.....	22
5.3 Butt welds between components of unequal nominal thickness.....	23
5.4 Reinforcement of butt weld.....	26
5.5 Longitudinal butt welds.....	26
5.6 Fillet weld.....	26
5.6.1 Dimensions of a fillet weld.....	26
5.6.2 Fillet welding a lug, boss, pig bar or pad.....	26
5.6.3 Sleeve fillet welds.....	27
5.6.4 Flanges and forged socket components.....	27
5.7 Welding of threaded joints.....	27
5.8 Reinforcement of a welded branch connection.....	28
5.9 Reinforcement of multiple openings.....	28
5.10 Forged branch component.....	28
5.11 Effect of components on PIG passage.....	28
5.12 Offset of longitudinal welds.....	28
5.13 Distance between welds.....	28
5.14 Location of aluminothermic welds and brazing connections.....	28
5.15 Attachment of electrical conductors.....	28
5.16 Golden welds.....	29

Section 6	Qualification of a welding procedure specification	30
6.1	Welding procedure specification (WPS)	30
6.2	Purpose of qualifying a welding procedure	36
6.3	Types of welds requiring qualification	37
6.4	Methods of qualification	37
6.4.1	General	37
6.4.2	Qualification by testing	38
6.4.3	Qualification to an alternate approved welding standard	39
6.4.4	Qualification by prequalification without testing	39
6.4.5	Qualification by the use of engineering	40
6.5	Changes in a welding procedure	40
6.5.1	Change in an essential variable	40
6.5.2	Change in other than an essential variable	40
6.6	Conduct of the qualification welds	40
6.6.1	Planning a procedure qualification weld	40
6.6.2	Test piece size	41
6.6.3	Test piece material	41
6.6.4	Preparation and assembly of test pieces	41
6.6.5	Test conditions	41
6.6.6	Identification of the test weld	42
6.6.7	Recording a test weld	42
6.6.8	Supervision of the test weld	42
6.7	Provisions for specific welding methods	42
6.7.1	Cellulosic welding	42
6.7.2	Provisions for waveform power source	42
6.7.3	Aluminothermic welding	43
6.7.4	Brazing	44
Section 7	Assessment of the test weld to qualify a welding procedure	45
7.1	Method of assessment	45
7.2	Visual examination	45
7.3	Non-destructive testing	45
7.4	Destructive tests	45
7.4.1	Types of test and number of test specimens	45
7.4.2	Transverse butt tensile strength test	47
7.4.3	All-weld-metal tensile test (AWMT)	47
7.4.4	Transverse grooved side bend test	48
7.4.5	Macro etch — Cross-section examination	48
7.4.6	Hardness test	49
7.4.7	Fracture toughness tests	49
7.5	Retesting and further testing	51
7.5.1	General	51
7.5.2	Visual examination and non-destructive testing	51
7.5.3	Destructive testing	51
7.5.4	Cause of failure	51
7.6	Record of results	51
7.7	Period of validity	51
7.8	Disqualification of a qualified welding procedure	51
7.9	Aluminothermic welds and brazing connections	52
Section 8	Welding positions	53
8.1	Designation	53
8.2	Limits of qualified positions	53
Section 9	Qualification of a welder or welding operator	57
9.1	Purpose of qualifying a welder or welding operator	57
9.2	Scope of welder or welding operator qualification	57
9.3	Methods of qualification	57
9.4	Qualification by testing	57
9.5	Essential variables for welders and welding operators	58

9.6	Test piece.....	58
9.7	Assembly of test pieces.....	58
9.8	Automatic welding equipment.....	59
9.9	Making a test weld.....	59
9.10	Supervision of a test weld.....	59
9.11	Identification of a test weld.....	59
9.12	Qualification of aluminothermic welding and brazing operators.....	59
Section 10	Assessment of test welds for welder or welding operator qualification.....	60
10.1	Method of assessment.....	60
10.2	Visual examination.....	60
10.3	Non-destructive testing.....	60
10.4	Repeated test.....	60
10.4.1	General.....	60
10.4.2	Repeated failure.....	60
10.5	Record of results.....	61
10.6	Portability of a welder's or welding operator's qualification.....	61
Section 11	Welder or welding operator qualification and disqualification.....	62
11.1	Reciprocity of a welder's or welding operator's qualification.....	62
11.2	Period of validity.....	62
11.3	Qualification record.....	62
11.4	Disqualification of a welder's or welding operator's qualification.....	62
Section 12	Production welds.....	63
12.1	Welding process.....	63
12.2	Welding equipment.....	63
12.3	Welder and welding procedure.....	63
12.4	Supervision of welding.....	63
12.5	Safety in welding.....	63
12.6	Storage and handling of electrodes, filler rods and fluxes.....	63
12.7	Welding in adverse climatic conditions.....	63
12.8	Preparation for welding.....	63
12.8.1	Edge preparation.....	63
12.8.2	Internal cleaning.....	64
12.9	Method of making the weld preparation.....	64
12.10	Accuracy of alignment.....	64
12.11	Line-up clamp.....	64
12.12	Tack welds.....	64
12.13	Working clearance.....	64
12.14	Placement of weld passes.....	64
12.15	Arc strike and arc burn.....	65
12.16	Cleaning.....	65
12.17	Peening.....	65
12.18	Interpass cleaning.....	65
12.19	Preheat and interpass temperature.....	65
12.19.1	General.....	65
12.19.2	Application of preheat and interpass temperature.....	65
12.19.3	Extent of heating.....	65
12.19.4	Monitoring of preheat and interpass temperature.....	65
12.19.5	Condensation.....	65
12.20	Post-weld heat treatment (PWHT).....	65
12.21	Identification of a production weld.....	66
Section 13	Post-weld heat treatment (PWHT) and post-weld cooling.....	67
13.1	Post-weld heat treatment.....	67
13.2	Post-weld cooling.....	67
Section 14	Assessment of production welds and repair welds.....	68
14.1	General.....	68
14.2	Methods of examination.....	68

14.3	Production cut-out welds	68
Section 15 Welding and cutting on a pipeline after commissioning or after hydrostatic testing		
15.1	General	69
15.2	Safety	69
15.3	Hot repair of leaking gas-filled pipelines	69
15.4	Where gas is not escaping	69
15.5	Pipelines containing petroleum fluids other than lean natural gas	69
15.6	Qualification of welder(s)	70
15.7	Qualification of welding supervisors and welding inspectors	70
15.8	Fit-up before welding and cutting	70
15.9	Examination and testing	70
15.10	Criteria of acceptance	70
Section 16 Welding onto an in-service pipeline		
16.1	Pipeline containing flammable or pressurized fluid	71
16.2	Precautions to be undertaken before in-service welding	71
16.2.1	Avoidance of hydrogen assisted cold cracking (HACC) and burn-through	71
16.2.2	Items to be considered before in-service welding	71
16.2.3	Risk assessment and risk management plan	71
16.3	Lining	72
16.4	Safety	72
16.5	Inspection before welding	72
16.6	Ultrasonic testing before welding	72
16.6.1	Purpose of testing	72
16.6.2	Method	72
16.6.3	Criteria of acceptance	72
16.7	Welding consumables	73
16.8	Preheat	73
16.9	Qualification of welding procedures	73
16.10	Welding sequence	73
16.11	Qualification of welder(s)	76
16.12	Qualification of welding supervisors and welding inspectors	76
16.13	Fit-up before welding	76
16.14	Examination and testing	76
16.15	Criteria of acceptance	76
16.16	Welding of test assembly	76
Section 17 Criteria of acceptance for girth weld discontinuities		
17.1	General	77
17.1.1	Acceptance criteria	77
17.1.2	Fatigue	77
17.2	Table 1 criteria RT — Workmanship standard	80
17.2.1	General	80
17.2.2	Inadequate penetration	80
17.2.3	Inadequate penetration due to high/low	80
17.2.4	Incomplete fusion due to cold lap	80
17.2.5	Root concavity	81
17.2.6	Incomplete fusion	81
17.2.7	Porosity	81
17.2.8	Slag inclusions	82
17.2.9	Burn-through	83
17.2.10	Cracks	83
17.2.11	Undercutting	84
17.2.12	Root slag intrusion	84
17.2.13	Accumulation of discontinuities	84
17.2.14	Coincident discontinuities	84
17.2.15	Pipe or component discontinuities	85
17.3	Ultrasonic testing acceptance criteria (AUT, MUT, PAUT AND TOFD where applicable)	90

17.3.1	General	90
17.3.2	Planar indications	90
17.3.3	Non-planar volumetric indications	90
17.3.4	Transverse indications	90
17.3.5	Tier 1 UT acceptance criteria — Planar surface indications	90
17.3.6	Planar embedded indications	91
17.3.7	Transverse (t) indications	91
17.3.8	Volumetric cluster indications	91
17.3.9	Volumetric embedded individual indications	91
17.3.10	Volumetric root indications	91
17.3.11	Cracking	91
17.3.12	Parent material discontinuities	91
17.3.13	Copper contamination/cracking	91
17.4	Tier 2 acceptance criteria — Generalized fitness for purpose standard	93
17.4.1	General	93
17.4.2	Tier 2 acceptance criteria	94
17.5	Tier 3 criteria — Engineering critical assessment	98
17.5.1	General	98
17.5.2	ECA input assumptions	99
17.5.3	Coincident load conditions	100
17.5.4	Locations to be tested	100
17.5.5	Defect positions to be analysed	100
Section 18	Visual examination	101
18.1	Purpose	101
18.2	Method of examination	101
18.3	Extent of visual examination	101
18.4	Criteria of acceptance	101
18.4.1	All-welds	101
18.4.2	Butt welds	101
18.4.3	Alignment (high/low)	101
18.5	Undercut depth measurement	101
Section 19	Non-destructive testing (NDT)	104
19.1	General	104
19.2	Organizations undertaking non-destructive testing (NDT)	104
19.3	Qualifications of personnel	104
19.4	Methods	104
19.5	Amount of non-destructive testing (NDT)	104
19.6	Non-destructive testing of golden welds	104
19.7	Exemption from radiographic or ultrasonic testing	104
19.8	Timing of non-destructive testing	105
Section 20	Radiographic testing	106
20.1	General	106
20.2	Safety and protection from ionizing radiation	106
20.3	Film density	106
20.4	Image quality	106
20.5	Undercut depth measurement	107
20.6	Gas pore depth measurement	108
20.7	Interpretation and assessment of radiographs	109
20.8	Criteria of acceptance	109
20.9	Report of radiographic testing	109
20.10	Retention of radiographs and digital images	110
Section 21	Qualifying a radiographic procedure	111
21.1	Radiographic procedure	111
21.1.1	General	111
21.1.2	Film density range to be achieved — Additional requirements for computerized and digital radiography	112

21.2	Method of qualifying the radiographic procedure.....	112
21.3	Test conditions.....	112
21.4	Radiographic procedure specification documentation.....	112
21.5	Period of validity.....	112
Section 22	Ultrasonic testing.....	113
22.1	General.....	113
22.2	Surface preparation.....	113
22.3	Manual ultrasonic testing.....	113
22.4	Phased array ultrasonic testing (PAUT).....	113
22.5	Sensitivity.....	113
22.6	Assessment.....	114
22.7	Criteria of acceptance.....	114
22.8	Report.....	114
22.9	Procedure qualification.....	114
22.10	Automated ultrasonic testing (AUT).....	115
22.10.1	General.....	115
22.10.2	AUT system qualification.....	
22.10.3	AUT procedure.....	
22.10.4	Project-specific validation.....	115
22.10.5	AUT operators qualification.....	
22.10.6	Test on the repairs.....	116
Section 23	Magnetic particle testing.....	117
23.1	Purpose.....	117
23.2	Method.....	117
23.3	Qualification of personnel.....	117
23.4	Criteria of acceptance.....	117
Section 24	Dye-penetrant testing.....	118
24.1	Purpose.....	118
24.2	Method.....	118
24.3	Qualification of personnel.....	118
24.4	Criteria of acceptance.....	118
Section 25	Repair of an unacceptable weld.....	119
25.1	General.....	119
25.2	Repair methods.....	119
25.3	Qualification of the repair welding procedure.....	119
25.4	Inspection.....	119
25.5	Criteria of acceptance.....	119
Section 26	Removal of an arc burn.....	120
26.1	General.....	120
26.2	Repair by grinding.....	120
26.3	Method of inspection.....	120
26.4	Criteria of acceptance.....	120
26.5	Cleaning after testing.....	120
Section 27	Cutting out an unacceptable weld or an arc burn.....	121
Section 28	Records.....	122
Appendix A	(normative) Items requiring approval.....	123
Appendix B	(normative) Avoidance of hydrogen assisted cold cracking (HACC).....	125
Appendix C	(informative) Selection and specification of cellulosic welding electrodes.....	129
Appendix D	(informative) Weld procedures associated with changes to the welding consumable classification system.....	132
Appendix E	(informative) Additional recommendations for automatic/mechanized welding of pipeline girth welds.....	136

Appendix F (informative) Guidance on GMAW welding consumables for mechanized and automatic pipeline welding processes	139
Bibliography	140

Australian/New Zealand Standard

Pipelines — Gas and liquid petroleum

Part 2: Welding

Section 1 Scope and general

1.1 Scope

This Standard specifies minimum requirements for safety, welding consumables, weld preparations, welding processes, qualifications of welding procedures and personnel, and fabrication and inspection requirements for the construction and maintenance welding of carbon and carbon-manganese steel pipelines down to 3.2 mm wall thickness designed and constructed in accordance with AS/NZS 2885.1. The welding of corrosion-resistant alloy steel pipelines, or pipelines with NOMINAL THICKNESSES less than 3.2 mm, is not precluded, but is not expressly covered by this Standard. The welding of such pipelines has to be given special consideration.

The following types of welds are covered by this Standard:

- (a) MAINLINE PIPE.
- (b) Tie-in.
- (c) Special class (e.g. golden weld).
- (d) Repair welds (see [Section 25](#)).
- (e) Welds on or between COMPONENTS.
- (f) Temporary welds used in construction (e.g. test headers).
- (g) Structural attachments.
- (h) Aluminothermic or brazing welds for electrical attachments.
- (i) In-service welds.
- (j) Welds made in accordance with other standards.
- (k) PIPELINE ASSEMBLIES.

The welding may be done by a manual metal arc, submerged arc, gas tungsten arc, gas metal arc, flux cored arc or by a combination of these using a manual, semi-automatic, or AUTOMATIC WELDING technique or a combination of these techniques. The welds may be produced by position or roll welding, or by a combination of position and roll welding.

This Standard is applicable to the welding of joints in or on pipelines, and the welding of PIPELINE ASSEMBLIES manufactured from pipes and COMPONENTS.

NOTE 1 For examples of welding of assemblies that are covered by this Standard, see [Figure 1.1](#).

NOTE 2 The welding of COMPONENTS may present special difficulties when using typical pipeline welding procedures (see [Appendix B](#)).

It is not intended that this Standard be applied to the following:

- (i) STATION pipework as defined in AS/NZS 2885.1.
- (ii) Longitudinal welds or spiral welds made during the manufacture of a pipe or a COMPONENT.
- (iii) Underwater welding.