

Australian/New Zealand Standard™

**Electric cables—Lead and lead alloy
sheaths—Composition**

Currently in preview, click buy full version

AS/NZS 2893:2002

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-003, Electric Wires and Cables. It was approved on behalf of the Council of Standards Australia on 4 June 2002 and on behalf of the Council of Standards New Zealand on 23 May 2002. It was published on 4 July 2002.

The following are represented on Committee EL-003:

Australasian Railway Association
Australian Electrical and Electronic Manufacturers Association
Australian Industry Group
Canterbury Manufacturers Association, New Zealand
Department of Defence (Australia)
Department of Mineral Resources N.S.W.
Electrical Contractors Association of New Zealand
Electrical Regulatory Authorities Council
Electricity Supply Association of Australia
Institution of Engineers Australia
Ministry of Economic Development (New Zealand)
National Electrical and Communications Association

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

RECONFIRMATION

OF

AS/NZS 2893:2002

Electric cables—Lead and lead alloy sheaths—Composition

RECONFIRMATION NOTICE

Technical Committee EL-003 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 10 October 2016.

Approved for reconfirmation in New Zealand on behalf of the Standards Council of New Zealand on 13 December 2016.

The following are represented on Technical Committee EL-003:

Australian Cable Makers' Association
Australian Industry Group
Electrical Compliance Testing Association
Electrical Regulatory Authorities Council
National Electrical and Communications Association
Queensland University of Technology

NOTES

Currently in preview, click buy full vers.

Australian/New Zealand Standard™

Electric cables—Lead and lead alloy sheaths—Composition

Originated as AS C91—1941.
Previous edition AS 2893—1986.
Jointly revised and designated AS/NZS 2893:2002.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 4599 7

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-003, Electric Wires and Cables to supersede AS 2893—1986 and NZS/AS 2893.

The objective of this Standard is to specify the chemical composition of metallic sheathing for electric and telecommunication cables. Guidance is provided on the types of cables and service conditions for which the different compositions are primarily intended.

This Standard is technically identical to BS 801, *Composition of lead and lead alloy sheaths of electric cables*.

This Standard differs from the previous edition in the following significant ways:

- (a) This Standard has been published as a Joint Australian/New Zealand Standard.
- (b) The list of Standards, in which this Standard is specified, has been deleted.
- (c) Reference to the provision of a manufacturer's certificate has been deleted.

The term 'informative' has been used in this Standard to define the application of the appendix to which it applies. An 'informative' appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
1 SCOPE.....	4
2 APPLICATION.....	4
3 REFERENCED DOCUMENTS	4
4 CLASSIFICATION.....	4
5 COMPOSITION OF SHEATHING	4
6 COMPOSITION OF LEAD SLEEVING FOR JOINTING PURPOSES.....	4
7 ANALYSIS.....	5

APPENDIX

A RECOMMENDATIONS FOR THE SELECTION OF COMPOSITION OF SHEATHING.....	7
---	---

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard
Electric cables—Lead and lead alloy sheaths—Composition

1 SCOPE

This Standard specifies the chemical composition of cable metallic sheathing made from lead and three lead alloys.

2 APPLICATION

This Standard is primarily intended for use in telecommunication, power, lighting and control cables.

3 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

BS

3908 Methods for sampling and analysis of lead and lead alloys

BS EN

12402 Lead and lead alloys—Methods of sampling for analysis

4 CLASSIFICATION

Lead and lead alloys are classified as follows:

- (a) Lead.
- (b) Alloy E.
- (c) Alloy B.
- (d) Alloy ½C.

NOTE: Guidance on the use of the above materials is given in Appendix A.

5 COMPOSITION OF SHEATHING

The chemical composition of a lead or lead alloy sheath of a cable shall be selected from those given in Table 1 according to the type of cable and the mechanical conditions which the cable is required to withstand during transport and in service (see Appendix A).

6 COMPOSITION OF LEAD SLEEVING FOR JOINTING PURPOSES

The chemical composition of lead sleeving for jointing purposes shall be as given in Table 1 except that for high purity lead sleeves for jointing, the maximum copper content shall be 0.01% and the lead content not less than 99.8%.

NOTE: In the chemical compositions specified, the basic constituent is lead. For some types of cable and conditions of service, the sheathing may consist of lead, although the cable manufacturer may make small additions of other metallic elements up to the maximum limits shown in Table 1. Where cables are expected to operate under conditions of moderate or severe vibration, lead alloys are provided in which, by the deliberate addition to the lead of specified amounts of alloying elements, the resistance of the sheathing to fatigue cracking is increased.