

AS/NZS 4234:2021



Australian/New Zealand Standard™

Heated water systems — Calculation of energy consumption

currently in preview, click buy full version

AS/NZS 4234:2021

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee CS-028, Solar Heating and Cooling. It was approved on behalf of the Council of Standards Australia on 19 May 2021 and by the New Zealand Standards Approval Board on 07 April 2021.

This Standard was published on 25 June 2021.

The following are represented on Committee CS-028:

Australian Building Codes Board
Australian Industry Group
Australian Institute of Refrigeration Air Conditioning and Heating
Clean Energy Council
Consumer Electronics Suppliers Association
CSIRO
Energy Efficiency & Conservation Authority of New Zealand
Gas Appliance Manufacturers Association of Australia
James Cook University
New Zealand Green Building Council
Smart Energy Council
Solar Association of New Zealand
Swimming Pool and Spa Association of Australia
University of New South Wales
University of South Australia

This Standard was issued in draft form for comment as DR AS/NZS 4234:2020.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

ISBN 978 1 76113 357 2

Australian/New Zealand Standard™

Heated water systems — Calculation of energy consumption

Originates as AS 4234—1994.
Jointly revised and designated AS/NZS 4234:2008.
Third edition 2021.

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

Preface

This Standard was prepared by the Joint Standards Australia/New Zealand Committee CS-028, Solar Heating and Cooling, to supersede AS/NZS 4234—2008.

The objective of this document is to provide methodologies to quantify the energy consumption of heated liquid systems and calculate energy savings relative to reference heaters.

Changes to the previous edition are as follows:

- (a) Additional water heating technologies based on PV water heating, variable speed heat pumps and commercial applications are included
- (b) The reference water heater systems used to quantify energy savings have been updated to current MEPS requirements; the main change being the increase from 3 star to 4 star for the gas reference water heater.
- (c) The typical meteorology year weather records have also been updated.
- (d) References to third-party software have been removed.
- (e) New requirements for assessing the suitability of software packages for the application of this document.

The performance evaluation procedure defined in this document has been designed to provide a means of evaluating the annual task performance of heated water systems.

Testing of solar and heat pump water heating systems under outdoor conditions is defined in AS 2984, *Solar water heaters—Methods of test for thermal performance—Outdoor test method*. Outdoor testing requires a long test period (8–10 weeks) due to the need to obtain stable inputs for a range of operating conditions. The major drawback of outdoor testing is that the tests must be repeated for every variation of system configuration offered by the supplier. The procedure defined in this document overcomes the time and cost limitations of using the outdoor test standard AS 2984.

The performance evaluations are based on modelling annual performance in a range of climatic conditions using a simulation program. Performance criteria are specified for simulation programs that can be used to implement the requirements of this document.

Typical meteorological year weather data files for Australia are now based on Bureau of Meteorology satellite data from 1990 to 2016. The new weather data records indicate higher solar radiation levels in Zones 1 and 4 and higher ambient temperatures in all zones compared to the terrestrial weather data (1967 to 1987) used in previous versions of this document.

NOTE Weather data files for five Australia climate zones and two New Zealand climate zones are supplied with the purchase of this document.

The weather data files for the five climate zones in Australia are supplied free of charge to users of the document by Exemplary Energy Partners. For users of the document wishing to use weather data for other sites, additional weather data files can be obtained from www.exemplary.com.au/solar-climate-data/solar-radiation-data.php

This document evaluates the performance of water heating technologies such as Solar Thermal Collectors, Heat pumps, photovoltaic arrays, thermal storage tanks (which can incorporate integral or electric resistance element boosting) and in-line supplementary heating utilizing gas or electric energy sources.

The terms “normative” and “informative” are used in Standards to define the application of the appendices to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is only for information and guidance.

Where *shall* is used in this Standard, this indicates that a requirement is to be followed strictly in order to conform to the Standard. Where *should* is used, it is to be interpreted as a recommendation; a recommendation is not required to be followed in order to conform to the Standard.

Currently in preview, click buy full version

Contents

Preface	ii
Section 1 Scope and general	1
1.1 Scope.....	1
1.2 Application.....	1
1.3 Normative references.....	2
1.4 Terms and definitions.....	3
1.5 Notation.....	7
Section 2 Component testing	9
2.1 Scope of section.....	9
2.2 Water heater technology types.....	9
2.2.1 Solar thermal collector systems.....	9
2.2.2 Pump flow and power consumption.....	9
2.2.3 Air-source heat pump systems.....	10
2.2.4 Photovoltaic water heaters.....	11
2.3 Storage tank types.....	11
2.3.1 Electric resistive heated, unboosted and heat pump storage tanks.....	11
2.3.2 Gas-boosted storage vessels.....	12
2.4 In line water heater types.....	12
2.4.1 Instantaneous gas water heaters.....	12
2.4.2 In line instantaneous electric water heater.....	13
2.5 Solar-boosted heat pump storage water heaters.....	13
2.6 Solar collector.....	13
2.6.1 Collector efficiency.....	13
2.6.2 Incidence angle modifier.....	14
2.6.3 Collector efficiency correction for shadowing due to impact guard.....	15
2.7 Air source heat pump.....	15
2.7.1 Heat pump COP and electric power use.....	15
2.7.2 Additional tests for variable capacity compressors.....	17
2.7.3 Testing requirements for commercial heat pump water heaters.....	18
2.8 Domestic water heater configuration.....	18
Section 3 Performance evaluation of domestic water heaters	20
3.1 Performance evaluation simulation program.....	20
3.2 Weather data.....	21
3.3 Domestic thermal energy loads.....	21
3.4 Domestic electrical energy consumption.....	21
3.5 Domestic hot water load selection.....	22
3.5.1 Water heaters with grid electric or gas supplementary heating.....	22
3.5.2 Water heaters with heat pump supplementary heating.....	22
3.6 Water temperature.....	22
3.6.1 Control of temperature.....	22
3.6.2 Legionella control.....	22
3.6.3 Minimum delivery temperature.....	22
3.7 Cold water inlet temperature.....	23
Section 4 Modelling domestic water heaters	24
4.1 General.....	24
4.2 Thermal stratification and mixing in hot water storage tanks.....	25
4.2.1 General.....	25
4.2.2 Low-flow criteria.....	25
4.2.3 Controlled-flow pumped circulation.....	25
4.2.4 Uncontrolled-flow pumped circulation.....	26
4.2.5 External collector loop heat exchanger systems.....	26
4.2.6 Pump controllers.....	26
4.3 Modelling thermal stratification in storage tanks.....	26

4.3.1	General	26
4.3.2	Controlled flow-rate pumped circulation	26
4.3.3	Thermosiphon circulation	27
4.3.4	Uncontrolled flow-rate pumped circulation	27
4.3.5	Heat exchanger tanks	27
4.3.6	In-tank electric resistive heating from grid or PV power	27
4.4	Piping configuration for solar thermal water heaters	28
4.4.1	Collector loop piping	28
4.4.2	Collector loop piping insulation	28
4.4.3	Piping between primary storage tank and a series booster	28
4.5	Piping configuration for standalone heat pump	29
4.6	Energy consumed for freeze protection of solar and heat pump water heaters	29
4.6.1	Active pumped freeze protection	29
4.6.2	Electric heater freeze protection	29
4.7	Over-temperature control	30
4.7.1	General	30
4.7.2	Hot water discharge due to over-temperature	30
4.7.3	Vented system energy dumping	30
4.8	Modelling heat pump water heaters	30
4.8.1	Standard operating conditions	30
4.8.2	Standby electrical power	30
4.8.3	Water flow rate for standalone heat pumps	30
4.8.4	Low ambient temperature operation	30
4.8.5	Output for air temperature above lowest temperature test condition	31
4.8.6	Output for air temperature below lowest temperature test condition	33
4.9	Modelling gas storage water heaters	35
4.10	Modelling instantaneous gas water heaters	35
4.11	Modelling instantaneous electric water heaters	37
4.12	Modelling of PV water heaters	38
4.13	Modelling of indirect coupled PV water heaters	39
4.14	Modelling solar-boosted heat pump water heaters	39
4.14.1	General	39
4.14.2	Compressor performance	40
4.14.3	Solar-boosted evaporator	40
4.14.4	Heat gain from condensation	41
4.14.5	Heat pump condenser	42
4.14.6	Solution procedure	43
Section 5	Performance evaluation of commercial liquid heating systems	44
5.1	General	44
5.2	Standardized annual task performance	44
5.3	Weather data	44
5.4	Commercial thermal energy load	44
5.5	Liquid temperature	44
5.5.1	Legionella control for drinking water	44
5.5.2	Minimum delivery temperature for drinking water	44
5.5.3	Process heat systems	44
5.6	Cold water inlet temperature	45
5.6.1	Drinking water system	45
5.6.2	Open loop load system with partial recirculation	45
5.6.3	Closed loop load system	45
5.7	Reference water heaters for commercial systems	45
5.7.1	General	45
5.7.2	Electric-boosted products	45
5.7.3	Gas-boosted products	45
Section 6	Modelling commercial liquid heating systems (all types)	46
6.1	General	46
6.2	Solar collector array configuration	46

6.3	Storage tank heat loss.....	46
6.3.1	General.....	46
6.3.2	Tank standing heat loss calculation.....	46
6.4	Storage tank stratification for booster recirculation loop.....	47
6.5	Collector loop fluid flow rate.....	47
6.5.1	General.....	47
6.5.2	Hydraulic circuit analysis.....	47
6.5.3	Flow rate calculation procedure.....	47
Section 7	Test report.....	50
7.1	Product description.....	50
7.2	Simulation software features and validation.....	50
7.3	Calculation of annual energy savings relative to reference water heaters.....	50
7.4	Calculation of carbon dioxide equivalent emission from heated water systems (if required).....	50
7.5	Presentation of results.....	51
7.6	Simulation files.....	52
Appendix A	(normative) Standard domestic operating conditions for Australia.....	53
Appendix B	(normative) Standard operating conditions for New Zealand.....	62
Appendix C	(normative) Water heater parameters.....	70
Appendix D	(normative) Corrections for effect of impact guards on solar collector efficiency.....	80
Appendix E	(normative) Calculation of tank heat loss.....	82
Appendix F	(Informative) Calculation of performance at other hot water loads.....	87
Bibliography	88

Australian/New Zealand Standard

Heated water systems — Calculation of energy consumption

Section 1 Scope and general

1.1 Scope

This document sets out a method for evaluating the annual energy performance of water heaters using a combination of test results for component performance and mathematical models to determine the standardized annual supplementary energy use.

This document may be used for both domestic and commercial systems, including recirculated hot water systems. For commercial applications, the systems modelled may deliver heat through fluids other than water.

The procedures may be used for solar and heat pump water heaters (HPWHs) with or without integral gas or electric boosting and may be coupled to conventional storage or instantaneous water heater(s) when used as solar pre-heater(s). Solar energy sources considered are —

- (a) solar irradiance which is used in solar thermal collector applications;
- (b) photovoltaic array applications; and
- (c) air-sourced heat that is used for heat pump applications.

The calculations in this document also cover the displaced purchased energy relative to reference water heaters.

NOTE Solar and solar-boosted HPWH types not covered in this document may be tested under AS 2984 to obtain an annual performance assessment.

This document does not include product design or operation requirements, however for the purpose of rating it does specify minimum savings and water temperature delivery requirements used to select simulated thermal load size.

1.2 Application

The procedure in this document uses mathematical models to assess annual water heating systems; hence the application of the procedure is restricted by the availability of suitable mathematical models. The analysis required by this document is based on numerical simulation of water heaters powered by conventional electric and gas energy, solar energy and heat pumps.

The numerical simulation model shall use the weather data, hot water load levels, electrical load data and modelling requirements specified in this document.

The operating conditions and product configurations to be used for evaluating the annual energy performance of a water heater are defined in this document.

This document may be used for evaluating the following water heaters:

- (a) Electric and gas storage water heaters.
- (b) Electric and gas instantaneous water heaters.
- (c) Solar water heater systems with a combination of any of the following:
 - (i) Flat plate, concentrating or evacuated tubular solar collectors.
 - (ii) Photovoltaic arrays.
 - (iii) Thermosiphon or pumped fluid circulation through the solar collectors.