

Australian/New Zealand Standard™

**121.5 and 243.0 MHz emergency
position indicating radio beacons
(EPIRBs) including personal EPIRBs**



AS/NZS 4330:2006

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee RC-004, Radiocommunications Equipment—Maritime and Safety of Life. It was approved on behalf of the Council of Standards Australia on 23 June 2006 and on behalf of the Council of Standards New Zealand on 7 July 2006.

This Standard was published on 25 July 2006.

The following are represented on Committee RC-004:

Australian Communications and Media Authority
Australian Electrical and Electronic Manufacturers Association
Australian Federal police
Australian Marine Industries Federation
Australian Maritime Safety Authority
Civil Aviation Authority
Department of Defence
Electromagnetic Technical Evaluation Committee
Maritime Safety Authority, NZ
Ministry of Economic Development, NZ
New Zealand Marine Safety Interests
State Maritime Service Departments
State Police/Emergency Services
Volunteer Marine Rescue Australia
Yachting Australia

Keep our Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand website at www.standards.co.nz and looking up the relevant Standard in the online catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 06201.

Australian/New Zealand Standard™

**121.5 and 243.0 MHz emergency
position indicating radio beacons
(EPIRBs) including personal EPIRBs**

Originated as NZS 4330:1995.
Previous edition AS/NZS 4330:2000.
Third edition 2006.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 7641 8

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee RC-004, Radiocommunications Equipment—Maritime and Safety of Life to supersede AS/NZS 4330:2000. It has been developed from a combined Department of Transport and Communications, and Australian Maritime Safety Authority document ECR 241.

As outlined in the Foreword, this Standard specifies the essential standards and minimum requirements for the design and construction of 121.5 and 243.0 MHz emergency position indicating radio beacons (EPIRBs) including personal EPIRBs.

This edition of the Standard contains changes which broaden the scope to include aviation portable ELTs, modify the physical requirements for the device to reflect the change of scope, refine activation and test mode conditions and tests, and refine production requirements. It adopts international climatic and durability tests from IEC 60945, *Maritime navigation and radiocommunication equipment and systems—General requirements—Methods of testing and required test results*, to align with IMO requirements.

The term ‘normative’ has been used in this Standard to define the application of the appendix to which it applies. A ‘normative’ appendix is an integral part of a Standard.

CONTENTS

	<i>Page</i>
FOREWORD.....	4
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	5
1.2 OBJECTIVE.....	5
1.3 APPLICATION	5
1.4 REFERENCED AND RELATED DOCUMENTS	5
1.5 DEFINITIONS	6
SECTION 2 ENVIRONMENTAL AND OPERATIONAL REQUIREMENTS	
2.1 GENERAL	7
2.2 OPERATIONAL REQUIREMENTS	9
2.3 BATTERY REQUIREMENTS.....	9
2.4 CLIMATIC AND DURABILITY REQUIREMENT	10
2.5 DOCUMENTATION.....	10
SECTION 3 RADIOFREQUENCY REQUIREMENT	
3.1 ADJUSTMENT MECHANISM	11
3.2 RADIOFREQUENCY TEST REQUIREMENTS	11
3.3 RADIOFREQUENCY LIMITS	11
APPENDICES	
A CLIMATIC AND DURABILITY TESTS FOR 121.5 AND 243.0 MHz EPIRBs	13
B RADIOFREQUENCY TESTS FOR 121.5 AND 243.0 MHz EPIRBs.....	14

FOREWORD

To provide the essential requirements for 121.5 and 243.0 MHz emergency position indicating radio beacons (EPIRBS) including personal EPIRBS, this Standard includes both environmental and operational requirements and radio-frequency requirements for marine and aviation application beacons. The requirements are made up of specifications, and the methods of test for verification of those specifications, which are based on COSPAS-SARSAT and International Maritime Organization requirements.

These specifications are required by both the appropriate national spectrum management authority and maritime safety authority in each country

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard**121.5 and 243.0 MHz emergency position indicating radio beacons (EPIRBs) including personal EPIRBs**

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard provides the minimum requirements for maritime emergency position indicating radio beacons (EPIRBs) including those designed for use as personal EPIRBs operating with carrier frequencies of 121.5 and 243.0 MHz and aviation portable emergency locator transmitters (ELTs) operating on 121.5 MHz.

This Standard does not apply to fitted emergency locating transmitters (ELTs) for 406 MHz beacons employing 121.5 or 243.0 MHz homing devices.

1.2 OBJECTIVE

The objective of this Standard is to provide equipment designers, manufacturers and suppliers with provisions to ensure correct operation of maritime EPIRBs including those designed for use as personal EPIRBs and aviation portable ELTs and their compatibility with space satellite systems.

1.3 APPLICATION

The scope of this Standard encompasses the physical characteristics of EPIRBs devices, as they pertain to maritime use, and the performance characteristics for reception through a space satellite system or by overflying aircraft.

From 1 February 2009 the frequency 121.5 MHz will cease to be monitored by Cospas-Sarsat as a primary distress beacon frequency and this Standard, AS/NZS 4330, will then be withdrawn, as equipment covered by this Standard will no longer function as a distress beacon.

Unless otherwise stated, aviation portable ELTs shall meet the same technical requirements as personal EPIRBs.

1.4 REFERENCED AND RELATED DOCUMENTS

The following documents are referred to in this Standard:

AS/NZS	
CMPR 12	Information technology equipment—Radio disturbance characteristics—Limits and methods of measurement
IEC	
60945	Maritime navigation and radiocommunication equipment and systems—General requirements—Methods of testing and required test results