

Australian/New Zealand Standard™

**Global maritime distress and safety
system (GMDSS)**

**Part 1: Radar transponder—Marine
search and rescue (SART)—Operational
and performance requirements,
methods of testing and required test
results**

STANDARDS
Australia


STANDARDS
NEW ZEALAND
PAEREWĀ AOTEAROA

AS/NZS 4432.1:2011

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee RC-004, Maritime Radiocommunications. It was approved on behalf of the Council of Standards Australia on 6 June 2011 and on behalf of the Council of Standards New Zealand on 26 July 2011.

This Standard was published on 24 August 2011.

The following are represented on Committee RC-004:

Australian Communications and Media Authority
Australian Industry Group
Australian Maritime Safety Authority
Australian Radio Communications Industry Association
Department of Defence, Australia
Electromagnetic Technical Evaluation Committee, New Zealand
EMC Technologies, New Zealand
Maritime New Zealand
Ministry of Economic Development, New Zealand
Yachting Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand website at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 4432.1.

Australian/New Zealand Standard™

Global maritime distress and safety system (GMDSS)

Part 1: Radar transponder—Marine search and rescue (SART)—Operational and performance requirements, methods of testing and required test results

Originally as AS/NZS 4432:1996.
Revised and redesignated as AS/NZS 4432.1:2011.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140

ISBN 978 0 7337 9913 6

PREFACE

This Standard was prepared by the Standards Australia Committee RC-004, Maritime Radiocommunications to supersede AS/NZS 4432:1996, *Radar transponders for marine search and rescue (SART)—Operational and performance requirements and methods of test*.

The objective of this Standard is to align the AS/NZS Standard with the latest edition of the International Standard.

The main changes with respect to the previous edition are set out in the IEC Foreword following the Contents list.

This Standard is identical with, and has been reproduced from IEC 61097-1 Ed. 2.0 (2007), *Global maritime distress and safety system (GMDSS)—Part 1: Radar transponder—Marine search and rescue (SART)—Operational and performance requirements, methods of testing and required test results*.

As this Standard is reproduced from an international standard, the following apply:

- (a) Its number appears on the cover and title page while the international standard number appears only on the cover.
- (b) In the source text 'this part of IEC 61097' should read 'this Standard'.
- (c) A full point substitutes for a comma when referring to a decimal marker.

None of the normative references in the source document have been adopted as Australian or Australian/New Zealand Standards.

CONTENTS

1	Scope.....	6
2	Normative references	6
3	Performance requirements	7
3.1	General.....	7
3.2	Operational	7
3.3	Battery	7
3.4	Environment (temperature).....	8
3.5	Antenna height.....	8
3.6	Antenna characteristics	8
3.7	Range performance.....	8
4	Labelling	8
5	Technical characteristics	8
5.1	Frequency	8
5.2	Polarisation	8
5.3	Sweep rate.....	8
5.4	Response signal.....	8
5.5	Form of sweep (sawtooth)	9
5.6	Pulse emission	9
5.7	E.i.r.p.	9
5.8	Effective receiver sensitivity	9
5.9	Duration of operation.....	9
5.10	Temperature range:.....	9
5.11	Recovery time following excitation	9
5.12	Effective antenna height.....	9
5.13	Delay between receipt of radar signal and start of transmission.....	9
5.14	Antenna vertical beamwidth	9
5.15	Antenna azimuthal beamwidth.....	9
6	Methods of testing and required test results	10
6.1	General.....	10
6.2	Operational requirements	10
6.3	Battery capacity	11
6.3.1	Method of measurement.....	11
6.3.2	Results required	11
6.4	Environment (temperature).....	11
6.4.1	Dry heat cycle	11
6.4.2	Low temperature cycle.....	11
6.5	Antenna height.....	11
6.6	Antenna characteristics	11
6.6.1	Azimuthal and vertical beamwidths	12
6.6.2	Polarisation	12
6.7	Range performance.....	12
6.7.1	Method of measurement.....	12
6.7.2	Results required	12
6.7.3	Alternative method of measurement.....	12

6.7.4	Results required	12
6.8	Labelling	12
6.9	Technical characteristics	12
6.9.1	General	12
6.9.2	Functional test signals	13
6.9.3	Receiver sensitivity.....	13
6.9.4	Sweep characteristics.....	13
6.9.5	Radiated power	13
6.9.6	Antenna characteristics	14
6.9.7	Recovery time following excitation.....	14
6.9.8	Delay – Receipt of radar interrogation and SART transmission.....	14
6.9.9	Receiver front end protection.....	14
Figure 1 – Possible test set-up.....		15

FOREWORD

The main changes with respect to the previous edition are listed below:

- some amendments to bring the standard up to date with newer IMO resolutions and ITU recommendations. In particular, in 1995, the IMO adopted new performance standards for the SART in resolution A.802(19) which replaced those of resolution A.697(17). This new resolution introduced a new requirement for the SART to be provided with a pole arrangement. In 2006, the ITU-R revised recommendation M.628 to permit the optional use of circular polarisation with the SART;
- the Introduction has been deleted as it was of historical interest only;
- Annex A, which contained details of the parts of the IEC 61097 series of standards, has been deleted as this information is now available from this Foreword;
- Annex B which contained a Bibliography has been deleted and the information moved into the normative references.

AUSTRALIAN/NEW ZEALAND STANDARD

Global maritime distress and safety system (GMDSS)

Part 1:

Radar transponder—Marine search and rescue (SART)—Operational and performance requirements, methods of testing and required test results

1 Scope

This part of IEC 61097 specifies the performance standards and type testing of marine radar transponders used in search and rescue operations at sea (SART), as required by Regulation 6.2.2 of Chapter III, and 7.1.3 and 8.3.1 of Chapter IV of the 1988 amendments to the 1974 International Convention for Safety of Life at Sea (SOLAS), and which is associated with IEC 60936 (Shipborne radar) and IEC 60945 (General requirements).

This standard incorporates the performance standards of IMO Resolutions A.530 (13) and A.802 (19) (Survival craft radar transponders for use in search and rescue operations) and the technical characteristics for such transponders contained in ITU-R Recommendation M.628-4, and takes account of the general requirements contained in IMO Resolution A.694 (17).

NOTE 1 The categories of SART operation which are applicable to the text of SOLAS Regulations, IMO Resolutions and ITU-R Recommendation are:

- a) integral with a survival craft;
- b) portable and capable of floating;
- c) as part of an EPIRB.

NOTE 2 This standard does not include non-SCAR options for instance those envisaged in ITU-R Recommendation 628-4 - Considering (b).

All text whose meaning is identical to that in IMO Resolutions A.530 (13), A.694 (17), A.802 (19) and ITU-R Recommendation M.628-4 is printed in italics.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60936-1, *Shipborne radar – Operational and performance requirements – Methods of tests and required test results*

IEC 60945, *Marine navigational equipment – General requirements – Methods of testing and required test results.*

IMO Resolution A.222 (VII): *Performance standards for navigational radar equipment.*

IMO Resolution A.477 (XII): *Performance standards for radar equipment.*

IMO Resolution A.530 (13): *Use of radar transponders for search and rescue purposes.*

IMO Resolution A.694 (17): *General requirements for shipborne radio equipment forming part of the Global maritime distress and safety system and for electronic navigational aids*