

Australian/New Zealand Standard™

**Performance of refrigerated beverage vending machines**

**Part 1: Test methods—Energy performance**



## **AS/NZS 4864.1:2008**

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee ME-008, Refrigerated Display Cabinets. It was approved on behalf of the Council of Standards Australia on 23 May 2008 and on behalf of the Council of Standards New Zealand on 31 May 2008.

This Standard was published on 30 June 2008.

---

The following are represented on Committee ME-008:

Australian Food and Grocery Council  
Australian Greenhouse Office, Department of the Environment and Heritage  
Australian Industry Group  
Australian Institute of Refrigeration Air Conditioning and Heating  
Australian Retailers Association  
Electrical Compliance Testing Association  
Energy Efficiency & Conservation Authority of New Zealand  
Engineers Australia  
Food Science Australia  
Food Standards Australia New Zealand  
NSW Health Department  
National Association of Retail Grocers of Australia  
Refrigeration Air Conditioning Companies Association

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) or Standards New Zealand website at [www.standards.co.nz](http://www.standards.co.nz) and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

---

Australian/New Zealand Standard™

**Performance of refrigerated beverage vending machines**

**Part 1: Test methods—Energy performance**

First published as AS/NZS 4864.1:2008.

**COPYRIGHT**

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 8821 1

## PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee ME-008, Refrigerated Display Cabinets.

The objective of this Standard is to provide designers, manufacturers, importers, test laboratories, regulators and users of refrigerated vending machines with a test method to assess the energy efficiency of these devices.

This Standard was prepared in response to the publication of a plan for the regulation of refrigerated beverage vending machines under the National Appliance and Equipment Energy Efficiency Program (NAEEEP) in 2005.

It is intended that this Standard should be proposed as the basis for an IEC Standard once it has been published in Australia.

This series consists of 2 parts. These are:

### AS/NZS

- 4864 Performance of refrigerated beverage vending machines
- 4864.1 Part 1: Test methods—Energy performance (this Standard)
- 4864.2 Part 2: Minimum energy performance standard (MEPS) requirements

Part 1 contains the test method for assessing the efficiency of refrigerated beverage vending machines.

Part 2 specifies Minimum Energy Performance Standard (MEPS) requirements and High Efficiency levels for refrigerated beverage vending machines. Regulatory authorities have advised that it is intended to mandate this Standard in regulations in Australia and New Zealand no earlier than 1 October 2009.

The terms ‘normative’ and ‘informative’ are used to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a standard, whereas an ‘informative’ appendix is only for information and guidance.

Statements expressed in mandatory terms in notes to figures, are deemed to be requirements of this Standard. ‘Shall’ indicates a requirement is mandatory, while ‘should’ indicates a recommendation and good practice.

## CONTENTS

	<i>Page</i>
1 SCOPE.....	4
2 DEFINITIONS.....	4
3 GENERAL CONDITIONS FOR MEASUREMENT .....	6
4 EQUIPMENT AND SET UP .....	7
5 MEASUREMENT ACCURACY AND INSTRUMENTATION .....	8
6 TEST PROCEDURE.....	8
7 CALCULATIONS .....	9
8 REPORTING .....	9
APPENDIX A TEST PACKAGE LOCATIONS—GLASS FRONT MACHINES .....	11

## STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

**Australian/New Zealand Standard**  
**Performance of refrigerated beverage vending machines****Part 1: Test methods—Energy performance****1 SCOPE**

This Standard specifies methods of measurement of electrical power consumption of refrigerated beverage vending machines connected to a nominal 230 V mains electricity supply.

This Standard—

- (a) defines standard bottled, canned, or other sealed beverage storage capacity;
- (b) establishes uniform methods of testing for determining laboratory performance of vending machines for bottled, canned or other sealed beverages;
- (c) lists and defines the terms used in the methods of testing; and
- (d) establishes test conditions for steady state energy consumption rating.

**2 DEFINITIONS****2.1 Bottle**

A glass or plastic container in which a beverage is sealed.

**2.2 Can**

A container made of metal in which a beverage is sealed.

**2.3 Closed front model**

A refrigerated beverage vending machine with a solid or backlit front, including models where product or sample product can be seen, but is not within the refrigerated space.

**2.4 Energy management system**

An automated control device or set of automated control devices that allow for adjustment of the operation of refrigerated beverage vending machines depending on environmental and other operational variables in the vending location.

**2.5 Facing**

A product in the next-to-be-vended position on a glass front vending machine shelf.

**2.6 Glass front machine**

A refrigerated beverage vending machine where beverages in the refrigerated space can be seen through the glass front.

**2.7 Indoor use conditions**

Ambient temperature and humidity to replicate typical indoor conditions.

**2.8 Low power mode**

A mode of operation where the energy management system automatically adjusts the normal operation of the machine by methods such as the reduction of lighting or refrigeration cycles and/or settings.