

Australian/New Zealand Standard™

**Heat pump water heaters — Performance
assessment**

**Part 1: Air source heat pump water
heaters**

STANDARDS
Australia



STANDARDS®
NEW ZEALAND
PĀREWA AOTEAROA



AS/NZS 5125.1:2014

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee CS-028, Solar Water Heaters. It was approved on behalf of the Council of Standards Australia on 25 July 2014 and on behalf of the Council of Standards New Zealand on 11 July 2014.

This Standard was published on 13 August 2014.

The following are represented on Committee CS-028:

Association of Certification Bodies
Australian Building Codes Board
Australian Chamber of Commerce and Industry
Australian Industry Group
Australian Institute of Refrigeration Air Conditioning and Heating
Australian Solar Cooling Interest Group
Australian Solar Council
Clean Energy Council
Clean Energy Regulator
Consumer Electronics Suppliers Association
CSIRO
Department of Industry
Electrical Compliance Testing Association
Energy Efficiency & Conservation Authority of New Zealand
Gas Appliance Manufacturers Association of Australia
Institution of Professional Engineers, New Zealand
James Cook University
Master Plumbers, Gasfitters and Drainlayers, New Zealand
New Zealand Hot Water Association
New Zealand Manufacturers and Exporters Association
Solar Association of New Zealand
Sustainability Victoria
University of New South Wales
University of South Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using the current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 5125.1.

Australian/New Zealand Standard™

**Heat pump water heaters—Performance
assessment**

**Part 1: Air source heat pump water
heaters**

Originally as AS/NZS 5125.1:2010.
Second edition 2014.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

ISBN 978 1 74342 804 7

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee CS-028, Solar Water Heaters, to supersede AS/NZS 5125.1:2010. The performance evaluation procedure defined in this Standard has been designed to provide a means of evaluating the annual task performance of air source heat pump water heating systems. The main purpose of this revision is to introduce a performance test for assessing performance against minimum performance requirements for heat pump water heaters.

Testing of solar and heat pump water heating systems under outdoor conditions was specified in AS 2984—1987, *Solar water heaters—Method of test for thermal performance—Outdoor test method* (obsolescent Standard). Outdoor testing requires a long test period (8–10 weeks) due to the need to obtain stable inputs for a range of operating conditions. The major drawback of outdoor testing is that the tests must be repeated for every variation of system configuration offered by the supplier. The procedure defined in this Standard overcomes the time and cost limitations of using the outdoor test method in AS 2984.

The performance characteristics determined using this Standard are for the purpose of modelling annual performance in AS/NZS 4234, *Heated water systems—Calculation of energy consumption*, using the TRNSYS simulation program or equivalent software.

Statements expressed in mandatory terms in notes to figures and tables are deemed to be requirements of this Standard.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND APPLICATION	
1.1 SCOPE.....	4
1.2 APPLICATION	4
1.3 REFERENCED DOCUMENTS.....	4
1.4 DEFINITIONS.....	5
1.5 NOTATION.....	6
SECTION 2 TEST CONDITIONS	
2.1 SCOPE OF SECTION	9
2.2 TEST CHAMBER	9
2.3 PRODUCT INSTALLATION	10
2.4 STAND-ALONE HEAT PUMP OPERATION.....	10
2.5 SENSORS AND MEASUREMENTS.....	10
SECTION 3 TEST PROCEDURE	
3.1 SCOPE OF SECTION	12
3.2 TEST CONDITIONS.....	12
3.3 TEST POINT PERIOD	12
3.4 MEASUREMENTS	12
SECTION 4 CALCULATIONS	
4.1 SCOPE OF SECTION	14
4.2 SELECTION OF TEST POINT PERIODS.....	14
4.3 THERMAL CAPACITY.....	14
4.4 COEFFICIENT OF PERFORMANCE.....	15
4.5 DATA CORRELATION.....	15
SECTION 5 LOW TEMPERATURE PERFORMANCE	
5.1 SCOPE OF SECTION	17
5.2 LOW TEMPERATURE CLASSIFICATION	17
5.3 LOW TEMPERATURE DELIVERY TEST	17
SECTION 6 REPORTING	
6.1 SCOPE OF SECTION	19
6.2 PRODUCT DESCRIPTION	19
6.3 DATA REPORTING	19
APPENDICES	
A TEST CHAMBER AND INSTRUMENTATION.....	20
B REGRESSION.....	24
C PROPERTIES OF WATER.....	25
D ERRORS.....	26
E CONFIGURATION AND DETERMINATION OF TIME CONSTANT FOR AIR TEMPERATURE SENSORS.....	29
F DATA REPORTING	32
G PERFORMANCE RATING TAPPING CYCLE TEST METHOD.....	39

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard**Heat pump water heaters—Performance assessment****Part 1: Air source heat pump water heaters**

SECTION 1 SCOPE AND APPLICATION

1.1 SCOPE

This Standard specifies the test conditions and test procedures for determining the energy performance characteristics of single-circuit air source heat pump water heaters. It applies to both stand-alone heat pump water heaters and heat pumps with the condenser integral with a storage tank. The variation of coefficient of performance (COP) and electric power used as a function of operating conditions are determined so that the results can be used in annual performance calculations of heat pump applications for sanitary hot water supply applications.

This Standard also specifies methods of testing and reporting the energy performance characteristics of electrical driven heat pumps using a single refrigeration circuit and having one evaporator and one condenser. Products with two evaporators that operate exclusively may also be tested in each mode.

The energy performance of a heat pump is determined by operating the product under a range of controlled environmental conditions and measuring the electrical power input and the thermal energy output in the form of hot water where the condenser is integral with a storage tank. Slightly different test procedures are specified for stand-alone and integral heat pump configurations.

This Standard also specifies a method for a 24 h tapping hot water load test for heat pumps to simulate domestic hot water usage behaviour under a range of controlled environmental conditions to determine a range of energy performance characteristics.

NOTE: This Standard uses the daily load profile of AS/NZS 4234.

1.2 APPLICATION

This Standard only addresses residential sanitary hot water supply.

This Standard does not apply to the testing of—

- (a) multiple split-system heat pumps;
- (b) units designed for dual heating and cooling tasks; or
- (c) heat pump water heater—solar boosted.

1.3 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS 3498	Authorization requirements for plumbing products—Water heaters and hot-water storage tanks
------------	--