

Australian/New Zealand Standard™

**Explosive atmospheres**

**Part 1: Equipment protection by  
flameproof enclosures 'd'**



## **AS/NZS 60079.1:2015**

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-014, Equipment for Explosive Atmospheres. It was approved on behalf of the Council of Standards Australia on 20 October 2015 and on behalf of the Council of Standards New Zealand on 22 October 2015.  
This Standard was published on 17 December 2015.

---

The following are represented on Committee EL-014:

Auckland Regional Chamber of Commerce  
Australian Chamber of Commerce and Industry  
Australian Industry Group  
Australian Institute of Petroleum  
Australian Petroleum Production and Exploration Association  
Australian Pipeline and Gas Association  
Aviation and Marine Engineers Association  
Bureau of Steel Manufacturers of Australia  
Department of Natural Resources and Mines, Qld  
Department of Trade and Investment, NSW  
Electrical Compliance Testing Association  
Electrical Contractors Association of New Zealand  
Electrical Regulatory Authorities Council  
Engineers Australia  
Institute of Electrical Inspectors  
Institute of Instrumentation, Control & Automation Australia  
Institution of Professional Engineers New Zealand  
Mining Electrical and Mining Mechanical Engineering Society  
Ministry of Business, Innovation and Employment, New Zealand  
University of Newcastle  
WorkCover New South Wales

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at [www.saiglobal.com.au](http://www.saiglobal.com.au) or Standards New Zealand web site at [www.standards.co.nz](http://www.standards.co.nz) and looking up the relevant Standard in the online catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

---

Australian/New Zealand Standard™

**Explosive atmospheres**

**Part 1: Equipment protection by  
flameproof enclosures 'd'**

Original was AS/NZS 60079.1:2002.  
Previous edition 2007.  
New edition 2015.

**COPYRIGHT**

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

## PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-014, Equipment for Explosive Atmospheres, to supersede AS/NZS 60079.1:2007.

The objective of this Standard is to set out the requirements for electrical equipment protection by flameproof enclosures ‘d’ for use in explosive gas atmospheres. It specifies requirements for design, construction and testing of electrical equipment and Ex components.

This Standard is identical with, and has been reproduced from IEC 60079-1 Ed.7.0 (2014), *Explosive atmospheres, Part 1: Equipment protection by flameproof enclosures "d"*. Changes to the Standard introduced by this edition are listed in the IEC Foreword.

This Standard is to be read in conjunction with AS/NZS 60079.0, *Explosive atmospheres, Part 0: Equipment—General requirements*.

As this Standard is reproduced from an International Standard, the following apply:

- (a) In the source text ‘this part of IEC 60079’ should read ‘this Australian/New Zealand Standard’.
- (b) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian/New Zealand Standard</i>	
IEC		AS/NZS	
60079	Explosive atmospheres	60079	Explosive atmospheres
60079-0	Part 0: Equipment—General requirements	60079.0	Part 0: Equipment—General requirements
60079-7	Part 7: Equipment protection by increased safety “e”	60079.7	Part 7: Equipment protection by increased safety ‘e’
60079-11	Part 11: Equipment protection by intrinsic safety “i”	60079.11	Part 11: Equipment protection by intrinsic safety ‘i’
60079-15	Part 15: Equipment protection by type of protection “n”	60079.15	Part 15: Equipment protection by type of protection ‘n’

Only normative references that have been adopted as Australian or Australian/New Zealand Standard have been listed.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the annex to which they apply. A ‘normative’ annex is an integral part of a Standard, whereas an ‘informative’ annex is only for information and guidance.

## CONTENTS

	<i>Page</i>	
1	Scope .....	16
2	Normative references .....	16
3	Terms and definitions .....	17
4	Level of protection (equipment protection level, EPL) .....	19
4.1	General .....	19
4.2	Requirements for level of protection “da” .....	19
4.3	Requirements for level of protection “db” .....	20
4.4	Requirements for level of protection “dc” .....	20
4.4.1	General .....	20
4.4.2	Construction of “dc” devices .....	20
4.4.3	Tests for “dc” devices .....	20
5	Flameproof joints .....	21
5.1	General requirements .....	21
5.2	Non-threaded joints .....	22
5.2.1	Width of joints ( <i>L</i> ) .....	22
5.2.2	Gap ( <i>i</i> ) .....	22
5.2.3	Spigot joints .....	22
5.2.4	Holes in joint surfaces .....	23
5.2.5	Conical joints .....	25
5.2.6	Joints with partial cylindrical surfaces (not permitted for Group IIC) .....	25
5.2.7	Flanged joints for acetylene atmospheres .....	26
5.2.8	Serrated joints .....	26
5.2.9	Multi-step joints .....	27
5.3	Threaded joints .....	30
5.4	Gaskets (including O-rings) .....	30
5.5	Equipment using conularies .....	32
6	Sealed joints .....	32
6.1	Cemented joints .....	32
6.1.1	General .....	32
6.1.2	Mechanical strength .....	32
6.1.3	Width of cemented joints .....	33
6.2	Fused glass joints .....	33
6.2.1	General .....	33
6.2.2	Width of fused glass joints .....	33
7	Operating rods .....	33
8	Supplementary requirements for shafts and bearings .....	34
8.1	Joints of shafts .....	34
8.1.1	General .....	34
8.1.2	Cylindrical joints .....	34
8.1.3	Labyrinth joints .....	34
8.1.4	Joints with floating glands .....	34
8.2	Bearings .....	36
8.2.1	Sleeve bearings .....	36
8.2.2	Rolling-element bearings .....	36

9	Light-transmitting parts .....	36
10	Breathing and draining devices which form part of a flameproof enclosure .....	37
10.1	General.....	37
10.2	Openings for breathing or draining.....	37
10.3	Composition limits.....	37
10.4	Dimensions.....	37
10.5	Elements with measurable paths.....	37
10.6	Elements with non-measurable paths.....	37
10.7	Removable devices.....	38
10.7.1	General.....	38
10.7.2	Mounting arrangements of the elements.....	38
10.8	Mechanical strength.....	38
10.9	Breathing devices and draining devices when used as Ex components.....	38
10.9.1	General.....	38
10.9.2	Mounting arrangements of the elements and components.....	38
10.9.3	Type tests for breathing and draining devices used as Ex components.....	38
10.9.4	Ex component certificate.....	41
11	Fasteners and openings.....	42
12	Materials.....	43
13	Entries for flameproof enclosures.....	44
13.1	General.....	44
13.2	Threaded holes.....	44
13.3	Non-threaded holes (for Group I only).....	44
13.4	Cable glands.....	45
13.5	Conduit sealing devices.....	45
13.6	Plugs and sockets and cable connectors.....	46
13.7	Bushings.....	47
13.8	Blanking elements.....	47
14	Verification and tests.....	47
15	Type tests.....	48
15.1	General.....	48
15.2	Tests of ability of the enclosure to withstand pressure.....	49
15.2.1	General.....	49
15.2.2	Determination of explosion pressure (reference pressure).....	49
15.2.3	Overpressure test.....	52
15.3	Test for non-transmission of an internal ignition.....	53
15.3.1	General.....	53
15.3.2	Electrical equipment of Groups I, IIA and IIB.....	55
15.3.3	Electrical equipment of Group IIC.....	56
15.4	Tests of flameproof enclosures with breathing and draining devices.....	57
15.4.1	General.....	57
15.4.2	Tests of ability of the enclosure to withstand pressure.....	57
15.4.3	Thermal tests.....	58
15.4.4	Test for non-transmission of an internal ignition.....	58
15.5	Tests for “dc” devices.....	59
15.5.1	General.....	59
15.5.2	Preparation of “dc” samples.....	59
15.5.3	Test conditions for “dc” devices.....	59

16	Routine tests .....	60
16.1	General.....	60
16.2	Enclosures not incorporating a welded construction .....	61
16.3	Enclosures incorporating a welded construction .....	61
16.4	Bushings not specific to one flameproof enclosure .....	61
16.5	Acceptance criteria .....	61
16.6	Batch testing.....	61
17	Switchgear for Group I.....	62
17.1	General.....	62
17.2	Means of isolation.....	62
17.2.1	General .....	62
17.3	Doors or covers .....	62
17.3.1	Quick-acting doors or covers .....	62
17.3.2	Doors or covers fixed by screws .....	62
17.3.3	Threaded doors or covers.....	63
18	Lampholders and lamp caps .....	63
18.1	General.....	63
18.2	Device preventing lamps working loose.....	63
18.3	Holders and caps for lamps with cylindrical caps.....	63
18.4	Holders for lamps with threaded caps .....	63
19	Non-metallic enclosures and non-metallic parts of enclosures .....	63
19.1	General.....	63
19.2	Resistance to tracking and creepage distance on internal surfaces of the enclosure walls .....	64
19.3	Requirements for type tests .....	64
19.4	Test of erosion by flame.....	64
20	Marking .....	64
20.1	General.....	64
20.2	Caution and warning markings.....	65
20.3	Informative marking .....	65
21	Instructions.....	65
	Annex A (normative) Additional requirements for crimped ribbon elements and multiple screen elements of breathing and draining devices .....	66
	Annex B (normative) Additional requirements for elements, with non-measurable paths of breathing and draining devices .....	67
	B.1 Sintered metal elements .....	67
	B.2 Pressed metal wire elements .....	67
	B.3 Metal foam elements.....	68
	Annex C (normative) Additional requirements for flameproof entry devices .....	69
	C.1 General.....	69
	C.2 Constructional requirements .....	69
	C.2.1 Sealing methods.....	69
	C.2.2 Flameproof joints.....	70
	C.2.3 Constructional requirements for Ex blanking elements .....	71
	C.2.4 Constructional requirements for Ex thread adapters.....	73
	C.3 Type tests .....	73
	C.3.1 Sealing test .....	73
	C.3.2 Test of mechanical strength.....	74

C.3.3	Type tests for Ex blanking elements .....	75
C.3.4	Type tests for Ex thread adapters .....	76
Annex D (normative)	Empty flameproof enclosures as Ex components.....	78
D.1	General.....	78
D.2	Introductory remarks .....	78
D.3	Ex component enclosure requirements.....	78
D.4	Utilization of an Ex component enclosure certificate to prepare an equipment certificate .....	80
D.4.1	Procedure.....	80
D.4.2	Application of the schedule of limitations .....	80
Annex E (normative)	Cells and batteries used in flameproof “d” enclosures .....	81
E.1	Introductory remarks .....	81
E.2	Acceptable electrochemical systems .....	81
E.3	General requirements for cells (or batteries) inside flameproof enclosures .....	82
E.4	Arrangement of safety devices .....	82
E.4.1	Prevention of excessive temperature and cell damage.....	82
E.4.2	Prevention of cell polarity reversal or reverse charging by another cell in the same battery .....	83
E.4.3	Prevention of inadvertent charging of a battery by other voltage sources in the enclosure .....	83
E.5	Recharging of secondary cells inside flameproof enclosures .....	84
E.6	Rating of protection diodes and reliability of protection devices.....	85
Annex F (informative)	Mechanical properties for screws and nuts .....	86
Annex G (normative)	Additional requirements for flameproof enclosures with an internal source of release (containment system) .....	87
G.1	General.....	87
G.2	Release conditions.....	87
G.2.1	No release .....	87
G.2.2	Limited release of a gaseous vapour .....	88
G.2.3	Limited release of a liquid .....	88
G.3	Design requirements for the containment system .....	88
G.3.1	General design requirements .....	88
G.3.2	Infallible containment system .....	88
G.3.3	Containment system with a limited release .....	89
G.4	Type tests for the containment system .....	89
G.4.1	Overpressure test .....	89
G.4.2	Leakage test for an infallible containment system .....	89
G.4.3	Leakage test for a containment system with a limited release .....	90
Annex H (normative)	Requirements for machines with flameproof “d” enclosures fed from converters.....	91
H.1	General.....	91
H.2	Construction requirements for bearings.....	91
H.3	Temperature requirements .....	91
Bibliography	.....	92
Figure 1 – Example of construction for indirect checking of a flanged Group I flameproof joint.....		22
Figure 2 – Spigot joints .....		23
Figure 3 – Holes in surfaces of flanged joints, example 1 .....		24

Figure 4 – Holes in surfaces of flanged joints, example 2.....	24
Figure 5 – Holes in surfaces of flanged joints, example 3.....	24
Figure 6 – Holes in surfaces of spigot joints, example 1.....	24
Figure 7 – Holes in surfaces of spigot joints, example 2.....	25
Figure 8 – Holes in surfaces of spigot joints, example 3.....	25
Figure 9 – Examples of joint constructions.....	26
Figure 10 – Illustration of the requirements concerning gaskets – Example 1.....	31
Figure 11 – Illustration of the requirements concerning gaskets – Example 2.....	31
Figure 12 – Illustration of the requirements concerning gaskets – Example 3.....	31
Figure 13 – Illustration of the requirements concerning gaskets – Example 4.....	31
Figure 14 – Illustration of the requirements concerning gaskets – Example 5.....	31
Figure 15 – Illustration of the requirements concerning gaskets – Example 6.....	31
Figure 16 – Illustration of the requirements concerning gaskets – Example 7.....	32
Figure 17 – Example of cylindrical joint for shaft of rotating electrical machine.....	35
Figure 18 – Example of labyrinth joint for shaft of rotating electrical machine.....	35
Figure 19 – Example of joint with floating gland for shaft of rotating electrical machine.....	35
Figure 20 – Joints of shaft glands of rotating electrical machines.....	36
Figure 21 – Component test rig for breathing and draining device.....	39
Figure 22 – Example of possible documentation.....	45
Figure 23 – Example of a regular shaped waveform.....	51
Figure 24 – Example of an irregular shaped waveform.....	51
Figure C.1 – Examples of blanking elements for unsealed entries.....	72
Figure C.2 – Device for the sealing tests for cable glands.....	74
Figure C.3 – Examples of Ex thread adapters.....	77
Figure E.1 – Fitting of diode arrangement for three cells in series.....	83
Figure E.2 – Fitting of blocking diodes to meet E.4.3 (third example).....	84
Figure G.1 – Flameproof enclosure with containment system.....	87
Table 1 – Number of non-transmission tests for level of protection “da”.....	20
Table 2 – Minimum width of joint and maximum gap for enclosures of Groups I, IIA and IIB.....	28
Table 3 – Minimum width of joint and maximum gap for Group IIC enclosures.....	29
Table 4 – Cylindrical threaded joints.....	30
Table 5 – Taper threaded joints <sup>a, c</sup> .....	30
Table 6 – Conditions for the determination of maximum surface temperature.....	48
Table 7 – Test factors for reduced ambient conditions.....	50
Table 8 – Relative pressures for small equipment.....	52
Table 9 – Reduction in length of a threaded joint for non-transmission test.....	54
Table 10 – Test factors to increase pressure or test gap ( $i_E$ ).....	54
Table 11 – Minimum distance of obstructions from flameproof “d” flange openings.....	54
Table 12 – Gas/air mixtures.....	55
Table 13 – Static pressures.....	60
Table 14 – Text of caution or warning markings.....	65

Table 15 – Text of informative markings.....	65
Table C.1 – Tightening torque values, metric .....	76
Table C.2 – Tightening torque values, NPT .....	77
Table E.1 – Acceptable primary cells .....	81
Table E.2 – Acceptable secondary cells.....	82
Table F.1 – Mechanical properties for screws and nuts.....	86

Currently in preview, click buy full version

## IEC FOREWORD

The significance of the changes between IEC 60079-1, Edition 7.0 (2014) and IEC 60079-1 Edition 6.0 (2007) (including Corrigendum 1 (2008)), is as listed below:

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Normative references (Removal of the edition date from the reference for IEC 60079-0)	2	X		
Requirements for level of protection "da" (Catalytic sensors of portable combustible gas detectors)	4.2		X	
Requirements for level of protection "dc" (“Enclosed break” devices from IEC 60079-15)	4.4, 15.5	X		
Flameproof joints, General requirements (Documentation clarification and examples of corrosion inhibiting grease)	5.1	X		
Flameproof joints, General requirements (Specific Conditions of Use that joints are not intended to be repaired)	5.1		X	
Flameproof joints, General requirements (Electroplating more than 0,008 mm thick)	5.1		X	
Non-threaded joints, Gap ( <i>i</i> ) (Intentional gaps between surface for flanged joints)	5.2.2	X		
Serrated joints (Use and test requirements)	5.2.8	X		
Multi-step joints (Not less than 3 adjacent segments and two path changes)	5.2.9		X	
Minimum width of joint and maximum gap for enclosures of groups IIA and IIB (Maximum gaps for flanged, cylindrical or spigot joints of 9,5 mm minimum width and volume greater than 2 000 cm <sup>3</sup> )	Table 2		X	
Minimum width of joint and maximum gap for enclosures of groups I, IIA, IIB and IIC (ISO 80000-1 for constructional value rounding)	Table 2, Table 3	X		
Cylindrical threaded joints (ISO 965-1 standard in respect of thread form or quality of fit)	Table 4	X		
Taper threaded joints (External and internal thread construction)	Table 5	X		
Cemented joints (Supplemental mechanical means of securement)	6.1.2			C1
Cemented joints (Evaluation criteria if there is leakage)	6.1.2		X	
Fused glass joints (Glass-to-metal joints)	6.2		X	
Thermal tests of breathing and draining devices (Temperature class based on external surface temperature after the 10 min test period)	10.9.3.2	X		
Test of the ability of the breathing and draining device to withstand pressure (Relocated from before thermal tests to after the non-transmission test)	10.9.3.4	X		

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Ex component certificate (Service temperature range for non-metallic enclosures per IEC 60079-0)	10.9.4	X		
Fasteners and openings (Relocation of blanking element content to 13.8 and C.2.3)	11	X		
Fasteners and openings, Property class or yield stress (Certificate specific condition of use)	11.3	X		
Fasteners and openings (Openings in the wall of the enclosure)	11.8	X		
Materials (Material limitation in acetylene atmospheres)	12.8			C2
Entries for flameproof enclosures, General (Metric and NPT threaded entries)	13.1	X		
Entries for flameproof enclosures, General (Group I non-threaded joints)	13.1		X	
Entries for flameproof enclosures, Non-threaded holes (Group I application)	13.3		X	
Entries for flameproof enclosures, Cable glands (Group I application)	13.4		X	
Cable glands, Conduit sealing devices (Documentation to facilitate mounting)	13.4,13.5	X		
Plugs and sockets and cable couplers (Load requirement for arc-quenching test)	13.6.4			C3
Bushings (Documentation to facilitate mounting)	13.7	X		
Blanking elements (Relocated from Clause 11)	13.8	X		
Verification and tests (Maximum surface temperature conditions)	Table 6	X		
Type tests (Sequence and number of samples for tests)	15	X		
Determination of explosion pressure, General (Devices that can cause turbulence)	15.2.2.2	X		
Determination of explosion pressure, General (Number of tests for Group IIC)	15.2.2.2	X		
Determination of explosion pressure, General (Pressure pilling for Group IIB)	15.2.2.4	X		
Determination of explosion pressure, General (Equipment marked for a single gas)	15.2.2.5	X		
Overpressure test, General (Low ambient overpressure tests not required)	15.2.3	X		
Overpressure test – First method (static) (3 times option when routine batch testing)	15.2.3.2		X	

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Overpressure test – First method (static) <i>(Adjustment for low ambient due to small size of equipment)</i>	15.2.3.2		X	
Overpressure test – Second method (dynamic) <i>(Number of tests to be made)</i>	15.2.3.3	X		
Test for non-transmission of an internal ignition <i>(Clarification regarding grease)</i>	15.3	X		
Reduction in length of a threaded joint for non-transmission test <i>(ISO 965-1 and 965-3 standards in respect of thread form and quality of fit)</i>	Table 9	X		
Test factors to increase pressure or test gap <i>(Group IIC adjustments for elevated ambients)</i>	Table 10	X		
Test for non-transmission of an internal ignition, Groups I, IIA and IIB <i>(Number of tests to be made)</i>	15.3.2.3	X		
Test for non-transmission of an internal ignition, Group IIC testing by increased gap <i>(Number of tests to be made)</i>	15.3.3.2	X		
Test for non-transmission of an internal ignition, Group IIC <i>(Oxygen enrichment of test gases)</i>	15.3.3.4		X	
Thermal tests of enclosures with breathing and draining devices <i>(Temperature class based on external surface temperature after the 10 min test period)</i>	15.4.3.1	X		
Tests for “dc” devices <i>(“Enclosed break” devices from IEC 60079-15)</i>	15.5		X	
Routine tests, General <i>(Adjustment for low ambient due to small size of equipment)</i>	16.1.2		X	
Routine tests, General <i>(Options when second method is chosen)</i>	16.1.3	X		
Routine tests, General <i>(Welded joint inspection options)</i>	16.3		X	
Routine tests, General <i>(Allowance for batch testing)</i>	16.6		X	
Switchgear for Group I <i>(Clarifying need for compliance with EPL Mb types of protection)</i>	17.2.2, 17.2.3	X		
Non-metallic enclosures and non-metallic parts of enclosures, General <i>(Exception for cemented joints)</i>	19.1	X		
Non-metallic enclosures and non-metallic parts of enclosures, Resistance to tracking and creepage distances <i>(Reference to both IEC 60079-7 and or IEC 60079-15)</i>	19.2		X	
Non-metallic enclosures and non-metallic parts of enclosures, Requirements for type tests <i>(Clarification of test sequence)</i>	19.3	X		

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Instructions <i>(Indication that repair of flamepaths is not intended)</i>	21		X	
Bushings <i>(Documentation regarding numbers of cores)</i>	C.2.1.4	X		
Bushings <i>(Criteria for non-transmission test)</i>	C.2.1.4	X		
Bushings <i>(Evaluation criteria if there is leakage)</i>	C.2.1.4		X	
Flameproof joints, Threaded joints <i>(Requirement options)</i>	C.2.2.1	X		
Flameproof joints, Non-threaded joints <i>(Group I application)</i>	C.2.2.2		X	
Constructional requirements for Ex blanking elements <i>(Relocated from Clause 11)</i>	C.2.3.1	X		
Constructional requirements for Ex blanking elements <i>(Metric and NPT Ex blanking elements)</i>	C.2.3.2, C.2.3.3	X		
Constructional requirements for Ex blanking elements <i>(Group I non-threaded construction)</i>	C.2.3.4		X	
Sealing test, General <i>(Allowance for re-tightening)</i>	C.3.1.1	X		
Cable glands and conduit sealing devices with sealing ring <i>(Mandrel to be corrosion-resistant metal)</i>	C.3.1.2	X		
Type tests for Ex blanking elements, Torque test <i>(Test-block to be steel)</i>	C.3.3.1	X		
Tightening torque values <i>(Addition of &lt; 16 mm thread size)</i>	Table C.1		X	
Tightening torque values <i>(Addition of NPT thread sizes)</i>	Table C.2		X	
Ex component enclosure requirements <i>(Markings content)</i>	D.3.8			C4
Ex component enclosure requirements <i>(Certificate content)</i>	D.3.10		X	
Utilization of an Ex component enclosure certificate to prepare an equipment certificate, Procedure <i>(Devices that can create significant turbulence)</i>	D.4.1		X	
Acceptable primary cells <i>(Addition of Type B cells)</i>	Table E.1		X	
Acceptable primary cells <i>(Removal of Type T cells)</i>	Table E.1			C5
Acceptable secondary cells <i>(Addition of Lithium type cells)</i>	Table E.2		X	
Prevention of excessive temperature and cell damage <i>(Application of IEC 60079-11 requirement)</i>	E.4.1.2	X		

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Prevention of inadvertent charging of a battery by other voltage sources in the enclosure <i>(Construction not requiring additional protection)</i>	E.4.3		X	
Recharging of secondary cells inside flameproof enclosures <i>(Additional battery options)</i>	E.5.1		X	
Introduction of an alternative risk assessment method encompassing equipment protection levels' for Ex equipment <i>(Removal of previous Informative Annex)</i>	Annex G	X		
Additional requirements for Flameproof enclosures with an internal source of release (containment system) <i>(Addition of new Normative Annex)</i>	Annex G		X	
Requirements for machines with flameproof "d" enclosures fed from converters <i>(Addition of new Normative Annex)</i>	Annex H		X	

NOTE The technical changes referred to include the significance of technical changes in the revised IEC Standard, but they do not form an exhaustive list of all modifications from the previous version. More guidance can be found by referring to the Redline Version of the standard.

## Explanations:

### A) Definitions

#### Minor and editorial changes

Clarification  
decrease of technical requirements  
minor technical change  
editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

#### Extension

addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements for equipment that was fully compliant with the previous standard. Therefore, these will not have to be considered for products in conformity with the preceding edition.

#### Major technical changes

addition of technical requirements  
increase of technical requirements


These are changes to technical requirements (addition, increase of the level or removal) made in a way that a product in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for products in conformity with the preceding edition. For these changes additional information is provided in clause B) below.

NOTE These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

### B) Information about the background of 'Major Technical Changes'

C1 – Supplemental mechanical means of securing the cemented joint shall not be defeated by the opening of doors or covers that are intended to be opened during

installation or maintenance. For example, in the images below for a luminaire incorporating a cemented joint between the lens and the enclosure cover, the construction shown in the second image would be in accordance with this requirement, while the construction shown in the first image would not.



- C2 – Addition of material limitations of enclosures of equipment and enclosures of Ex components for external mounting, if constructed of copper or copper alloys, when used in explosive gas atmospheres containing acetylene (12.8).
- C3 – Addition of power factor requirement for evaluating the ability of a plug and socket to remain flameproof during the arc-quenching period while opening a test circuit (13.6.4).
- C4 – Addition of marking requirements for Ex component enclosures, in addition to the requirements for marking of Ex components given in IEC 60079-0 (D.3.8).
- C5 – Removal of Type T cells as acceptable primary cells (Table E.1).

## AUSTRALIAN/NEW ZEALAND STANDARD

**Explosive atmospheres****Part 1:****Equipment protection by flameproof enclosures 'd'****1 Scope**

This part of IEC 60079 contains specific requirements for the construction and testing of electrical equipment with the type of protection flameproof enclosure "d", intended for use in explosive gas atmospheres.

This standard supplements and modifies the general requirements of IEC 60079-0. Where a requirement of this standard conflicts with a requirement of IEC 60079-0, the requirement of this standard will take precedence.

**2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60061 (all parts), *Lamp caps and holders together with gauges for the control of interchangeability and safety*

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-7, *Explosive atmospheres – Part 7: Equipment protection by increased safety "e"*

IEC 60079-11, *Explosive atmospheres – Part 11: Equipment protection by intrinsic safety "i"*

IEC 60079-15, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC 60127 (all parts), *Miniature fuses*

ISO 965-1, *ISO general-purpose metric screw threads – Tolerances – Part 1: Principles and basic data*

ISO 965-3, *ISO general-purpose metric screw threads – Tolerances – Part 3: Deviations for constructional screw threads*

ISO 2738, *Sintered metal materials, excluding hardmetals – Permeable sintered metal materials – Determination of density, oil content and open porosity*

ISO 4003, *Permeable sintered metal materials – Determination of bubble test pore size*

ISO 4022, *Permeable sintered metal materials – Determination of fluid permeability*

ANSI/ASME B1.20.1, *Pipe threads, general purpose (inch)*