

Australian/New Zealand Standard™

Low-voltage switchgear and controlgear assemblies

Part 4: Particular requirements for assemblies for construction sites (ACS) (IEC 61439-4 Ed. 1.0 (2012), MOD)



AS/NZS 61439.4:2016

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-006, Industrial Switchgear and Controlgear. It was approved on behalf of the Council of Standards Australia on 16 March 2016 and by the New Zealand Standards Approval Board on 4 May 2016.
This Standard was published on 24 May 2016.

The following are represented on Committee EL-006:

Association of Accredited Certification Bodies
Australian Industry Group
Bureau of Steel Manufacturers of Australia
Business New Zealand
Electrical Contractors Association of New Zealand
Engineers Australia
National Electrical and Communications Association
National Electrical Switchboard Manufacturers Association
Rail Industry Safety and Standards Board

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com or Standards New Zealand web site at www.standards.govt.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

Australian/New Zealand Standard™

Low-voltage switchgear and controlgear assemblies

Part 4: Particular requirements for assemblies for construction sites (ACS) (IEC 61439-4 Ed. 1.0 (2012), MOD)

Originally as AS 3439.4—1995.
Jointly revised and redesignated as AS/NZS 3439.4:2009.
Jointly revised and redesignated as AS/NZS 61439.4:2016.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, PO Box 10729, Wellington 6011.

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-006, Industrial Switchgear and Controlgear, to supersede AS/NZS 3439.4:2009 five years from the date of publication.

The AS/NZS 61439 series will supersede the AS/NZS 3439 series five years from the date of publication. During this period, low-voltage switchgear and controlgear assemblies may comply with either series. After five years it is anticipated that the AS/NZS 3439 series will be withdrawn.

The objective of this Standard is to provide specific requirements for the design of low-voltage switchgear and controlgear assemblies for use on construction sites.

This Standard is an adoption with national modifications. It has been reproduced from IEC 61439-4, Ed. 1.0 (2012), *Low-voltage switchgear and controlgear assemblies, Part 4: Particular requirements for assemblies for construction sites (ACS)* and has been varied as indicated to take account of Australian/New Zealand conditions.

Where tests on the ASSEMBLY have been conducted in accordance with the IEC 61439, IEC 61439 or AS/NZS 3439 series, and the test results fulfil the requirements of the relevant part of AS/NZS 61439, the verification of these requirements need not be repeated (see Clause 10.1 of AS/NZS 61439.1).

Variations made to IEC 61439-4, Ed. 1.0 (2012) form the Australian/New Zealand variations for the purposes of the CB scheme for recognition of testing to standards for safety of electrical equipment. They are listed in Appendix ZZ for easy reference.

This Standard is structured as follows:

- (a) Preface.
- (b) IEC 61439-4, Ed. 1.0 (2012) (unedited from the contents page to the final clause of the source document).
- (c) Appendix ZZ—Australian/New Zealand variations to the source document.

This edition includes the following significant technical changes with respect to the last edition of IEC 60439-4:

- (i) Modification of the title as Part 4: Particular requirements for assemblies for construction sites (ACS).
- (ii) Alignment on IEC 60439-1 regarding the structure and technical content, as applicable to allow comparison with tested ACS.
- (iii) This Standard is to be read in conjunction with AS/NZS 61439.1. The provisions of the general rules dealt with in AS/NZS 61439.1 (hereinafter referred to as Part 1) are only applicable to this standard insofar as they are specifically cited. When this standard states ‘addition’, ‘modification’ or ‘replacement’, the relevant text in Part 1 is to be adapted accordingly.
- (iv) Subclauses that are numbered with a 101 (102, 103, etc.) suffix are additional to the same subclause in Part 1.

Tables and figures in this Part 4 that are new are numbered starting with 101.

New annexes in this Part 4 are lettered AA, BB, etc.

In this Standard, terms written in small capitals are defined in Clause 3.

The reader’s attention is drawn to the fact that Annex AA lists all of the ‘in-some-country’ clauses on differing practices of a less permanent nature relating to the subject of this standard.

As this Standard is reproduced from an International Standard, the following applies:

(A) In the source text ‘this part of 61439’ should read ‘this Australian/New Zealand Standard’.

(B) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian/New Zealand Standard</i>	
IEC		AS	
60068	Environmental testing	60068	Environmental testing
60068-2-42	Part 2-42: Tests—Test Kc: Sulphur dioxide test for contacts and connections	60068.2.42	Part 2.42: Tests—Test Kc: Sulphur dioxide test for contacts and connections
60364	Electrical installations of buildings	AS/NZS	
60364-7-704	Part 7-704: Requirements for special installations or locations—Construction and demolition site installations	3012	Electrical installations—Construction and demolition sites
61439	Low-voltage switchgear and controlgear assemblies	AS/NZS IEC	
61439-1	Part 1: General rules	61439	Low-voltage switchgear and controlgear assemblies
61558	Safety of transformers, reactors, power supply units and combinations thereof	61439.1	Part 1: General rules (AS/NZS 61439-1, Ed. 2.0 (2011), MOD)
61558-2-23	Part 2-23: Particular requirements and tests for transformers and power supply units for construction sites	61558	Safety of transformers, reactors, power supply units and combinations thereof
		61558-2.23	Part 2.23: Particular requirements and tests for transformers and power supply units for construction sites

Only normative references that have been adopted as Australian or Australian/New Zealand Standard have been listed.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the annexes or appendices to which they apply. A ‘normative’ annex or appendix is an integral part of a Standard, whereas an ‘informative’ annex or appendix is only for information and guidance.

CONTENTS

1	Scope.....	5
2	Normative references	5
3	Terms and definitions	6
4	Symbols and abbreviations.....	8
5	Interface characteristics	8
6	Information	9
7	Service conditions	10
8	Constructional requirements.....	11
9	Performance requirements	13
10	Design verification.....	13
11	Routine verification.....	16
101	Particular features of ACS	16
	Annexes	19
	Annex C (informative) User information template	19
	Annex D (informative) Design verification	20
	Annex O (informative) Guidance on temperature rise verification	21
	Annex P (normative) Verification of the short-circuit withstand strength of busbar structures by comparison with a tested reference design by calculation	22
	Annex AA (informative) List of notes concerning certain countries	23
	Annex BB (Void)	24
	Annex CC (informative) Items subject to agreement between the ASSEMBLY manufacturer and the user	25
	Bibliography.....	29
	Figure 101 – Impact test using striking element	15
	Table 101 – Values of assumed loading.....	18
	Table D.1 – List of design verifications to be performed.....	20
	Table CC.1 – Items subject to agreement between the ASSEMBLY manufacturer and the user.....	25

AUSTRALIAN/NEW ZEALAND STANDARD

Low-voltage switchgear and controlgear assemblies

Part 4:

Particular requirements for assemblies for construction sites (ACS)
(IEC 61439-4, Ed. 1.0 (2012), MOD)**1 Scope**

NOTE Throughout this standard, the abbreviation ACS (ASSEMBLY for construction site, see 3.1.101) is used for a low-voltage switchgear and controlgear assembly intended for use on construction and similar sites.

This part of 61439 defines the specific requirements of ACS as follows:

- ASSEMBLIES for which the rated voltage does not exceed 1 000 V in case of a.c. or 1 500 V in case of d.c.;
- ASSEMBLIES where the nominal primary voltage and the nominal secondary voltage of transformers incorporated in ACS are within the limits specified above;
- ASSEMBLIES intended for use on construction sites, both indoors and outdoors, i.e. temporary places of work to which the public do not generally have access and where building construction, installation, repairs, alteration or demolition of property (buildings) or civil engineering (public works) or excavation or any other similar operations are carried out;
- transportable (semi-fixed) or mobile ASSEMBLIES with enclosure.

The manufacture and/or assembly may be carried out other than by the original manufacturer.

This standard does not apply to individual devices and self-contained components, such as motor starters, fuse switches, electronic equipment, etc. which will comply with the relevant product standards.

This standard does not apply to ASSEMBLIES for use in the administrative centres of construction sites (offices, cloakrooms, ASSEMBLY rooms, canteens, restaurants, dormitories, toilets, etc.).

Requirements for electrical protection provided by equipment manufactured according to this International Standard are given in IEC 60364-7-704.

2 Normative references

This clause of Part 1 is applicable except as follows:

Additional:

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-42:2003, *Environmental testing – Part 2-42: Tests – Test Kc: Sulphur dioxide test for contacts and connections*

IEC 60364-7-704:2005, *Low-voltage electrical installations – Part 7-704: Requirements for special installations or locations – Construction and demolition site installations*