

AS/NZS CISPR 36:2021



Australian/New Zealand Standard™

**Electric and hybrid electric road vehicles —
Radio disturbance characteristics — Limits
and methods of measurement for the
protection of off-board receivers below 30 MHz**



currently in preview, click to buy full version

AS/NZS CISPR 36:2021

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee TE-003, Electromagnetic Compatibility. It was approved on behalf of the Council of Standards Australia on 29 September 2021 and by the New Zealand Standards Approval Board on 6 October 2021.

This Standard was published on 22 October 2021.

The following are represented on Committee TE-003:

- Australian Broadcasting Corporation
- Australian Communications and Media Authority
- Australian Industry Group
- Consumer Electronics Suppliers Association
- Department of Defence (Australian Government)
- EMC Society of Australia
- Energy Networks Australia
- Engineers Australia
- Free TV Australia
- Lighting Council New Zealand
- NZ Ministry of Business, Innovation and Employment (MBIE)
- National Measurement Institute
- Wireless Institute Australia

This Standard was issued in draft form for comment as DR AS/NZS CISPR 36:2021.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

ISBN 978 1 76113 539 2

Australian/New Zealand Standard™

**Electric and hybrid electric
road vehicles — Radio
disturbance characteristics
— Limits and methods
of measurement for the
protection of off-board
receivers below 30 MHz**

First published as AS/NZS CISPR 36:2021.

COPYRIGHT

© CISPR 2021 — All rights reserved

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TE-003, Electromagnetic Compatibility.

The objective of this document is to define limits for 3 m measurement distance and methods of measurement that are designed to provide protection for off-board receivers (at 10 m distance) in the frequency range of 150 kHz to 30 MHz when used in the residential environment.

NOTE Protection of receivers used on board the same vehicle as the disturbance source(s) is covered by AS/NZS CISPR 25.

This document applies to the emission of electromagnetic energy which might cause interference to radio reception and which is emitted from electric and hybrid electric vehicles propelled by an internal traction battery (see 3.2 and 3.3) when operated on the road.

This document applies to vehicles that have a traction battery voltage between 100 V and 1 000 V.

Electric vehicles to which AS/NZS CISPR 14.1 applies are not in the scope of this document.

This document applies only to road vehicles where an electric propulsion is used for a sustained speed of more than 6 km/h.

Vehicles where the electric motor is only used to start up the internal combustion engine (e.g. “micro hybrid”) and vehicles where the electric motor is used for additional propulsion only during acceleration (e.g. “48 V mild hybrid vehicles”) are not in the scope of this document.

The radiated emission requirements in this document are not applicable to the intentional transmissions from a radio-transmitter as defined by the ITU including their spurious emissions.

Annex C lists work being considered for future revision by the IEC for potential adoption within Australia/New Zealand.

This document is an adoption with national modifications, and has been reproduced from, CISPR 36:2020, *Electric and hybrid electric road vehicles — Radio disturbance characteristics - Limits and methods of measurement for the protection of off-board receivers below 30 MHz*.

The modifications are additional requirements and are set out in [Appendix ZZ](#), which has been added at the end of the source text.

[Appendix ZZ](#) lists the variations to CISPR 36:2020, for the application of this document in Australia and New Zealand.

As this document has been reproduced from an International Standard, a full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

NOTES

Currently in preview, click buy full version

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Limits of radiated disturbances	9
4.1 Determination of conformance of vehicle with limits	9
4.2 Quasi-peak detector limits.....	9
5 Methods of measurement	11
5.1 Measurement instruments	10
5.1.1 Measuring receiver	10
5.1.2 Magnetic field antenna.....	11
5.1.3 Measurement instrumentation uncertainty.....	11
5.2 Measuring site requirements	11
5.2.1 Outdoor test site (OTS) requirements	11
5.2.2 Alternative test site requirements.....	12
5.3 Test setup for measurement antenna	13
5.3.1 General	13
5.3.2 Distance	13
5.3.3 Position	13
5.3.4 Height.....	15
5.4 Test object conditions	15
5.4.1 General	15
5.4.2 Vehicles	15
Annex A (normative) Measurement instrumentation uncertainty	16
A.1 Overview.....	16
A.2 Radiated disturbance measurements at an OTS or in an ALSE in the frequency range 150 kHz to 30 MHz	16
A.2.1 General	16
A.2.2 Measurement	17
A.2.3 Input quantities to be considered for radiated disturbance measurements.....	17
Annex B (Informative) Uncertainty budgets for radiated disturbance measurements of magnetic field strength.....	20
B.1 General.....	20
B.2 Typical CISPR 36 uncertainty budgets	20
B.3 Receiver's frequency step.....	21
Annex C (Informative) Items under consideration	23
C.1 General.....	23
C.2 Plug-in charging mode and WPT charging mode	23
C.3 Correlation between OTS, OATS and ALSE measurements	23
C.4 Measurement distance of 10 m	23
Bibliography.....	24
Figure 1 – Limit of magnetic field disturbance (quasi-peak detector) at 3 m antenna distance	10

Figure 2 – Measuring site (OTS) for vehicles	12
Figure 3 – Magnetic field measurement – transverse loop orientation	14
Figure 4 – Magnetic field measurement – radial loop orientation	14
Figure 5 – Magnetic field antenna height – Elevation view (radial loop orientation)	15
Figure A.1 – Sources of measurement instrumentation uncertainty	17
Figure B.1 – Example of measurement for frequency step uncertainty evaluation	22
Table 1 – Limit of disturbance (quasi-peak detector at 3 m antenna distance).....	9
Table 2 – Spectrum analyser parameters	11
Table 3 – Scanning receiver parameters	1
Table A.1 – Input quantities to be considered for radiated disturbance measurements.....	18
Table B.1 – Typical uncertainty budget – 3 m distance – loop antenna.....	20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

**ELECTRIC AND HYBRID ELECTRIC ROAD VEHICLES –
RADIO DISTURBANCE CHARACTERISTICS –
LIMITS AND METHODS OF MEASUREMENT FOR
THE PROTECTION OF OFF-BOARD RECEIVERS BELOW 30 MHz**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard CISPR 36 has been prepared by CISPR subcommittee D: Electromagnetic disturbances related to electric/electronic equipment on vehicles and internal combustion engine powered devices.

The text of this International Standard is based on the following documents:

CDV	Report on voting
CISPR/D/462/CDV	CISPR/D/464A/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

There is a specific need for documents to define acceptable low frequency performance of all electrical/electronic products. CISPR 36 has been developed to serve the electric and hybrid electric road vehicle and related industries with test methods and limits that provide satisfactory protection for radio reception.

Compliance with this document is sometimes insufficient for the protection of receivers used in the residential environment nearer than 10 m to the vehicle. It also sometimes does not provide sufficient protection for new types of radio transmissions.

Currently in preview, click buy full version

ELECTRIC AND HYBRID ELECTRIC ROAD VEHICLES – RADIO DISTURBANCE CHARACTERISTICS – LIMITS AND METHODS OF MEASUREMENT FOR THE PROTECTION OF OFF-BOARD RECEIVERS BELOW 30 MHz

1 Scope

This document defines limits for 3 m measurement distance and methods of measurement that are designed to provide protection for off-board receivers (at 10 m distance) in the frequency range of 150 kHz to 30 MHz when used in the residential environment.

NOTE Protection of receivers used on board the same vehicle as the disturbance source(s) is covered by CISPR 25.

This document applies to the emission of electromagnetic energy which might cause interference to radio reception and which is emitted from electric and hybrid electric vehicles propelled by an internal traction battery (see 3.2 and 3.3) when operated on the road.

This document applies to vehicles that have a traction battery voltage between 100 V and 1 000 V.

Electric vehicles to which CISPR 14-1 applies are not in the scope of this document.

This document applies only to road vehicles where an electric propulsion is used for sustained speed of more than 6 km/h.

Vehicles where the electric motor is only used to start up the internal combustion engine (e.g. "micro hybrid") and vehicles where the electric motor is used for additional propulsion only during acceleration (e.g. "48 V mild hybrid vehicles") are not in the scope of this document.

The radiated emission requirements in this document are not applicable to the intentional transmissions from a radio transmitter as defined by the ITU including their spurious emissions.

Annex C lists work being considered for future revisions.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CISPR 16-1-1:2015, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus*

CISPR 16-1-4:2019, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-4: Radio disturbance and immunity measuring apparatus – Antennas and test sites for radiated disturbance measurements*

CISPR 16-2-3:2016, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements*

CISPR 16-2-3:2016/AMD1:2019