



ATIS-0300010

ATIS Standard on -

**Next Generation Interconnection Interoperability (NGIIF)
Reference Document: Part 1: Installation and Maintenance
Responsibilities Switched Access Services Feature Group B, C,
and D**



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, 5G, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN SETTLEMENT BY ATIS FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [<http://www.atis.org/legal/patentinfo.asp>] to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

Published by

Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005

Copyright © 2018 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

Next Generation Interconnection Interoperability (NGIIF) Reference Document: Part II, Installation and Maintenance Responsibilities Switched Access Services Feature Group B, C, and D

Alliance for Telecommunications Industry Solutions

Updated May 2018

Abstract

This document outlines telecommunications service provider and customer installation and maintenance responsibilities for Switched Access Services (SAS) as established by the NGIIF and includes Telecommunications Service Priority (TSP) Guidelines. It includes procedures on installation and maintenance of trunk side connected Access Services Feature Groups (FG) B, C and D. It specifically includes areas such as NXX Code Openings, FG D CIC Testing, Network Modification Notification, Trouble Detection Responsibilities, Trouble Reporting Procedures, 500/800/900 NXX Services, Toll-Free Database and LIDB Services Trouble Handling, and access services provided by multiple exchange carriers. Where applicable, this document may address Next Generation Network (NGN) aspects.

Foreword

The Alliance for Telecommunication Industry Solutions (ATIS) serves the public through improved understanding between carriers, customers, and manufacturers. The Next Generation Interconnection Interoperability Forum (NGIIF) addresses next-generation network interconnection and interoperability issues associated with emerging technologies. Specifically, it develops operational procedures which involve the network aspects of architecture, disaster preparedness, installation, maintenance management, reliability, routing, security, and testing between network operators. In addition, the NGIIF addresses issues which impact the interconnection of existing and next generation networks and facilitate the transition to emerging technologies.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, Next Generation Interconnection Interoperability Forum (NGIIF), 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time of consensus on this document, Next Generation Interconnection Interoperability Forum (NGIIF), which was responsible for its development, had the following leadership:

Randee Ryan, Comcast

Karen Riepenkroger, Sprint

Trademark Acknowledgements

iconectiv®, Telcordia®, and Common Language® are registered trademarks and C_LCI™, CLLI™, LERG™ Routing Guide and TPM™ Data Source are trademarks and the Intellectual Property of Telcordia Technologies, Inc. dba as iconectiv.

Table of Contents

1	General.....	1
2	Responsibilities.....	2
2.1	Access Service Customer (ASC)	2
2.2	Access Service Provider (ASP).....	2
3	NXX or NXX-X Code Openings	4
3.1	NXX or NXX-X CO Code Activation Planning.....	4
3.2	Pre-NXX or NXX-X Activation	5
3.2.1	<i>BIRRDS</i>	5
3.2.2	<i>iconectiv® LERG™ Routing Guide</i>	5
3.2.3	<i>Facilities</i>	5
3.2.4	<i>Points of Interconnection</i>	5
3.3	Translation Validation/Call through Testing.....	5
3.4	Intermediate Office(s) (Tandems/Access Tandems)	6
3.5	LEC Terminating Office (Serving Office)	6
3.6	Originating Office	6
3.7	Mechanized Testing.....	7
3.8	Verification of NXX or NXX-X Code Openings	7
3.9	Code Opening Jeopardy Situations.....	7
4	Feature Group (FG) D CIC Testing.....	7
5	Network Service Center (NSC)	8
6	Network Modification Notification.....	8
6.1	Network Modification Suspension Methods	10
7	Telecommunications Service Priority (TSP) Guidelines.....	11
8	Switched Access Service Installation	11
8.1	Switched Access Service (SAS) Order Activity	11
8.2	Establishing an Interface.....	11
8.3	Pre-service Testing	11
8.4	Cooperative Acceptance Testing - Analog	11
8.5	Switched Digital Data Access Service (56Kbs, 64KBS, ISDN Primary & Basic Rate).....	12
8.5.1	<i>Switched Digital Data Services Stress Test Patterns (56kbs, 64kbs, ISDN Primary & Basic Rates)</i> 12	
8.5.2	<i>Switched Digital Data Services Acceptance/ Maintenance Requirements (56kbs, 64kbs, ISDN Primary & Basic Rates)</i>	14
8.6	Additional Cooperative Acceptance Testing.....	14
8.7	Traffic Routing & Billing Acceptance Testing.....	15
8.7.1	<i>Access Service Customer (ASC):</i>	15
8.7.2	<i>Access Service Provider (ASP):</i>	15
8.8	Completions.....	15
8.9	SAS Disconnects	16
8.10	SAS Rearrangements.....	16

8.11	Coordinated Conversions	16
8.12	Glare.....	17
9	Switched Access Service Maintenance	17
9.1	Routine Maintenance	17
9.2	Potential Service Affecting Activities	17
9.3	Deferred Service Restoration	18
9.4	Scheduled & Nonscheduled Testing	18
9.5	Local/Tandem Pad Operation	18
9.6	Test Lines	18
9.7	Lineside (Call Through/Routing) Testing	18
9.8	Testing through an Access Tandem.....	19
10	Trouble Detection Responsibilities.....	19
10.1	Inoperative & Impaired Circuits	19
10.2	Synchronization	19
10.3	Repair Verification Tests.....	19
10.4	Restoral Prioritization.....	20
10.5	Normal Make-Busy Procedure for SAS	20
10.5.1	Single Trunk Make-Busy.....	20
10.5.2	Trunk Group Make-Busy (Facility Failure).....	20
10.5.3	Trunk Group Make-Busy (Maintenance).....	21
10.6	Expedited Make-Busy Procedure.....	21
10.7	Requests for Circuit Trace	21
10.8	Emergency Call Tracing.....	22
10.9	Killer Trunk Identification.....	22
11	Trouble Reporting Procedures for Feature Groups B, C, & D.....	22
11.1	Chronic Trunk Failures.....	23
11.2	Switched Access Network Trouble.....	23
11.3	Call Setup Time Trouble Reporting & Sectionalization	23
11.4	Trouble Clearance Reporting	25
11.4.1	Access Provider/Access Customer Trouble	25
11.5	Escalation.....	26
11.6	Trouble Report Status	26
12	Additional Billing	27
12.1	Billable Overtime Installation & Repair	27
12.2	Additional Cooperative Acceptance Testing (ACAT)	27
12.3	Non-Scheduled Testing	28
12.4	Maintenance of Service Charge.....	28
12.5	Stand-By Time.....	28
12.6	Other Labor	28
13	EX, 8Y, 9YY NXX Services	28
13.1	Responsibilities.....	28
13.2	Installation	29
13.3	Trouble Reporting/Referral	29
14	Toll-Free Database Services	30

14.1	Responsible Organization (Resp Org)	30
14.2	Treatment	31
14.3	Trouble Reporting	31
14.4	Disaster Recovery Plans	31
14.5	Routine Maintenance for Service End Point (SEP) Power Sources	31
15	Toll-Free Database Services-Trouble Handling Procedures	31
15.1	Trouble Report	32
15.1.1	Trouble Report - NON-SMS Access (e.g., Resellers)	32
15.1.2	Trouble Report - SMS Access	32
15.2	Trouble Referral	32
15.2.1	Resp Org Responsibilities	32
15.2.2	Severity Level Matrix	33
15.3	Trouble Closure	33
16	Industry Inter-Company ABS/LIDB Trouble Reporting	34
16.1	Scope	34
16.2	Background	34
16.3	Trouble Identification	35
16.3.1	LIDB Problems	36
16.3.2	LIDB Trouble Referrals	36
16.3.3	OSS Detected Problems	36
16.3.4	SS7 Network Problems	36
16.3.5	LASS/LARG Data Problems	37
16.4	Trouble Reporting	37
16.4.1	Reporting Network Routing Troubles	37
16.5	Trouble Closure	38
17	Access Services Provided by Multiple Exchange Carriers	38
17.1	Installation	39
17.2	Common Completion	39
17.3	Jeopardy	40
17.4	Maintenance	40
17.5	Trouble Report Exceptions	42
17.5.1	Request for Test Assistance	42
17.5.2	Request for Escalation Assistance from ASC	42
17.5.3	Additional Escalation Information	42
18	Local Number Portability	42
18.1	Default Routing Translations	42
18.2	Background on Default Routing Translations:	43
	Figure 3 - Call Setup Time	45
18.2.1	Originating Test Procedure	45
	Figure 4 - Call Setup Time	45
18.2.2	Terminating Test Procedures	45
19	Bibliography	47

Table of Figures

FIGURE 1 - ACCEPTANCE TESTING CHART.....	43
FIGURE 2 - CST TESTING METHODOLOGY.....	44
FIGURE 3 - CALL SETUP TIME	45
FIGURE 4 - CALL SETUP TIME	45
FIGURE 5- INDUSTRY INTER-COMPANY ABS/LIDB TROUBLE REPORTING	46

Table of Tables

TABLE 1 - NETWORK MODIFICATION SUSPENSION TIME PERIODS	10
TABLE 2- PATTERN SENSITIVITY TEST CRITERIA FOR 56/64 KBIT/S	13
TABLE 3 -TEST LIMITS AND OBJECTIVES FOR 56/64KBIT/S SERVICE.....	14

ATIS Standard on –

Next Generation Interconnection Interoperability (NGIIF) Reference Document: Part II, Installation and Maintenance Responsibilities Switched Access Services Feature Group B, C, and D

1 General

This document outlines Access Service Customer (ASC) and Access Service Provider (ASP) responsibilities for Switched Access Services (SAS) as established by the Next Generation Interconnection Interoperability Forum (NGIIF). It is intended to be a living document to aid operations work forces. It does not replace nor supersede Tariffs, Contracts, or any other legally binding documents. It is limited to procedures on installation and maintenance of trunk side connected Access Services Feature Groups B, C, and D.

Guidelines for the Installation and Maintenance of Facilities, SS7, Special Network Management, Test Coordinator, and Feature Group A are included in separate sections of the NGIIF Reference Document.

This document covers other operational and technical agreements made at the Next Generation Interconnection Interoperability Forum.

The ASCs are communications common carriers authorized by the Federal Communications Commission (FCC) to provide interLATA, interstate communications and/or by state Public Utilities Commissions (PUCs) to provide interLATA, intrastate or intraLATA communications services to their end users. The ASCs may request Access Service Provider (ASP) to provide various facilities to be used as part of the ASC's services.

2 Responsibilities

2.1 Access Service Customer (ASC)

The ASC has the overall installation and maintenance responsibility for the total service to its end user. It is responsible for the overall coordination of installation and testing of its services.

The following are the responsibilities of the ASC:

- Provide end-to-end service for their end users
- Provide trained personnel
- Advise the ASP when there is a potential service affecting ASC network failure
- Provide a contact number for trouble reporting that is readily accessible 24 hours a day, 7 days a week
- Maintain complete and accurate installation and repair records
- Provide ASP personnel access to the POT when required
- Provide access to testlines where appropriate