



ATIS-0600012

ATIS Standard on -

**Electrical Protection Considerations for
Broadband Systems**



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, 5G, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT OF FEES FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [<http://www.atis.org/legal/patentinfo.asp>] to determine if any statement has been made by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

Published by

Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005

Copyright © 2017 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

Electrical Protection Considerations for Broadband Systems

Alliance for Telecommunications Industry Solutions

Approved November 27, 2017

Abstract

Broadband equipment is susceptible to disturbances that require the use of electrical primary protection devices. These primary protectors could have a negative impact on the signal of interest during steady-state conditions as well as during protector switching or clamping operation. The characteristics of these electrical primary protectors and their impact on broadband signals are considered herein. This is the Foreword document in a suite of ATIS Standards intended to provide requirements and guidance for the use of electrical primary protectors in various technology architectures.

Foreword

The Alliance for Telecommunication Industry Solutions (ATIS) serves the public through improved understanding between providers, customers, and manufacturers. The Sustainability in Telecom: Energy and Protection (STEP) Committee – formerly the Network Interface, Power, and Protection Committee (NIPP) -- engages industry expertise to develop standards and technical reports for telecommunications equipment and environments in the areas of energy efficiency, environmental impacts, power and protection. The work products of STEP enable vendors, operators and their customers to deploy and operate reliable, environmentally sustainable, energy efficient communications technologies. STEP is committed to proactive engagement with national, regional and international standards development organizations and forums that share its scope of work.

The mandatory requirements are designated by the word *shall* and recommendations by the word *should*. Where both mandatory requirement and a recommendation are specified for the same criterion, the recommendation represents a goal currently identifiable as having distinct compatibility or performance advantages. The word *may* denotes a optional capability that could augment the standard. The standard is fully functional without the incorporation of this optional capability.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, STEP, 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time of consensus on this document, STEP, which was responsible for its development, had the following leadership:

E. Gallo, STEP Chair and STEP NEP Vice Chair (Ericsson)

J. Fuller, STEP Vice Chair and STEP NEP Chair (AT&T)

The Network Electrical Protection (NEP) Subcommittee was responsible for the development of this document.

Table of Contents

1	Scope, Purpose, & Application.....	1
1.1	Scope.....	1
1.1.1	<i>Broadband Electrical Protection Technical Reports</i>	<i>1</i>
1.1.2	<i>Equipment Covered</i>	<i>1</i>
2	References	1
2.1	Normative References	2
2.2	Informative References.....	2
3	Definitions, Acronyms, & Abbreviations	2
3.1	Definitions	2
3.2	Acronyms & Abbreviations.....	3
4	A Brief Description of Broadband Technologies	5
5	A Brief Description of Primary Protectors.....	6
5.1	Bridging Effects.....	6
5.2	Series Effects.....	6
6	Primary Protector and Exposure Fundamentals.....	7
6.1	The Need for Primary Protectors	7
6.2	Exposure.....	8
6.2.1	<i>Lightning Disturbances</i>	<i>9</i>
6.2.2	<i>Ground Potential Rise (GPR) from Lightning.....</i>	<i>9</i>
6.2.3	<i>Contact with Power Conductors</i>	<i>9</i>
6.2.4	<i>Power Induction</i>	<i>10</i>
6.2.5	<i>GPR from Electric Power.....</i>	<i>10</i>
6.2.6	<i>Coaxial Resistive Coupling.....</i>	<i>10</i>
7	Available Protection Technologies	10
7.1	Carbon Air Gap Protectors	11
7.2	Gas Tube Protectors.....	12
7.3	Solid State Protectors	12
7.3.1	<i>Metal Oxide Varistor (v_i, V) and Avalanche Breakdown Diode (ABD) or Silicon Avalanche Diode (SAD)</i>	<i>12</i>
7.3.2	<i>Thyristors</i>	<i>12</i>
7.4	Gas Tube + MOV Backup or Hybrid Configuration.....	12
7.4.1	<i>Gas Tube + MOV Backup.....</i>	<i>12</i>
7.4.2	<i>Gas Tube + MOV Hybrid</i>	<i>13</i>
8	Service to Cell Towers	14
A	Susceptibility of Broadband Architectures to Voltage Surges	15
B	Recommended Reading	16

Table of Figures

Figure 6.1:	Cloud-to-Ground Lightning Incidences in the US.....	9
Figure 7.1:	Impulse Breakdown Voltage	11
Figure 7.2:	Breakdown Voltage Distribution Comparison	11

Figure 7.3: Gas Tube + MOV “Backup” 13
Figure 7.4: Gas Tube + MOV “Hybrid” 13

Table of Tables

Table 5.1: Primary Protector Voltage and Current Protection Comparisons..... 7

Currently in preview, click buy full version

Electrical Protection Considerations for Broadband Systems

1 Scope, Purpose, & Application

1.1 Scope

1.1.1 Broadband Electrical Protection Technical Reports

This ATIS Standard series provides requirements and guidance for the use of electrical protectors in various technology architectures. This document (ATIS-0600012) is the general foreword to subtending ATIS Standards that will follow. These documents include specific requirements and applications for broadband architectures, such as xDSL, Ethernet, Power Over Ethernet (PoE), G.fast, etc.

The purpose of this series of documents is to assist the service provider in choosing appropriate primary protection methods for the communications circuit. These documents describe the protector attributes that may impact broadband systems for outside plant, and inter-building applications and the services running over these links. These protectors are categorized by technology type and configurations. This series of documents describe protectors in their non-operating state and their effect on these services, consider the effects of protector response to a surge event, and how that operation may affect these services.

In addition, the associated subtending standards provide information and education with regard to secondary protection, design techniques, and appropriate tests for the equipment.

1.1.2 Equipment Covered

This suite of ATIS Standards applies to the electrical protection of all broadband network equipment locations, examples include: broadband equipment at the headend, Central Office (CO) site, remote sites, and at the customer location -- including the entrance or interface point and Customer Premises Equipment (CPE). This equipment may interface with various types of cable media, such as optical cable or twisted pair that provides the broadband signal and any associated power.

Although a variety of existing and proposed broadband equipment types are considered, the merits of the different technologies, and/or architecture types, are not covered.

The following are examples of equipment types covered in this series of ATIS standards:

- Primary and secondary protectors.
- CO equipment.
- Remote equipment.
- Cell Site equipment.
- Network Interface Devices (NIDs), Intelligent Network Interface Devices (iNIDs), Network Interface Units (NIUs), Optical Network Terminals (ONTs), Building Entrance Terminals (BETs), and other points of demarcation.
- CPE such as Set-Top Box (STB), xDSL splitters, telephones, modems, etc.

2 References

The following standards contain provisions which, through reference in this text, constitute provisions of this ATIS Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this ATIS Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.