



ATIS-0700006.v002

ATIS Standard on -

Enhanced Wireless Emergency Alert (eWEA) via
GSM/UMTS Cell Broadcast Service Specification



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, 5G, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT OF FEES FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [<http://www.atis.org/legal/patentinfo.asp>] to determine if any statement has been made by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

Published by

Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005

Copyright © 2018 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

ATIS-0700006.v002

ATIS Standard on

Enhanced Wireless Emergency Alert (eWEA) via GSM/UMTS Cell Broadcast Service Specification

Alliance for Telecommunications Industry Solutions

Approved February 2018

Abstract

This Standard describes the use of the GSM/UMTS Cell Broadcast Service for the broadcast of WEA messages and includes the mapping of WEA application level messages to the Cell Broadcast Service message structure. This Standard supports the requirements of the FCC Report & Order 15-127 and the FCC Order on Reconsideration 17-143.

Foreword

The Alliance for Telecommunication Industry Solutions (ATIS) serves the public through improved understanding between carriers, customers, and manufacturers. The Wireless Technologies and Systems Committee (WTSC) develops and recommends standards and technical reports related to wireless and/or mobile services and systems, including service descriptions and wireless technologies. WTSC develops and recommends positions on related subjects under consideration in other North American, regional, and international standards bodies.

The mandatory requirements are designated by the word *shall* and recommendations by the word *should*. Where both a mandatory requirement and a recommendation are specified for the same criterion, the recommendation represents a goal currently identifiable as having distinct compatibility or performance advantages. The word *may* denotes an optional capability that could augment the standard. The standard is fully functional without the incorporation of this optional capability.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, WTSC 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time of consensus on this document, WTSC, which was responsible for its development, had the following leadership:

- D. Zelmer, WTSC Chair (AT&T)
- M. Younge, WTSC Vice Chair (T-Mobile)
- P. Musgrove, WTSC SN Chair (AT&T)
- G. Schumacher, WTSC SN Vice Chair (Sprint)
- P. Sanders, Technical Editor (one2many)

The WTSC Systems and Networks (SN) Subcommittee was responsible for the development of this document.

Table of Contents

| | |
|---|-----------|
| Preface | 1 |
| 1 Scope, Purpose, & Application | 1 |
| 1.1 Scope..... | 1 |
| 1.2 Purpose | 1 |
| 1.3 Application | 1 |
| 2 Normative References | 2 |
| 3 Definitions, Acronyms, & Abbreviations | 3 |
| 3.1 Definitions | 3 |
| 3.2 Acronyms & Abbreviations..... | 4 |
| 4 WARN Act | 4 |
| 4.1 Key WARN Act Requirements | 5 |
| 4.2 FCC Report & Orders | 6 |
| 4.2.1 <i>FCC First Report and Order</i> | 6 |
| 4.2.2 <i>FCC Second Report and Order</i> | 6 |
| 4.2.3 <i>FCC Third Report and Order</i> | 7 |
| 4.2.4 <i>FCC Report and Order on WEA Enhancements</i> | 7 |
| 4.3 Full Reference Diagram..... | 8 |
| 5 Requirements | 9 |
| 5.1 Cell Broadcast Center (CBC) Requirements | 9 |
| 5.2 CMSP Gateway Requirements | 10 |
| 5.2.1 <i>Message Coding</i> | 11 |
| 5.2.2 <i>URL Coding</i> | 11 |
| 5.3 Mobile Device Requirements..... | 11 |
| 5.4 CBC to BSC/RNC Interface | 11 |
| 5.5 Lawful Interception Requirements | 12 |
| 5.6 Discontinuous Reception Requirements..... | 12 |
| 6 Functional Architecture and Interfaces | 12 |
| 6.1 CBC to BSC Interface..... | 13 |
| 6.2 CBC to RNC Interface | 13 |
| 6.3 CMSP Gateway to CBC Interface..... | 13 |
| 7 eWEA Call Flows | 13 |
| 7.1 New eWEA Alert Message Call Flow..... | 14 |
| 7.2 Updated eWEA Alert Message Call Flow | 15 |
| 7.3 Cancelled eWEA Alert Message Call Flow | 17 |
| 7.4 Invalid eWEA Alert Message Call Flow | 19 |
| 7.5 Transmission Control Message Call Flows..... | 19 |
| 7.5.1 <i>Pause Transmissions Call Flow</i> | 20 |
| 7.5.2 <i>Resume Transmissions Call Flow</i> | 20 |
| 8 Cell Broadcast Service Messages for EWEA Application | 21 |
| 8.1 eWEA Interfaces..... | 21 |
| 8.2 Cell Broadcast Service & eWEA..... | 22 |
| 8.2.1 <i>eWEA Cell Broadcast Message Structure for GSM</i> | 22 |
| 8.2.2 <i>eWEA Cell Broadcast Message Structure for UMTS</i> | 23 |
| 8.3 Overview of eWEA Element Mapping..... | 23 |

| | | |
|--------|--|----|
| 8.4 | Mapping of CBEM Elements from CMAC Elements | 24 |
| 8.5 | Mapping of eWEA Message to Cell Broadcast WRITE-REPLACE Indication | 26 |
| 8.5.1 | Category..... | 27 |
| 8.5.2 | CBS Message Information Page | 27 |
| 8.5.3 | Cell List | 27 |
| 8.5.4 | Channel Indicator..... | 27 |
| 8.5.5 | Data Coding Scheme..... | 27 |
| 8.5.6 | Message Identifier..... | 27 |
| 8.5.7 | Number of Broadcasts Requests..... | 28 |
| 8.5.8 | Number of Pages..... | 28 |
| 8.5.9 | Repetition Period | 28 |
| 8.5.10 | Serial Number (Old Serial Number and New Serial Number) | 28 |
| 8.5.11 | Service Area List..... | 28 |
| 8.6 | Mapping of eWEA Message to Cell Broadcast KILL Request/Indication..... | 28 |

Table of Figures

| | |
|---|----|
| Figure 4.1: WEA Reference Architecture..... | 9 |
| Figure 6.1: GSM Cell Broadcast Network Architecture for WEA..... | 12 |
| Figure 6.2: UMTS Cell Broadcast Network Architecture for WEA..... | 13 |
| Figure 7.1: New eWEA Alert Call Flow | 14 |
| Figure 7.2: Updated eWEA Alert Message Call Flow | 16 |
| Figure 7.3: Cancelled eWEA Alert Message Call Flow..... | 18 |
| Figure 7.4: Invalid eWEA Alert Message Call Flow | 19 |
| Figure 7.5: Cease Transmissions Call Flow | 20 |
| Figure 7.6: Resume Transmissions Call Flow | 21 |
| Figure 8.1: eWEA Message Relationship | 22 |

Table of Tables

| | |
|---|----|
| Table 8.1: Element Mapping from CMAC to CBEM to Mobile Device | 23 |
| Table 8.2: Mapping of CBEM Elements from CMAC Elements | 24 |
| Table 8.3: Mapping CBEM Elements to CBS WRITE-REPLACE Parameters..... | 26 |
| Table 8.4: Mapping of CBEM Elements to CBS KILL Parameters..... | 29 |

ATIS Standard on –

eWEA via GSM/UMTS Cell Broadcast Service Specification

Preface

The authority-to-individual emergency alerting capability to mobile devices was originally called Commercial Mobile Alert System (CMAS) in the first three Reports and Orders from the FCC. This standard was originally developed based upon the CMAS terminology and CMAS was operational in April 2012. However, in February 2013, the FCC renamed CMAS to Wireless Emergency Alerts (WEA) with associated updates to the appropriate sections of Part 11 of the 47 CFR. Subsequently, the FCC has issued additional enhancements and rules for this government-to-individual emergency alerting capability to mobile devices, and these are identified as modifications to WEA.

Consequently, this specification may use both the term CMAS and the term WEA. These terms should be considered as equivalent terms, with WEA being the preferred term.

This ATIS specification is based upon the WEA enhancements identified in the September 2016 FCC Report & Order on WEA Enhancements, FCC 16-127 [Ref 5]. This specification supersedes ATIS-0700006, *CMAS via GSM/UMTS Cell Broadcast Service Specification*, and its associated Supplement A. Any assumptions, requirements, and principles from the original published ATIS-0700006 and the associated ATIS-0700006 Supplement A applicable to eWEA are included in this ATIS Standard.

1 Scope, Purpose, & Application

1.1 Scope

The scope of this standard is the support of Enhanced Wireless Emergency Alert (eWEA) via the Global System for Mobile Communications (GSM)/Universal Mobile Telecommunications System (UMTS) Cell Broadcast Service. This standard covers the mapping of eWEA messages onto the 3GPP-defined Cell Broadcast Service.

This standard is not intended to describe an overall end-to-end eWEA or Cell Broadcast architecture and may include clarifications of Cell Broadcast Service that may be lacking in existing 3GPP specifications. The implementation guidelines and best practices for the Cell Broadcast Service are provided in a separate ATIS Standard [Ref 4] which contains clarifications applicable to any application that uses the Cell Broadcast Service and is not necessarily restricted to eWEA.

eWEA does not require modification to the 3GPP-defined Cell Broadcast Service.

The eWEA interface with the Federal network and the mobile device behavior upon reception of a eWEA alert is specified in separate standards [Ref 8 and 9].

NOTE: ATIS-0700036, *eWEA Mobile Device Behavior (MDB) Specification (a revised version of J-STD-100)* [Ref 9], also supports the WEA functionality of this Standard even though this access technology is not explicitly referred in the eWEA mobile device behavior specification.

1.2 Purpose

The purpose of this standard is to describe the use of the GSM/UMTS Cell Broadcast Service for the broadcast of eWEA messages. The standard includes the mapping of eWEA application level messages to the Cell Broadcast Service message structure.

1.3 Application

This standard is applicable to the mapping of eWEA messages to the Cell Broadcast Service on GSM or UMTS networks.