



ATIS STANDARD

ATIS-1000020

**ETS Packet Priority for IP NNI Interfaces –
Requirements for a Separate Expedited Forwarding
Mechanism**

TECHNICAL REPORT



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, 5G, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSES OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [<http://www.atis.org/legal/patentinfo.asp>] to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

ATIS-1000020, ETS Packet Priority for IP NNI Interfaces – Requirements for a Separate Expedited Forwarding Mechanism

Published by

Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005

Copyright © 2024 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

ATIS-1000020

ATIS Standard on

ETS Packet Priority for IP NNI Interfaces – Requirements for a Separate Expedited Forwarding Mechanism

Alliance for Telecommunications Industry Solutions

Approved October 2007 (Revised April 2, 2024)

Abstract

This Technical Report (TR) provides the requirements for a separate Expedited Forwarding (EF) mechanism that can recognize a class of traffic for preferential treatment via a unique DiffServ Code Point (DSCP). This class of traffic includes Emergency Telecommunications Service (ETS) Voice over IP (VoIP) calls/sessions with the requirement of a pre-determined quantity of reserved bandwidth for ETS service.

Foreword

The Alliance for Telecommunications Industry Solutions (ATIS) serves the public through improved understanding between carriers, customers, and manufacturers. The Packet Technologies and Systems Committee (PTSC) develops and recommends standards and technical reports related to services, architectures, and signaling, in addition to related subjects under consideration in other North American and international standards bodies. PTSC coordinates and develops standards and technical reports relevant to telecommunications networks in the U.S., reviews and prepares contributions on such matters for submission to U.S. International Telecommunication Union Telecommunication Sector (ITU-T) and U.S. ITU Radiocommunication Sector (ITU-R) Study Groups or other standards organizations, and reviews for acceptability or per contra the position of other countries in related standards development and takes or recommends appropriate actions.

The mandatory requirements are designated by the word *shall* and *must*, and recommendations by the word *should*. Where both a mandatory requirement and a recommendation are specified for the same criterion, the recommendation represents a goal currently identifiable and having distinct compatibility or performance advantages. The word *may* denotes an optional capability that could augment the standard. The standard is fully functional without the incorporation of this optional capability.

NOTE – The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights.

By publication of this standard, no position is taken with respect to the validity of any such claim(s) or of any patent rights in connection therewith. If a patent holder has filed a statement of willingness to grant a license under these rights on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain such a license, then details may be obtained from ATIS.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, PTSC, 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time of consensus on this document, PTSC, which was responsible for its development, had the following leadership:

M. Dolly, PTSC Chair

V. Shaikh, PTSC Vice-Chair

Table of Contents

1 SCOPE.....1

1.1 SCOPE.....1

1.2 BACKGROUND1

2 NORMATIVE REFERENCES1

3 DEFINITIONS, ACRONYMS, & ABBREVIATIONS.....2

3.1 ACRONYMS & ABBREVIATIONS.....2

4 ASSUMPTIONS FOR ETS SERVICE.....2

5 REQUIREMENTS FOR ETS VOIP SERVICE3

6 CONSTRAINT OF A SINGLE EF MECHANISM FOR VOIP ETS SERVICE3

7 ETS VOIP SERVICES - REQUIREMENTS FOR A SEPARATE EF CODE POINT.....4

ATIS Standard on –

ETS Packet Priority for IP NNI Interfaces – Requirements for a Separate Expedited Forwarding Mechanism

1 Scope

1.1 Scope

This Technical Report (TR) provides the requirements for a separate Expedited Forwarding (EF) mechanism that can recognize a class of traffic for preferential treatment via a unique DiffServ Code Point (DSCP). This class of traffic includes Emergency Telecommunications Service (ETS) Voice over IP (VoIP) calls/sessions with the requirement of a pre-determined quantity of reserved bandwidth for ETS service.

1.2 Background

ATIS-1000011, *ETS Packet Priority for NNI Interfaces – Use of Existing DiffServ Per Hop Behaviors* [Ref 1], recommends the use of a predetermined Local Experimental DiffServ Code Point (DSCP) for ETS VoIP traffic particularly at Network-Network Interfaces (NNI). The justification for this recommendation is based on current limitations of the Expedited Forwarding (EF) Per Hop Behavior (PHB) [RFC 3246, *An Expedited PHB (Per Hop Behavior)*, March 2002 (Ref 4)] in Differentiated Services [RFC 2475, *An Architecture for Differentiated Services*, December 1998 (Ref 5)] and on the high admission control priority requirements for ETS in IP networks [ATIS-0100003, *User Plane Priority Levels for IP Networks and Services* (Ref 2)] [ATIS-1000005, *Service Description of ETS* (Ref 3)].

In the IETF, the Internet Assigned Numbers Authority (IANA) assigned a separate EF code point, 44, for Capacity-Admitted Traffic [Ref 6]. An operator can treat the ETS class of service requiring preferential treatment as a type of Capacity-Admitted traffic that uses that separate EF code point.

2 Normative References

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

[Ref 1] ATIS-1000011, *ETS Packet Priority for NNI Interfaces – Use of Existing DiffServ Per Hop Behaviors*.¹

[Ref 2] ATIS-0100003, *User Plane Priority Levels for IP Networks and Services*.¹

[Ref 3] ATIS-1000005, *Service Description of ETS*.¹

[Ref 4] IETF RFC 3246, *An Expedited PHB (Per Hop Behavior)*, March 2002.²

[Ref 5] IETF RFC 2475, *An Architecture for Differentiated Services*, December 1998.²

[Ref 6] IETF RFC 5865, *A Differentiated Services Code Point (DSCP) for Capacity-Admitted Traffic*, May 2010.²

¹ This document is available from the Alliance for Telecommunications Industry Solutions (ATIS), 1200 G Street N.W., Suite 500, Washington, DC 20005. < <https://www.atis.org> >

² This document is available from the Internet Engineering Task Force (IETF). < <http://www.ietf.org> >