



ATIS-1000640.2001(P2011)

**BROADBAND ISDN NETWORK NODE INTERFACES AND INTER-NETWORK
INTERFACES - RATES AND FORMATS SPECIFICATIONS**

AMERICAN NATIONAL STANDARD FOR TELECOMMUNICATIONS



ATIS is the leading technical planning and standards development organization committed to the rapid development of global, market-driven standards for the information, entertainment and communications industry. More than 250 companies actively formulate standards in ATIS' 18 Committees, covering issues including: IPTV, Service Oriented Networks, Energy Efficiency, IP-Based and Wireless Technologies, Quality of Service, and Billing and Operational Support. In addition, numerous Incubators, Focus and Exploratory Groups address emerging industry priorities including "Green", IP Downloadable Security, Next Generation Carrier Interconnect, IPv6 and Convergence.

ATIS is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a member and major U.S. contributor to the International Telecommunication Union (ITU) Radio and Telecommunications Sectors, and a member of the Inter-American Telecommunication Commission (CITEL). For more information, please visit <http://www.atis.org>.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires review by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made towards their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, WITH RESPECT TO ANY CLAIM, AND IN NO EVENT SHALL ATIS BE LIABLE FOR MOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES ANY AND ALL USE OF OR RELIANCE UPON THIS INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to the validity of this claim or any patent rights in connection therewith. The patent holder has, however, filed a statement of willingness to grant license under these rights on reasonable and nondiscriminatory terms and conditions to applicants desiring to obtain such licenses. Details may be obtained from the publisher.

ATIS-1000640.2001(R2011), Broadband ISDN Network Node Interfaces and Inter-Network Interfaces – Rates and Formats Specifications

Is an American National Standard developed by the **ATIS Packet Technologies and Systems Committee (PTSC)**.

Published by
Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005

Copyright © 2011 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at <http://www.atis.org>.

Printed in the United States of America.

ATIS-1000640.2001 (R2011)

(Formerly T1.640-2001; Revision of T1.640-1996)

American National Standard for Telecommunications

**Broadband ISDN Network Node Interfaces
and Inter-Network Interfaces –
Rates and Formats Specifications**

Secretariat

Alliance for Telecommunications Industry Solutions

Approved August 21, 2001

American National Standards Institute, Inc.

Abstract

This standard provides specifications of the rates and formats of signals for use at Network Node Interfaces (NNIs) and Inter-Network Interfaces (INIs) in a Broadband Integrated Services Digital Network (B-ISDN).

Foreword

The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the standard.

Accredited Standards Committee T1, Telecommunications serves the public through improved understanding between carriers, customers, and manufacturers. Technical Subcommittee T1S1 of Committee T1 develops telecommunications standards and technical reports related to services, architectures, and signaling, in addition to related subjects under consideration in other North American and international standards bodies.

ANSI guidelines specify two categories of requirements: mandatory and recommendation. The mandatory requirements are designated by the word *shall* and recommendations by the word *should*. Where both a mandatory requirement and a recommendation are specified for the same criterion, the recommendation represents a goal currently identifiable as having distinct compatibility or performance advantages.

Suggestions for improvement of this standard are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, T1 Secretariat, 1200 G Street NW, Suite 500, Washington, DC 20005.

This standard was processed and approved for submittal to ANSI by Accredited Standards Committee on Telecommunications, T1. Committee approval of the standard does not necessarily imply that all members voted for its approval. At the time it approved this standard, the T1 Committee had the following members:

- E.R. Hapeman, T1 Chair
- W.R. Zeuch, T1 Vice-Chair
- J.A. Crandall, T1 Director
- S.M. Carioti, T1 Disciplines
- S.D. Barclay, T1 Secretary
- C.A. Underkoffler, T1 Chief Editor
- M. Dolly, T1S1 Technical Editor

EXCHANGE CARRIERS

Organization Represented	Name of Representative
AT&T Wireless Services, Inc.	Peter Musgrove Brian Daly (Alt.)
BellSouth Telecommunications Inc.	W.J. McNamara Gregory Wos (Alt.)
Cable & Wireless	Olga Pericic Roderick Cottin (Alt.)
Covad Communications Co.	John Marquardt David Rosenstein (Alt.)
Qwest	James L. Eitel Richard Prince (Alt.)
Rhythms	Rand Kennedy David Reilly (Alt.)
Rogers Wireless Inc.	Edward O'Leary Peter Oldfield (Alt.)
SBC Communications, Inc.	C.C. Bailey John E. Roquet (Alt.)
Sprint Local Telecom. Division	Leroy D. Kellogg
US Telecom Association (USTA)	Paul Hart Donald G. Bender (Alt.)
Verizon Communications	Josephine Gallagher James F. Baskin (Alt.)

GENERAL INTEREST

Organization Represented	Name of Representative
AT&T Broadband	Paul Hughes Jim Dahl (Alt.)
BOPS Inc.	Ali S. Sadri, PhD
CSI Telecommunications	Michael S. Newman William J. Buckley (Alt.)
Cingular Wireless LLC	Don Zelmer Marc Grant (Alt.)
Defense Information Systems Agency	Don Choi
Golden Bridge Technology Inc.	Kourosh Parsa Karin Zickermann (Alt.)
Microcell Connexions	Venkatesh Sampath Besma Smida (Alt.)
National Communications System	Nicholas Andre F. McClelland (Alt.)
NTIA	Neal B. Seitz
Quintessent Communications Inc.	Dave Deutschman
Rural Utilities Service	Orren E. Cameron III Norberto Esteves (Alt.)

Organization Represented	Name of Representative
Telcordia Technologies	Rick Harrison Cliff Halevi (Alt.)
Voicestream Wireless Corp.	Gary K. Jones Mark Younge (Alt.)

INTEREXCHANGE CARRIERS

Organization Represented	Name of Representative
AT&T	Doris S. Lebovits Rick Canaday (Alt.)
Bell Canada	P. Norman Smith
Lockheed Martin Global Telecom	Prakash Chitre
Sprint – Long Distance Division	James Lord Al White (Alt.)
Worldcom	Yi-Shang Shen J. Martin Carroll (Alt.)

MANUFACTURERS

Organization Represented	Name of Representative
3COM	Fred Lucas Richard L. Stuart (Alt.)
Acterna	Michael Lewis Dick Bobilin (Alt.)
ADC Telecommunications Inc.	Nelson Zagalsky
Alcatel USA Inc.	Ken Biholar Cheri Dickerson (Alt.)
Aware, Inc.	Marcos Tzannes William Meyer (Alt.)
Broadcom Corp.	David C. Jones Vladimir Oksman (Alt.)
Centillium Communications, Inc.	Dr. Syed Abbas Guozhu Long (Alt.)
Cisco Systems, Inc.	John McDonough John Krahnke (Alt.)
Conexant Systems, Inc.	Quentin C. Cousen
Copper Mountain Networks	John Meister Jack Young (Alt.)
ECI Telecom Inc.	Jack Zeros Todd Poole (Alt.)
Elastic Networks, Inc.	Patrick H. Stanley, P.E. Jack Terry (Alt.)
Ericsson Inc.	Bob Slocum Asok Chatterjee (Alt.)
Excelsus Technologies Inc.	Frederick Kiko Don Robert House (Alt.)
Futura America Inc.	Arnold W. Bragg Hirohiko Yamamoto (Alt.)
General Datacomm Inc.	Fred Cronin
Globalspan Semiconductor, Inc.	Massimo Sorbara Clete Gardenhour (Alt.)
Harris Corp.	Marlis Humphrey
Hekimian Laboratories	William H. Duncan

Organization Represented	Name of Representative
Hewlett-Packard	Steve Mills Karen Higginbottom (Alt.)
Hughes Network Systems, Inc.	Dr. Leonard Golding Enrique Laborde (Alt.)
IBM Corp.	Jeff H. Derby Evangelos Eleftheriou (Alt.)
LayerOne Wireless Technology	Gary Lomp Peter Voltz (Alt.)
Lucent Technologies	Greg Ratta Rick Townsend (Alt.)
Luxxon Corp.	Tao Lin
Marconi Communications	Mark Scott David K. Brown (Alt.)
Megaxess, Inc.	John Boal D. Verman (Alt.)
Metawave Communications Corp.	Simon Scherzer
Mitel Corp.	Muhammad AbouSeido Melvin Steeden (Alt.)
Motorola Inc.	Ken Skurnak Syed Niaz (Alt.)
Next Level Communications	Sabit Say Jeffrey Weber (Alt.)
Nokia Telecommunications Inc.	Chris Wallace Margaret Livingston (Alt.)
Nortel Networks	Subhash Patel
Optical Networks, Inc.	Ron Fang Chris Roller (Alt.)
OKI America Inc.	Henri Suyderhoud Hisao Fujikawa (Alt.)
Paradyne Corp.	Richard K. Smith Phil Kyees (Alt.)
PMC-Sierra, Inc.	Winston Mok Terence Lau (Alt.)
Qualcomm Inc.	Mark Epstein Ed Tiedemann (Alt.)
Siemens Information & Communications Networks, Inc.	David E. Francisco Jim Stanco (Alt.)
ST Microelectronics	Raffaele Penazzi Stefania Boiocchi (Alt.)
Symmetricom Inc.	Don Skipwith Ed Butterline (Alt.)
Tellabs Operations, Inc.	Tom Rarick
Tellium, Inc.	Krishna Bala, PhD Siegfried Giebl (Alt.)
Texas Instruments	James T. Carlo Pete Chow, Ph.D. (Alt.)
TranSwitch Corp.	Jitender Vij Edwin Soltysiak (Alt.)
Voyan Technology	Bob Burke Rolf Fiebrich (Alt.)
Westell Technologies, Inc.	Guy Cerulli Tariq Amjed (Alt.)

At the time it approved this standard, Technical Subcommittee T1S1 on Services, Architectures, & Signaling, which is responsible for the development of this standard, had the following members:

B. Hall, T1S1 Chair

G. Ratta, T1S1 Vice-Chair

Organization Represented	Name of Representative
Acterna	Michael Lewis Dick Bobilin (Alt.)
ADC Telecommunications Inc.	Sal Morlando Paul Krischlunas (Alt.)
Alcatel USA Inc.	Jeff Copley
AT&T	Doris S. Lebovits John Keselica (Alt.)
AT&T Broadband	Sohan Grewal Jim Dahl (Alt.)
AT&T Wireless Services, Inc.	Peter Musgrove Brian Daly (Alt.)
Bell Canada	Stewart Patch P. Norman Smith (Alt.)
BellSouth Telecommunications Inc.	Robert V. Epley David Whitney (Alt.)
CSI Telecommunications	Michael S. Newman William J. Buckley (Alt.)
Cisco Systems	Rajiv Kapoor Chip Sharp (Alt.)
Compaq Computer Corp.	John L. Schantz Steve Upton (Alt.)
Defense Information Systems Agency	Don Choi Ralph Liguori (Alt.)
Ericsson Inc.	Bob Slocum
Fujitsu America Inc.	Mark Stewart Doug Hunt (Alt.)
Harris Corporation	Marlis Hamon
Hekimian Laboratories	William J. Duncan
Hewlett-Packard	James C. Baker
ICG Communications	Kenneth Frederick
Inet Technologies Inc.	Barrett Archer Trevor Schelp (Alt.)
LG Sansys, Inc.	Hee Joung Lee Mark Hosford (Alt.)
Lockheed Martin Global Telecom	Prakash Chitre

Organization Represented	Name of Representative
Lucent Technologies	Robert B. Waller Greg Ratta (Alt.)
Megaxess, Inc.	John Boal D. Vaman (Alt.)
National Communications System	Nicholas And. H. Folts (Alt.)
Nokia Telecommunications Inc.	Jean-Luc Bouthemy Chris Wallace (Alt.)
Nortel Networks	Subhash Patel Joseph A. Zebarth (Alt.)
OKI America Inc.	Henri Suyderhoud Hisao Fujikawa (Alt.)
Oresis Communications, Inc.	Michael R. Zeug George Shenoda (Alt.)
Paradyne Corp.	Richard K. Smith Phil Kyees (Alt.)
Qwest	Steve Showell James L. Eitel (Alt.)
Rhythms	Rand Kennedy David Reilly (Alt.)
SBC Communications, Inc.	B.S. Sambasivan Clifton Campbell (Alt.)
Siemens Information and Communication Networks, Inc.	Rajendra Udeshi Ron Franks (Alt.)
Sprint – Long Distance Division	James Lord
Telcordia Technologies	Selvan Rengasami Wesley Downum (Alt.)
Tellabs Operations, Inc.	Brian Yarger Mike Wurst (Alt.)
US Telecom Association (USTA)	Paul Johnson Donald G. Bender (Alt.)
Verizon Communications	Dana Shillingburg Michael Brusca (Alt.)
Voicestream Wireless Corp.	Albert H. Yuhan, Ph.D. Gary K. Jones (Alt.)
WorldCom	Yatendra Pathak Bernard Ku (Alt.)

Working Group T1S1.7 on Services, Architecture, and Control, which was responsible for the development of this standard, had the following members:

AT&T

Janey Cheu
Martin Dolly

Cisco Systems

Durai Chinnaiah
Taichi Fu
Michael Hammer
Rajiv Kapoor
Keith Mainwaring

Ericsson

Susana Sabater

Lucent Technologies

Greg Ratta (T1S1 Vice Chair)
Tom Walsh

Nortel Networks

Joe Zearth (T1S1.7 Vice Chair)

Telcordia Technologies

Niranjan Sandesara
Ray P. Singh
Viqar Shaikh

Currently in preview, click buy full version

Table of Contents

1	SCOPE	1
2	NORMATIVE REFERENCES	1
3	ABBREVIATIONS & ACRONYMS	2
4	DEFINITIONS	4
5	INTERFACE REFERENCE ARCHITECTURES	4
6	INTERFACE PHYSICAL REALIZATIONS	5
7	PHYSICAL LAYER SPECIFICATIONS AT 51.840 MBIT/S	7
7.1	BIT RATE	7
7.2	INTERFACE SYMMETRY.....	7
7.3	SIGNAL FORMAT.....	7
7.3.1	OVERHEAD BYTES ACTIVE ACROSS THE INTERFACE.....	7
7.3.2	ATM CELL MAPPING	10
7.3.3	FRAMING.....	10
7.4	CELL RATE DECOUPLING	10
7.5	POWERING ARRANGEMENTS.....	10
7.6	HEC GENERATION AND HEC CHECK.....	10
7.7	CELL PAYLOAD SCRAMBLER.....	10
7.8	CELL DELINEATION	10
7.9	PMD CHARACTERISTICS	11
7.10	SYNCHRONIZATION, TIMING, AND JITTER	11
8	PHYSICAL LAYER SPECIFICATIONS AT 155.520 MBIT/S	11
8.1	BIT RATE	11
8.2	INTERFACE SYMMETRY.....	11
8.3	SIGNAL FORMAT.....	11
8.3.1	OVERHEAD BYTES ACTIVE ACROSS THE INTER.....	12
8.3.2	ATM CELL MAPPING	12
8.3.3	FRAMING.....	12
8.4	CELL RATE DECOUPLING	12
8.5	POWERING ARRANGEMENTS.....	12
8.6	HEC GENERATION AND HEC CHECK.....	12
8.7	CELL PAYLOAD SCRAMBLER	12
8.8	CELL DELINEATION	12
8.9	PMD CHARACTERISTICS.....	13
8.10	SYNCHRONIZATION, TIMING, AND JITTER	13
9	PHYSICAL LAYER SPECIFICATIONS AT 622.080 MBIT/S	13
9.1	BIT RATE	13
9.2	INTERFACE SYMMETRY.....	13
9.3	SIGNAL FORMAT.....	13
9.3.1	OVERHEAD BYTES ACTIVE ACROSS THE INTERFACE.....	14
9.3.2	ATM CELL MAPPING	14
9.3.3	FRAMING.....	14
9.4	CELL RATE DECOUPLING	14
9.5	POWERING ARRANGEMENTS.....	14
9.6	HEC GENERATION AND HEC CHECK.....	14
9.7	CELL PAYLOAD SCRAMBLER.....	14
9.8	CELL DELINEATION	14
9.9	PMD CHARACTERISTICS	15
9.10	SYNCHRONIZATION, TIMING, AND JITTER	15
10	PHYSICAL LAYER SPECIFICATIONS AT 2.48832 GBIT/S	15

10.1	BIT RATE	15
10.2	INTERFACE SYMMETRY	15
10.3	SIGNAL FORMAT	15
10.3.1	OVERHEAD BYTES ACTIVE ACROSS THE INTERFACE	16
10.3.2	ATM CELL MAPPING	16
10.3.3	FRAMING	16
10.4	CELL RATE DECOUPLING	16
10.5	POWERING ARRANGEMENTS	16
10.6	HEC GENERATION AND HEC CHECK	16
10.7	CELL PAYLOAD SCRAMBLER	16
10.8	CELL DELINEATION	17
10.9	PMD CHARACTERISTICS	17
10.10	SYNCHRONIZATION, TIMING, AND JITTER	17
11	PHYSICAL LAYER SPECIFICATIONS AT 44.736 MBIT/S	19
11.1	BIT RATE	19
11.2	INTERFACE SYMMETRY	19
11.3	SIGNAL FORMAT	19
11.3.1	OVERHEAD BITS ACTIVE ACROSS THE INTERFACE	20
11.3.2	ATM CELL MAPPING FOR THE DIRECT MAPPING FORMAT	20
11.4	CELL RATE DECOUPLING	21
11.5	POWERING ARRANGEMENTS	21
11.6	HEC GENERATION AND HEC CHECK	21
11.7	CELL PAYLOAD SCRAMBLER	21
11.8	CELL DELINEATION	21
11.9	PMD CHARACTERISTICS	21
11.10	SYNCHRONIZATION, TIMING, AND JITTER	22
12	HEC FUNCTIONALITY, SCRAMBLING, AND CELL DELINEATION	23
12.1	HEC GENERATION	23
12.2	HEC CHECK	23
12.3	CELL PAYLOAD SCRAMBLER	24
12.4	CELL DELINEATION	24
13	PHYSICAL LAYER OPERATIONS AND MAINTENANCE	27
13.1	SURVEILLANCE	27
13.2	ATM SPECIFIC FUNCTIONS	28
13.2.1	CELL DELINEATION MAINTENANCE STATE	28
13.3	PHYSICAL LAYER FUNCTIONS	29
A	ATM CELL MAPPING FOR THE PLCP-BASED FORMAT AT 44.736 MBIT/S	30
A.1	PLCP FORMAT	30
A.2	PLCP OVERHEAD BYTES/NIBBLES ACTIVE ACROSS THE INTERFACE	30
A.2.1	FRAME ALIGNMENT (F1, F2)	31
A.2.2	BIT INTERLEAVED PARITY (B1)	31
A.2.3	CYCLE/STUFF COUNTER (C1)	31
A.2.4	PLCP PATH STATUS (G1)	31
A.2.5	PATH OVERHEAD IDENTIFIER (P0–P11)	32
A.2.6	GROWTH BITES (Z1–Z6)	32
A.2.7	TRAIL NIBBLES	32
B	EXAMPLES OF INTERFACES	34
C	BIBLIOGRAPHY	35
Table of Figures		
FIGURE 1	- INTER-NETWORK REFERENCE ARCHITECTURE	5
FIGURE 2	- INTRA-NETWORK REFERENCE ARCHITECTURE	5
FIGURE 3	- PHYSICAL REALIZATION EXAMPLE OF THE NNI AND INI	6
FIGURE 4	- PHYSICAL REALIZATION EXAMPLE OF THE NNI' AND INI'	7

FIGURE 5 - SONET STS-48C TRANSPORTING ATM CELLS18
 FIGURE 6 - DS3 FRAME STRUCTURE (106.4 μ s).....22
 FIGURE 7 - RECEIVER HEC BISTATE OPERATION.....25
 FIGURE 8 - CELL HEADER ERROR ANALYSIS26
 FIGURE 9 - CELL DELINEATION STATE DIAGRAM27
 FIGURE 10 - MAINTENANCE STATE TRANSITION DIAGRAM FOR CELL DELINEATION EVENTS.....29

FIGURE A.1 - PLCP FRAME STRUCTURE (125 μ s)33

FIGURE B. 1 - EXAMPLE OF INTERFACES34

Table of Tables

TABLE 1 - SONET OVERHEAD REQUIREMENTS FOR THE INTERFACES9
 TABLE 2 - DS3 C-BIT CHANNEL REQUIREMENTS.....20

TABLE A.1 - DS3 PLCP CYCLE/STUFF COUNTER DEFINITION.....31
 TABLE A.2 - DS3 PLCP PATH OVERHEAD IDENTIFIER CODE DEFINITIONS32

Currently in preview, click buy full version

American National Standard
for Telecommunications –

Broadband ISDN Network Node Interfaces and Inter-Network Interfaces – Rates and Formats Specifications

1 Scope

This standard provides specifications of the rates and formats of signals for use at Network Node Interfaces (NNIs) and Inter-Network Interfaces (INIs) in a Broadband Integrated Services Digital Network (B-ISDN). The term, *NNI*, was originally used in ITU-T (formerly CCITT) for the description of SDH-based systems, and its use has been carried over to SONET-based systems. The meaning of NNI is further expanded in these B-ISDN specifications to include non-SONET interfaces such as DS3. INI applies to interfaces between network nodes in different networks, and has been previously established in American National Standards for other applications.

NNI and INI specifications will facilitate both intra-network and inter-network connections for B-ISDN, result in increased interoperability, and promote early availability of network interconnections and ubiquitous service offerings. This standard specifically addresses NNI and INI reference architectures and physical realizations, physical layer specifications at five bit rates (51.840 Mbit/s, 155.520 Mbit/s, 622.080 Mbit/s, 2.48832 Gbit/s, and 44.736 Mbit/s), transmission overhead characteristics, and a brief overview of Operations and Maintenance (OAM) functionality.

This standard provides fundamental definitions of the NNI and the INI and is to be used in conjunction with other standards on Physical Media Dependent (PMD) and higher layer (i.e., ATM layer, AAL layer) specifications for providing a complete technical description of the B-ISDN NNI and INI. This standard is based on a B-ISDN as described in the ITU-T Recommendations of the I-series.

There is much commonality between NNI/INI and UNI specifications at the physical layer due to the use of common underlying transport structures. The intent of this document is to be consistent with relevant American National Standards and other relevant standards and specifications.

This revision of T1.640-1996 clarifies the use of the C1 (now J1 and Z0) bytes in Table 1 as well as corrects errors related to the cell delineation states for the cell payload scrambler. In addition, several references have been updated to reflect the latest versions.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this American National Standard. At the time of publication, the editions indicated were valid. All standards and publications are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying the most recent editions of the standards and publications indicated below.