

ANSI/AWWA **C707-22**
(Revision of ANSI/AWWA C707-10(R16))

AWWA Standard

Encoder-Type Remote-Registration Systems for Cold-Water Meters

Effective date: April 1, 2023.

First edition approved by Board of Directors Jan. 26, 1975.

This edition approved Oct. 24, 2022.

Approved by American National Standards Institute Oct. 4, 2022.



American Water Works
Association



AWWA Standard

This document is an American Water Works Association (AWWA) standard. It is not a specification. AWWA standards describe minimum requirements and do not contain all of the engineering and administrative information normally contained in specifications. The AWWA standards usually contain options that must be evaluated by the user of the standard. Until each optional feature is specified by the user, the product or service is not fully defined. AWWA publication of a standard does not constitute endorsement of any product or product type, nor does AWWA test, certify, or approve any product. The use of AWWA standards is entirely voluntary. This standard does not supersede or take precedence over or displace any applicable law, regulation, or code of any governmental authority. AWWA standards are intended to represent a consensus of the water industry that the product described will provide satisfactory service. When AWWA revises or withdraws this standard, an official notice of action will be placed in the Official Notice section of *Journal AWWA*. The action becomes effective on the first day of the month following the month of *Journal AWWA* publication of the official notice.

American National Standard

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether that person has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. American National Standards are subject to periodic review, and users are cautioned to obtain the latest editions. Producers of goods made in conformity with an American National Standard are encouraged to state on their own responsibility in advertising and promotional materials or on tags or labels that the goods are produced in conformity with particular American National Standards.

CAUTION NOTICE: The American National Standards Institute (ANSI) approval date on the front cover of this standard indicates completion of the ANSI approval process. This American National Standard may be revised or withdrawn at any time. ANSI procedures require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of ANSI approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036; 212.642.4900, or e-mailing info@ansi.org.



ISBN-13, print: 978-1-64717-112-3

ISBN-13, electronic: 978-1-61300-653-5

DOI: <http://dx.doi.org/10.12999/AWWA.C707.22>

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including scanning, recording, or any information or retrieval system. Reproduction and commercial use of this material is prohibited, except with written permission from the publisher.

Copyright © 2022 by American Water Works Association
Printed in USA

Committee Personnel

The AWWA Subcommittee on Remote and Encoder Registers, which developed this standard, had the following personnel at the time:

Scott H. Seehoffer, *Chair*

D. Casper, Mueller Systems, Cleveland, N.C.

D.J. Devane, Zenner USA, Leeds, Ala.

A. Dudley, Kamstrup Water Metering LLC, Roswell, Ga.

D. Faber, Faber & Associates, Columbus, Ind.

J. Fillinger, Badger Meter, Milwaukee, Wis.

R. Gallon, Zenner USA, Banning, Calif.

L. Gregory, RG3 Meter Company Inc., Longview, Tex.

D. Hamilton, Neptune Technology Group Inc., Tallassee, Ala.

A. Hendey Sr., Hendey Meter, Beaumont, Calif.

M.C. Johnson, Utah Water Research Laboratory, Utah State University, Logan, Utah

R.N. Koch, Master Meter Inc., Pittsburgh, Pa.

A. Land, Dallas Water Utilities, Dallas, Tex.

C. Middleton, Neptune Technology Group Inc., Dunwoody, Ga.

B. Murphy, Kamstrup Water Metering LLC, Roswell, Ga.

J.A. Olson, Badger Meter, Milwaukee, Wis.

J. Pintok, RG3 Meter Company Inc., Lake Mary, Fla.

S.H. Seehoffer, Master Meter Inc., Mansfield, Tex.

M. Shamley, Metron-Farnier LLC, Boulder, Colo.

S.M. Swanson, Sensus, Uniontown, Pa.

J. Szewczyk, Sensus, Uniontown, Pa.

The AWWA Standards Committee on Water Meters, which reviewed and approved this standard, had the following personnel at the time of approval:

Thomas A. Kelly Jr., *Chair*
Craig C. Hannah., *Vice-Chair*
Michael L. Mastic, *Secretary*

General Interest Members

J.E. Cray, Wright-Pierce, Andover, Mass.
A. Dabak, Texas Instruments, Dallas, Tex.
D. Faber, Faber & Associates, Columbus, Ind.
R.C. Graff, Poway, Calif.
J.G. Gunn (*alternate*), Johnson Controls Inc., Victor, N.Y.
C.C. Hannah, Johnson Controls Inc., Lubbock, Tex.
D.E. Hood, M.E. Simpson Company Inc., Valparaiso, Ind.
A.M. Horbovetz (*alternate*), M.E. Simpson Company Inc., Valparaiso, Ind.
M.C. Johnson, Utah Water Research Laboratory, Utah State University, Logan, Utah
T.A. Kelly Jr., Meter Consultant, Martinsburg, W.Va.
F.S. Kurtz (*liaison, nonvoting*), Standards Engineer Liaison, AWWA, Denver, Colo.
M.L. Mastic, MARS Company, Ocala, Fla.
K.C. Molli, Meter Consultant, Menomonee Falls, Wis.
R.A. Richter, National Institute of Standards and Technology, Gaithersburg, Md.
S. Thakurdesai (*alternate*), Texas Instruments, Dallas, Tex.

Producer Members

R.A. Barillas (*alternate*), Badger Meter, Milwaukee, Wis.
T.D. Bianchi, Neptune Technology Group Inc., Tallassee, Ala.
C. Brunson (*alternate*), Neptune Technology Group Inc., Tallassee, Ala.
D. Casper (*alternate*), Mueller Systems, Cleveland, N.C.
M.D. Cole, Meter Technology Werks, Tampa, Fla.
D.J. Devaney, Zenner USA, Leeds, Ala.
R. Gallon (*alternate*), Zenner USA, Banning, Calif.
L. Gregory (*alternate*), RG3 Meter Company, Longview, Tex.
A. Hendey Sr., Hendey Meter, Beaumont, Calif.
B. Kaffenberger, Itron, Liberty Lake, Wash.
R.N. Koch, Master Meter Inc., Pittsburgh, Pa.

M. Laird (*alternate*), Metron-Farnier LLC, Boulder, Colo.
J.A. McCraven, Mueller Systems, Cleveland, N.C.
J.A. Olson, Badger Meter, Milwaukee, Wis.
J. Pintok, RG3 Meter Company, Lake Mary, Fla.
M. Shamley, Metron-Farnier LLC, Boulder, Colo.
S.M. Swanson, Sensus, Uniontown, Pa.
J. Szewczyk (*alternate*), Sensus, Uniontown, Pa.
W.J. Vetter (*alternate*), Master Meter Inc., Mansfield, Tex.

User Members

M.J. Aragon, Denver Water, Denver, Colo.
M.C. Bowen, City of Columbus, Division of Water, Columbus, Ohio
J. Conover Jr., City of Sacramento, Sacramento, Calif.
G.M. Gehringer, City of Philadelphia, Philadelphia, Pa.
A. Haas, Arizona Water Company, Phoenix, Ariz.
P.A. Hayes, Mammoth Community Water District, Mammoth Lakes, Calif.
D.M. Hill, American Water, Voorhees, N.J.
N.D. Kaufman, Truckee Donner Public Utility District, Truckee, Calif.
A. Land, Dallas Water Utilities, Dallas, Tex.
S.U. Mills-Wright (*liaison, nonvoting*), Standards Council Liaison, Dallas Water Utilities,
Dallas, Tex.
R. Molhoek, Desert Water Agency, Palm Springs, Calif.
C. Patterson, Washington Suburban Sanitary Commission, Laurel, Md.
B. Schade, WaterOne, Lenexa, Kan.
R. Sloan, Birmingham Water Works Board, Birmingham, Ala.
D. Strub, Austin Water Utility, Austin, Tex.

This page intentionally blank.

Currently in preview, click buy full version

Contents

All AWWA standards follow the general format indicated subsequently. Some variations from this format may be found in a particular standard.

SEC.	PAGE	SEC.	PAGE
Foreword		1.2	Purpose 1
I	Introduction..... ix	1.3	Application..... 1
I.A	Background..... ix	2	References 2
I.B	History..... ix	3	Definitions 2
II	Special Issues ix	4	Requirements
II.A	Metrication ix	4.1	Materials 4
III	Use of This Standard x	4.2	Design 4
III.A	Purchaser Options and Alternatives ... x	5	Verification 9
III.B	Modification to Standard x	6	Delivery
IV	Major Revisions..... xi	6.1	Packaging and Shipping 9
V	Comments xi	6.2	Affidavit of Compliance 9
Standard			
1	General		
1.1	Scope..... 1		

This page intentionally blank.

Currently in preview, click buy full version

Foreword

This foreword is for information only and is not a part of ANSI/AWWA C707.

I. Introduction.

I.A. *Background.* The subcommittee that drafted this standard was formed in 1968. Initially, it attempted to formulate a single standard on remote-registration systems that would include both direct-reading and encoder-type systems. Because of design and application differences, it was not possible to achieve that goal. As a result, a standard pertaining to the pneumatic and electrical types of direct-reading systems was published. It was adopted in 1972 and designated ANSI/AWWA Standard C706-72, Direct-Reading Remote Registration Systems for Cold-Water Meters.

The subcommittee began to research and evaluate the various models and types of encoder-remote-registration systems for use on water meters. As with the direct-reading systems, the greatest problem encountered when composing the standard for encoder-type systems was determining the degree of adaptability required between the various systems that were being manufactured. The problem was resolved by requiring that each manufacturer's data-acquisition units be capable of being adaptable to, and of obtaining the necessary data from, at least two additional encoder systems manufactured according to the provisions of this standard.

Present encoder systems are made that are compatible with automatic meter reading systems that use radio, telephone, cellular, electric service lines, or some other data communication means. Compatible interface modules or circuitry may be required.

I.B. *History.* The first edition of this standard was approved by the AWWA Board of Directors on Jan. 26, 1975. The second edition was approved on Feb. 1, 1982, and reaffirmed on Jan. 26, 1992. The third edition of the standard was approved on Jan. 16, 2006. The fourth edition was approved on Jan. 17, 2010, and it was reaffirmed without revision on Jan. 16, 2016. This edition of the standard was approved on Oct. 24, 2022.

II. Special Issues.

II.A. *Metriation.* Throughout this standard, metric equivalents (rounded off) are set in parentheses next to the customary units.

* American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036.

III. Use of This Standard. It is the responsibility of the user of an AWWA standard to determine that the products described in that standard are suitable for use in the particular application being considered.

III.A. *Purchaser Options and Alternatives.* The following information should be provided by the purchaser:

1. Standard used—that is ANSI/AWWA C707, Standard for Encoder-Type Remote-Registration Systems for Cold-Water Meters, of latest revision.

2. The quantity of units desired and the size, model, and type of meter on which the system is to be installed.

3. Whether a portable data-acquisition unit or portable visual-display unit is to be included and, if so, the quantity and type required.

4. Details of other federal, state or provincial, and local requirements (Sec. 4.1).

5. Whether the system is to register data in cubic feet, US gallons, or other units (Sec. 4.2.1.5).

6. Whether the meter register assembly or the remote receptacle or both are to have provisions made for affixing a customer or meter identification number (Sec. 4.2.1.6 and Sec. 4.2.4.2).

7. Whether contrasting color wheels are to be used for number-wheel numerals, and the details of the contrasting colors required (Sec. 4.2.1.8).

8. Whether meter register faceplates are to be for potable water or reclaimed water (Sec. 4.2.1.10).

9. Whether field installation of the meter register assembly (Sec. 4.2.1.1) and the signal encoder assembly (Sec. 4.2.2.1) is required.

10. Whether transmission wire or cable is to be suitable for direct burial and exposed mounting, or for exposed mounting only (Sec. 4.2.3).

11. Whether tamper-resistance means are required (Sec. 4.2.4.3).

12. Whether the portable data-acquisition unit is to be capable of manual operation and whether provision shall be made to enter the meter reading and register identification number manually (Sec. 4.2.5.2.3).

13. Whether a recharging system is to be supplied (Sec. 4.2.5.4.1 and 4.2.6.4.1).

14. Whether an affidavit of compliance is required (Sec. 6.2).

III.B. *Modification to Standard.* Any modification to the provisions, definitions, or terminology in this standard must be provided in the purchaser's specifications.

IV. Major Revisions. Major changes made to the standard in this revision include the following:

1. References have been added for ANSI/AWWA C714, Cold-Water Meters for Residential Fire Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes.

2. The requirements for register faceplates have been modified (Sec. 4.2.1.10 and Sec. 4.2.1.11).

V. Comments. If you have any comments or questions about this standard, please call AWWA Engineering and Technical Services at 303.794.7711, FAX at 303.795.7603, write to the department at 6666 West Quincy Avenue, Denver, CO 80235-3098, or e-mail at standards@awwa.org.

This page intentionally blank.



**American Water Works
Association**

Dedicated to the World's Most Important Resource®

ANSI/AWWA C707-22
(Revision of ANSI/AWWA C707-10(R16))

AWWA Standard

Encoder-Type Remote-Registration Systems for Cold-Water Meters

SECTION 1: GENERAL

Sec. 1.1 Scope

This standard covers encoder-type remote-registration systems for use on cold-water meters for water utility customer service, particularly the materials and workmanship employed in the fabrication and assembly of the on-meter registers.

Sec. 1.2 Purpose

The purpose of this standard is to provide the minimum requirements for encoder-type remote-registration systems for cold-water meters, including fabrication and assembly.

Sec. 1.3 Application

This standard can be referenced in specifications for purchasing and receiving cold-water meters for water utility customer service and can be used as a guide for fabricating and assembling encoder-type remote-registration systems for cold-water meters. The stipulations of this standard apply when this document has been referenced and then only to encoder-type remote-registration systems for cold-water meters for water supply service applications.