

an American National Standard

ANSI/BICSI 005-2013

Electronic Safety and Security (ESS) System
Design and Implementation Best Practices

*Bic*si

STANDARDS

currently in preview, click to buy full version

ANSI/BICSI 005-2013

Electronic Safety and Security (ESS) System Design and Implementation Best Practices

**Committee Approval: March 2013
First Published: May 2013**



BICSI Standards

BICSI standards contain information deemed to be of technical value to the industry and are published at the request of the originating committee. The BICSI International Standards Program has subjected this standard to a rigorous public review and resolution of comments, which is a procedural part of the development of a BICSI standard.

BICSI reviews standards within five years of its last approval date. As necessary, standards are reaffirmed, rescinded, or revised according to submitted updates and assessment of need.

Suggestions for revision should be directed to the BICSI International Standards Program, care of BICSI.

Copyright

This BICSI document is a standard and is copyright protected. Except as permitted under the applicable laws of the user's country, neither this BICSI standard nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission from BICSI being secured.

Requests for permission to reproduce this document should be addressed to BICSI.

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

Published by:

BICSI
8610 Hidden River Parkway
Tampa, FL 33637-1000 USA

All rights reserved
Printed in U.S.A.

Notice Of Disclaimer And Limitation Of Liability

BICSI standards and publications are designed to serve the public interest by offering information technology systems (ITS) design guidelines and best practices. Existence of such standards and publications shall not in any respect preclude any member or nonmember of BICSI from manufacturing or selling products not conforming to such standards and publications, nor shall the existence of such standards and publications preclude their voluntary use, whether the standard is to be used either domestically or internationally.

By publication of this standard, BICSI takes no position respecting the validity of any patent rights or copyrights asserted in connection with any item mentioned in this standard. Additionally, BICSI does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the standard or publication. Users of this standard are expressly advised that determination of any such patent rights or copyrights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard does not purport to address all safety issues or applicable regulatory requirements associated with its use. It is the responsibility of the user of this standard to review any existing codes and other regulations recognized by the national, regional, local and/or other recognized authority having jurisdiction (AHJ) in conjunction with the use of this standard. Where differences occur, those items listed within the codes or regulations of the AHJ supersede any requirement or recommendation of this standard.

All warranties, express or implied, are disclaimed, including without limitation, any and all warranties concerning the accuracy of the contents, its fitness or appropriateness for a particular purpose or use, its merchantability and its non-infringement of any third party's intellectual property rights. BICSI expressly disclaims any and all responsibilities for the accuracy of the contents and makes no representation or warranties regarding the content's compliance with any applicable statute, rule or regulation.

BICSI shall not be liable for any and all damages, direct or indirect, arising from or relating to any use of the contents contained herein, including without limitation any and all indirect, special, incidental or consequential damages (including damages for loss of business, loss of profits, litigation, or the like), whether based upon breach of contract, breach of warranty, tort (including negligence), product liability or otherwise, even if advised of the possibility of such damages. The foregoing limitation of damages is a fundamental element of the use of the contents hereof, and these contents would not be published by BICSI without such limitations.

TABLE OF CONTENTS

1 INTRODUCTION	1
1.1 GENERAL.....	1
1.2 PURPOSE.....	1
1.3 CATEGORIES OF CRITERIA.....	1
2 SCOPE	1
3 REQUIRED STANDARDS AND DOCUMENTS	2
4 DEFINITIONS, ACRONYMS, ABBREVIATIONS, AND UNITS OF MEASUREMENT	4
4.1 DEFINITIONS.....	4
4.2 ACRONYMS AND ABBREVIATIONS.....	7
4.3 UNITS OF MEASUREMENT.....	8
5 TELECOMMUNICATIONS INFRASTRUCTURE	9
5.1 OVERVIEW.....	9
5.2 TOPOLOGY.....	9
5.2.1 Backbone and Horizontal Cabling.....	9
5.2.2 Other Applications and Media.....	9
5.3 SPACES.....	10
5.3.1 Equipment Rooms.....	10
5.3.2 Telecommunications Rooms and Telecommunications Enclosures.....	11
5.4 CABLING.....	13
5.4.1 Backbone Cabling.....	13
5.4.2 Horizontal Cabling.....	13
5.4.3 Horizontal Connection Point (HCP).....	17
5.4.4 Power over Ethernet (PoE).....	18
5.5 CABLING PATHWAYS.....	18
5.5.1 Requirements.....	18
5.5.2 ESS Pathway Redundancy.....	18
5.5.3 ESS Pathways between Telecommunications Spaces within a Building.....	19
5.5.4 ESS Campus Pathways Between Buildings.....	19
5.5.5 ESS Pathways Serving Equipment Centers.....	19
5.5.6 ESS Pathway Separation from Power and EMI Sources.....	19
5.5.7 ESS Pathway Bonding and Grounding.....	20
5.5.8 Special Pathways and Space Considerations.....	20
5.5.9 Secure Areas.....	21
5.5.10 Enclosures, Pull Boxes and Splice Boxes.....	21
5.5.11 High Security Areas.....	21
5.6 TELECOMMUNICATIONS OUTLET/CONNECTORS.....	21
5.6.1 Overview.....	21
5.6.2 Facility Connections by Direct Attach Method.....	22
5.7 CABLING INSTALLATION REQUIREMENTS.....	23
5.7.1 Overview.....	23
5.7.2 Bonding and Grounding Considerations.....	23
5.7.3 Transmission Performance Field Testing.....	23
5.8 ADMINISTRATION AND DOCUMENTATION.....	25
5.8.1 Requirements.....	25
5.8.2 Recommendations.....	25
5.9 ESS DEVICE MOUNTING HEIGHTS.....	25
5.9.1 Requirements.....	25
5.9.2 Recommendations.....	25

5.10 INFRASTRUCTURE FOR WIRELESS TRANSMISSION.....	25
5.10.1 Requirements.....	25
5.10.2 Additional Information.....	25
5.11 COVERAGE AREA PLANNING AND DENSITY.....	26
5.11.1 Introduction.....	26
5.11.2 Recommendations.....	26
6 INTRUSION DETECTION.....	27
6.1 OVERVIEW.....	27
6.1.1 Requirements.....	27
6.1.2 Recommendations.....	27
6.2 SENSORS.....	27
6.2.1 Recommendations.....	27
6.3 NOTIFICATION.....	28
6.3.1 Requirements.....	28
6.3.2 Recommendations.....	28
6.3.3 Additional Information.....	28
6.4 CONTROL PANEL.....	28
6.4.1 Requirements.....	28
6.4.2 Recommendations.....	29
6.5 KEYPADS AND ANNUNCIATORS.....	29
6.5.1 Requirements.....	29
6.5.2 Recommendations.....	29
6.6 INITIATING DEVICES.....	29
6.6.1 Overview.....	29
6.6.2 Motion Sensors.....	29
6.6.3 Window Sensors.....	29
6.6.4 Door Status Sensors.....	30
6.6.5 Perimeter Sensors.....	30
6.7 OPTIONAL INTEGRATED EQUIPMENT.....	30
6.7.1 Introduction.....	30
7 VIDEO SURVEILLANCE.....	31
7.1 OVERVIEW.....	31
7.2 GENERATION AND CONFORMANCE WITH USE CASES.....	31
7.2.1 Scene Characteristics.....	31
7.2.2 Observation as a Primary VSS Function.....	32
7.2.3 Forensic Review as a Primary VSS Function.....	32
7.2.4 Recognition as a Primary VSS Function.....	33
7.2.5 Additional VSS Functions.....	33
7.3 DEVICE GROUPS AND INTEROPERABILITY.....	34
7.3.1 Requirements.....	34
7.4 DEVICE CATEGORIES.....	34
7.4.1 Requirements.....	34
7.5 USE CASES.....	35
7.5.1 Requirements.....	35
7.6 OPEN NETWORK VIDEO INTERFACE FORUM (ONVIF) CONFORMANCE.....	35
7.6.1 Requirements.....	35
7.7 DEPLOYMENT PROCESS.....	35
7.7.1 Requirements.....	35
7.7.2 Recommendations.....	36
7.8 AUTHENTICATION OF NETWORK VIDEO CAMERAS FOR IMPROVED ESS NETWORK SECURITY.....	36
7.8.1 Requirements.....	36

8 ACCESS CONTROL	37
8.1 OVERVIEW	37
8.2 SYSTEM STRUCTURE	37
8.2.1 Overview.....	37
8.2.2 Central Equipment Processing (Level 1).....	37
8.2.3 Computer Hardware and Software.....	37
8.2.4 Server.....	37
8.2.5 Software.....	38
8.2.6 Backup.....	38
8.2.7 Event Recording.....	38
8.2.8 Backup Power.....	38
8.2.9 Access Control Workstation.....	38
8.2.10 Badging System.....	39
8.2.11 Visitor Management.....	39
8.3 CONTROLLERS FOR INTELLIGENT FIELD PROCESSING (LEVEL 2)	39
8.3.1 Overview.....	39
8.3.2 Controller Configurations.....	39
8.4 PERIPHERAL DEVICES (LEVEL 3)	40
8.4.1 Overview.....	40
8.4.2 Power Distribution.....	40
8.4.3 Relays.....	40
8.4.4 Readers.....	41
8.4.5 Request to Exit (REX) Devices.....	41
8.4.6 Door Contacts.....	41
8.4.7 Electrified Door Hardware.....	41
8.4.8 Fail-Secure/Fail-Safe/Fail Latched.....	41
8.4.9 Power to Locks.....	42
8.5 CREDENTIALS (LEVEL 4)	43
8.5.1 Overview.....	43
8.5.2 Web-Enabled Access Control.....	43
8.5.3 IP Card Readers.....	43
8.5.4 IP Controllers.....	43
8.5.5 Communications.....	43
8.5.6 Analog Communications.....	44
8.5.7 TCP/IP or Network Communications.....	44
9 FIRE DETECTION AND ALARM SYSTEMS	45
9.1 OVERVIEW	45
9.2 RISK ASSESSMENT AND SAFETY PROGRAMS	45
9.2.1 Requirements.....	45
9.2.2 Recommendations.....	45
9.2.3 Additional Information.....	45
9.3 CLASSES OF FIRE ALARM SYSTEMS	46
9.3.1 Introduction.....	46
9.3.2 Requirements.....	46
9.3.3 Recommendations.....	46
9.4 INITIATION DEVICES	46
9.4.1 Introduction.....	46
9.4.2 Requirements.....	46
9.4.3 Recommendations.....	46
9.5 FIRE SUPPRESSION SYSTEMS AND SUPERVISION DEVICES	47
9.5.1 Introduction.....	47
9.5.2 Requirements.....	47
9.5.3 Recommendations.....	47
9.6 NOTIFICATION APPLIANCES	47
9.6.1 Introduction.....	47
9.6.2 Requirements.....	47

9.7 TYPES OF NOTIFICATION APPLIANCES	47
9.7.1 Introduction	47
9.7.2 Requirements.....	47
9.7.3 Additional Information	47
9.8 NOTIFICATION APPLIANCE CIRCUIT (NAC)	48
9.8.1 Introduction	48
9.8.2 Requirements.....	48
9.8.3 Recommendations	48
9.8.4 Additional Information	48
9.9 AUDIBILITY	48
9.9.1 Introduction	48
9.9.2 Requirements.....	49
9.9.3 Additional Information	49
9.10 INTELLIGIBILITY	49
9.10.1 Overview	49
9.11 VISIBILITY	49
9.11.1 Overview	49
9.12 CONTROL UNITS	50
9.12.1 Introduction	50
9.12.2 Requirements.....	50
9.12.3 Additional Information	50
9.13 SUPERVISION	51
9.13.1 Requirements.....	51
9.13.2 Additional Information	51
9.14 TROUBLE CONDITIONS	51
9.14.1 Overview	51
9.15 POWER SUPPLIES	51
9.15.1 Requirements.....	51
9.16 TRANSMITTERS	52
9.16.1 Digital Alarm Communicator Transmitter (DACT) Dialers.....	52
9.16.2 Digital Alarm Radio Transmitter (DART)	52
9.16.3 IP Alarm Communicator System.....	52
9.17 AS-BUILT DRAWINGS AND RELATED DOCUMENTATION	52
9.17.1 Requirements.....	52
9.17.2 Recommendations.....	52
10 INTEGRATED SYSTEMS	53
10.1 OVERVIEW	53
10.2 ESS INTEGRATED SERVICES DESIGN AND INTEGRATION	53
10.2.1 Public Network Service	53
10.2.2 Design and Selection of Components.....	54
10.2.3 ESS Integration.....	54
10.3 ESS COMPONENTS	54
10.3.1 Overview	54
10.3.2 Intrusion Detection System.....	54
10.3.3 Access Control System.....	55
10.3.4 Video Surveillance System.....	55
10.3.5 Physical Security Information Management (PSIM) System.....	55
10.3.6 Sensor-Based System.....	55
10.3.7 Building Automation System.....	55
10.3.8 Location System	57
10.3.9 Global Positioning System (GPS).....	57
10.3.10 Software.....	57

10.4 SYSTEM CONFIGURATION AND EXPANDABILITY	58
10.4.1 Overview.....	58
10.4.2 Input/Output Matrix	58
10.4.3 Maps and Icons	59
10.4.4 System Response Times	59
10.4.5 System Expansion Capability	59
10.5 ELECTRONIC SAFETY AND SECURITY (ESS) INTEGRATION PROCESS.....	59
10.5.1 Overview.....	59
10.5.2 Integration Process Team Members.....	60
10.5.3 Integration Process.....	60
11 RISK MANAGEMENT AND RISK ASSESSMENT	65
11.1 INTRODUCTION	65
11.2 REQUIREMENTS	65
11.3 ADDITIONAL INFORMATION	65
APPENDIX A: CABLING PATHWAYS (NORMATIVE)	67
A.1 OVERVIEW.....	67
A.2 TYPES OF CABLING PATHWAYS	67
A.2.1 Introduction.....	67
A.2.2 Cable Tray Pathways	69
A.2.3 Non-continuous Pathways.....	70
A.2.4 Conduit Pathways	70
A.2.5 Surface-mounted Pathways (Perimeter Raceways).....	72
A.2.6 Duct Raceway Pathways.....	73
A.2.7 Access Floor Raceway Pathways.....	73
A.2.8 In-floor System Pathways	74
A.2.9 Catenary Pathways.....	74
A.2.10 Utility Columns (Power Poles).....	74
A.3 GENERAL INSTALLATION PRACTICES.....	75
A.3.1 Requirements	75
A.3.2 Recommendations.....	75
APPENDIX B: ELECTRONIC SAFETY AND SECURITY (ESS) DESIGN FUNDAMENTALS (INFORMATIVE)	77
B.1 INTRODUCTION.....	77
B.2 ELEMENTS	77
B.2.1 Access Control.....	77
B.2.2 Intrusion Detection.....	77
B.2.3 Surveillance.....	77
B.2.4 Fire Detection and Alarm.....	77
B.2.5 Integrated Systems.....	77
B.2.6 Special Systems.....	77
B.2.7 Network Security	78
B.3 TYPES OF PROJECTS.....	78
B.4 CURRENT AND FUTURE TRENDS IN SAFETY AND SECURITY.....	78
B.4.1 Information Technology.....	78
B.4.2 Physical Security.....	78
B.4.3 Integration of Access Control and Building Automation Systems.....	78
B.4.4 Surveillance.....	79
B.5 ELECTRONIC SAFETY AND SECURITY SYSTEM DEVELOPMENT BASICS	79
APPENDIX C: WIRELESS TRANSMISSION (INFORMATIVE)	81
C.1 OVERVIEW.....	81
C.2 RADIO FREQUENCY TRANSMISSION.....	81
C.2.1 Introduction.....	81
C.3 FREE SPACE OPTICS	81
C.3.1 Introduction.....	81

C.4 LICENSED MICROWAVE RADIO TRANSMISSION	81
C.4.1 Overview.....	81
C.5 FREQUENCY SELECTION	82
C.5.1 Introduction.....	82
APPENDIX D: RELATED DOCUMENTS (INFORMATIVE)	83

Currently in preview, click buy full versi

INDEX OF FIGURES

FIGURE 1: HIERARCHICAL STAR TOPOLOGY	9
FIGURE 2: EXAMPLES OF NON-STAR TOPOLOGIES.....	10
FIGURE 3: OPTICAL FIBER CABLING WITH MEDIA CONVERTERS.....	15
FIGURE 4: CONFIGURATION EXAMPLES FOR USING HYBRID COPPER/OPTICAL FIBER CABLE TO CONNECT AN ESS DEVICE	16
FIGURE 5: EXAMPLE OF A HORIZONTAL CONNECTION POINT WITHIN A STAR TOPOLOGY.....	17
FIGURE 6: EXAMPLE LOCATIONS OF USER-ADMINISTERED AND FACILITY CONNECTION TELECOMMUNICATIONS OUTLETS.....	22
FIGURE 7: EXAMPLES OF FACILITY CONNECTIONS USING DIRECT ATTACH.....	22
FIGURE 8: CONFIGURATION 1: SINGLE CONNECTOR MODIFIED PERMANENT LINK SET UP FOR DIRECT ATTACH WITHOUT A CONSOLIDATION POINT.....	24
FIGURE 9: CONFIGURATION 2: SINGLE CONNECTOR MODIFIED PERMANENT LINK SET UP FOR DIRECT ATTACH WITH A CONSOLIDATION POINT	24
FIGURE 10: FORM A, B AND C RELAYS	40
FIGURE 11: SAMPLE PHYSICAL SECURITY INFORMATION MANAGEMENT SYSTEM	56

INDEX OF TABLES

TABLE 1: RECOMMENDED CROSS-CONNECT COLOR CODES FOR USE AT CABLING DISTRIBUTORS.....	11
TABLE 2: MEDIA SELECTION CRITERIA	14
TABLE 3: BALANCED TWISTED-PAIR CABLING FREQUENCY RANGE OF INTEREST AND ASSOCIATED APPLICATIONS	15
TABLE 4: TYPICAL COVERAGE AREA FOR EACH ESS LINK.....	26
TABLE 5: DETECTION SENSOR TECHNOLOGY AND APPLICATION	27
TABLE 6: NAC DESIGNATION REQUIREMENTS	48
TABLE 7: TYPICAL AMBIENT SOUND LEVELS BY LOCATION.....	49
TABLE A1: BALANCED TWISTED-PAIR CABLING BEND RADIUS AND PULLING TENSION REQUIREMENTS	68
TABLE A2: OPTICAL FIBER CABLING BEND RADIUS AND PULLING TENSION REQUIREMENTS.....	68
TABLE A3: MAXIMUM ALLOWABLE CABLING STACKING HEIGHT IN CABLING PATHWAYS	69