



BSI Standards Publication

The application and use of hot- and cold-applied joint sealant systems for concrete pavements - Code of practice

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2020

Published by BSI Standards Limited 2020

ISBN 978 0 59 03278 9

ICS 3.08.20

The following BSI references relate to the work on this document:

Committee reference B/510/3

Draft for comment 20/30388487 DC

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

Contents

	Page
Foreword	ii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
<i>Figure 1 — Examples of contraction joint sealing slots</i>	2
<i>Figure 2 — Example of an expansion joint sealing slot</i>	4
<i>Figure 3 — Example of a longitudinal joint/transverse construction joint sealing slot</i>	4
4 Joint selection	5
4.1 General	5
4.2 Types of sealant	5
4.3 Factors affecting joint movement	6
4.4 Methods of formation of joint slots	6
4.5 Geometry and size of sealant	7
5 Joint slot preparation	8
5.1 Joint slot formation	8
5.2 Joint slot surface preparation	8
5.3 Joint filler	8
5.4 Priming	9
6 Sealant application	10
6.1 General	10
6.2 Heating hot-applied sealants	10
6.3 Mixing multi-component cold-applied sealants	11
6.4 Application of hot and cold applied sealant	11
7 Site testing	12
8 Resealing	12
Annex A (normative) Method of sampling and measuring depth of sealant cut from joints	13
Bibliography	14

Summary of pages

This document comprises a front cover, and inside front cover, pages i to ii, pages 1 to 14, an inside back cover and a back cover.

Foreword

Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 July 2020. It was prepared by Subcommittee B/510/3, *Materials for concrete roads*, under the authority of Technical Committee B/510, *Road materials*. A list of organizations represented on this committee can be obtained on request to its committee manager.

Information about this document

This publication can be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at bsigroup.com/standards, or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

Use of this document

As a code of practice, this British Standard takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this British Standard is expected to be able to justify any course of action that deviates from its recommendations.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is “should”.

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Notes and commentaries are provided throughout the text of this standard. Notes give references and additional information that are important but do not form part of the recommendations. Commentaries give background information.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. “organization” rather than “organisation”).

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

1 Scope

This British Standard gives recommendations for the preparation of joint sealant slots and for the application and site testing of hot- and cold-applied joint sealants for use in joints in roads, airfields, exposed concrete pavements and other trafficked areas. Although it applies mainly to new work, the principles it contains apply to both new works and repairs, and recommendations for resealing.

This British Standard does not cover the application of preformed joint sealants.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes provisions of this document.¹⁾ For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS EN 13880-8, *Hot applied joint sealants — Part 8: Test method for the determination of the change in weight of fuel resistant joint sealants after fuel immersion*

BS EN 13880-9, *Hot applied joint sealants — Part 9: Test method for the determination of compatibility with asphalt pavements*

BS EN 14187-4, *Cold applied joint sealants — Test methods — Part 4: Determination of the change in mass and volume after immersion in test fuels and liquid chemicals*

BS EN 14188-1:2004, *Joint fillers and sealants — Part 1: Specification for hot applied sealants*²⁾

BS EN 14188-2, *Joint fillers and sealants — Part 2: Specification for cold applied sealants*

3 Terms and definitions

For the purposes of this British Standard, the following terms and definitions apply.

3.1 adhesion

property of a sealant to stick to the sealant joint substrates

3.2 application life

time after mixing the components of a cold-applied sealant within which the material may successfully be applied to a joint at a stated temperature

3.3 bond breaker

film or thin strip material applied at the base of a slot to prevent the bottom of the sealant from adhering

3.4 compatibility

property of a sealant to remain in contact with another material without unfavourable physical or chemical interactions

3.5 construction joint

joint between pavement slabs which have been constructed at different times where one face is cast against a construction form

NOTE See [Figure 1](#) for details.

¹⁾ Documents that are referred to solely in an informative manner are listed in the Bibliography.

²⁾ This British Standard also gives an informative reference to BS EN 14188-1:2004.