



BSI Standards Publication

BS 1377-2 — Methods of test for soils for civil engineering purposes

Part 2: Classification tests and determination of geotechnical properties

Currently in preview, click buy full version

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2022

Published by BSI Standards Limited 2022

ISBN 978 0 59 15710 9

ICS 3.02

The following BSI references relate to the work on this document:

Committee reference B/526/3

Draft for comment 21/30427944 DC

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

Currently in preview, click buy full version

Licensed copy: Techstreet Content, ISO Exchange - Michigan, Version correct as of 30/01/2023.

Contents

	Page
Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Determination of water content	2
4.1 Oven-drying method	2
4.2 Method for saturation water content of chalk	3
5 Determination of liquid limit	3
5.1 General	4
5.2 Cone penetrometer method (definitive method)	4
5.3 One-point cone penetrometer method	4
<i>Table 1 — Factors for one-point cone penetrometer liquid limit test</i>	5
5.4 Casagrande apparatus method	5
5.5 One-point Casagrande method	6
6 Determination of plastic limit and plasticity index	6
6.1 General	6
6.2 Additional parameters	7
7 Determination of shrinkage characteristics—Linear shrinkage	7
7.1 General	7
7.2 Apparatus	7
<i>Figure 1 — Mould for linear shrinkage test</i>	8
7.3 Preparation of apparatus	8
7.4 Procedure	8
7.5 Calculations and expression of results	9
7.6 Test report	9
8 Determination of density	9
9 Determination of particle density	10
9.1 General	10
9.2 Gas jar method	10
10 Determination of particle size distribution	12
11 Determination of dry density/water content relationship	12
11.1 General	12
<i>Figure 2 — Dry density/water content relationship curve</i>	13
<i>Table 2 — Summary of compaction procedures</i>	14
11.2 Preparation of samples for compaction tests	14
<i>Table 3 — Summary of sample preparation procedures</i>	15
<i>Figure 3 — Grading limits relating to specimen preparation procedures for compaction tests</i>	16
<i>Figure 4 — Flow chart representing specimen preparation methods for compaction tests</i>	16
11.3 Compaction method using 2.5 kg rammer with 1 L mould	19
<i>Figure 5 — Mould for compaction test (1 L mould)</i>	20
<i>Figure 6 — 2.5 kg rammer for compaction test</i>	21
11.4 Compaction method using 2.5 kg rammer with CBR mould	24
11.5 Compaction method using 4.5 kg rammer with 1 L mould	25
<i>Figure 7 — 4.5 kg rammer for compaction test</i>	26
11.6 Method using 4.5 kg rammer with CBR mould	28
11.7 Compaction method using vibrating hammer	29
<i>Figure 8 — Tampers for vibrating hammer compaction tests</i>	30
<i>Table 4 — Grading for calibration sand</i>	31

12	Determination of maximum and minimum dry densities for coarse soils	34
12.1	Determination of maximum density of sands	34
12.2	Maximum density of gravelly soils	37
12.3	Minimum density of sands	39
12.4	Minimum density of gravelly soils	40
12.5	Derivation of density index	42
13	Determination of moisture condition value (MCV)	42
13.1	General	42
13.2	Apparatus	43
	<i>Figure 9 — Moisture condition apparatus</i>	43
13.3	Checking the moisture condition apparatus	45
13.4	Determination of the MCV of a specimen of soil at its natural water content	45
	<i>Figure 10 — Relationship between change in penetration and number of blows</i>	47
	<i>Figure 11 — Alternative type of relationship between change in penetration and number of blows</i>	47
13.5	Determination of the MCV/water content relation of a soil	48
13.6	Rapid assessment of whether a soil is stronger than a precalibrated standard	49
14	Determination of chalk crushing value (CCV)	50
14.1	General	50
14.2	Apparatus	50
14.3	Checking the moisture condition apparatus	51
14.4	Determination of the chalk crushing value (CCV)	51
15	Determination of California Bearing Ratio (CBR)	52
15.1	General	53
15.2	Preparation of test specimen	53
	<i>Figure 12 — Flow chart representing specimen preparation methods for the CBR test</i>	54
	<i>Figure 13 — Cylindrical mould for the determination of the CBR</i>	55
	<i>Figure 14 — Plug and collar extension for use with cylindrical mould for the determination of the CBR</i>	56
15.3	Soaking	59
	<i>Figure 15 — Apparatus for measuring the swelling of a specimen during soaking for the CBR test</i>	60
15.4	Penetration test procedure	61
	<i>Figure 16 — General arrangement of apparatus for the CBR test</i>	62
15.5	Calculation and plotting	64
	<i>Figure 17 — Typical CBR test result curves (see 15.5.1.2)</i>	65
	<i>Figure 18 — Force-penetration curves for a CBR value of 100% and other CBR values</i>	67
	<i>Table 5 — Standard force-penetration relationships for 100% CBR</i>	67
15.6	Test report	68
16	Determination of one-dimensional consolidation properties	69
16.1	Test method	69
16.2	Test results	69
17	Determination of swelling and collapse characteristics	70
17.1	General	70
17.2	Apparatus	70
17.3	Measurement of swelling pressure	70
17.4	Measurement of swelling	71
17.5	Measurement of settlement on saturation	73
18	Determination of dispersibility	74
18.1	Pinhole method	74
	<i>Figure 19 — Section of pinhole test apparatus</i>	75
	<i>Table 6 — Typical limiting rates of flow imposed by the apparatus</i>	77

	<i>Figure 20 — Flowchart for pinhole test procedure</i>	78
	<i>Table 7 — Classification of soils from pinhole test data</i>	79
18.2	Crumb method	80
18.3	Dispersion method	81
	<i>Figure 21 — Typical results from dispersion (double hydrometer) test</i>	82
19	Determination of frost heave	83
19.1	General	83
19.2	Preparation of test specimens	83
19.3	Test procedure	84
20	Determination of consolidation properties using a hydraulic cell	84
20.1	General	84
	<i>Figure 22 — Drainage and loading conditions for consolidation tests in hydraulic cells</i>	85
20.2	Apparatus	86
	<i>Figure 23 — Arrangement of hydraulic cell for vertical drainage consolidation [test type (a)]</i>	88
	<i>Figure 24 — Arrangement of hydraulic cell for radial drainage to centre and optional permeability stage</i>	89
	<i>Figure 25 — Arrangement for load calibration of diaphragm</i>	95
20.3	Preparation of specimens	98
20.4	Cell assembly	102
20.5	Procedure for consolidation test with one-way vertical drainage	105
	<i>Figure 26 — Derivation of t_{50} from log time curves</i>	113
	<i>Figure 27 — Derivation of t_{50} and t_{90} from power function curves</i>	114
	<i>Figure 28 — Temperature correction curve</i>	115
20.6	Procedure for consolidation test with two-way vertical drainage	117
20.7	Procedure for consolidation test with drainage radially outwards	118
20.8	Procedure for consolidation test with drainage radially inwards	121
21	Determination of permeability in a hydraulic consolidation cell	124
21.1	General	125
21.2	Apparatus for preparation of specimen	125
21.3	Apparatus for permeability test	125
21.4	Calibration of apparatus	126
21.5	Preparation and checking of apparatus	127
21.6	Preparation of test specimen	127
21.7	Assembly of cell	128
21.8	Test procedures	128
21.9	Calculations	130
21.10	Test report	131
22	Determination of isotropic consolidation properties using a triaxial cell	132
22.1	Test method	132
22.2	Calculations	132
22.3	Test report	134
23	Determination of permeability	135
24	Determination of shear strength by the laboratory vane method	135
24.1	General	135
24.2	Apparatus	135
	<i>Figure 29 — Laboratory vane apparatus</i>	136
24.3	Procedure	137
24.4	Calculations	138
24.5	Test report	139
25	Determination of shear strength by direct shear (shearbox methods)	139

25.1	Shearbox methods	139
25.2	Determination of shear strength by the small shearbox apparatus	140
25.3	Determination of shear strength by the large shearbox apparatus	140
26	Determination of residual strength using the small ring shear apparatus	141
26.1	Test method	141
26.2	Test conditions	141
26.3	Test report	141
27	Determination of unconfined compressive strength	141
27.1	Test method	141
27.2	Test report	142
28	Unconsolidated undrained triaxial test	142
28.1	Type of test	142
28.2	Test conditions	142
28.3	Test report	142
29	Consolidated-undrained triaxial compression test with measurement of pore pressure	143
29.1	Test procedure	143
29.2	Test conditions	144
29.3	Test report	144
30	Consolidated-drained triaxial compression test with measurement of volume change	144
30.1	Test procedure	144
30.2	Test conditions	145
30.3	Test report	145
<hr/>		
Annex A	(informative) Example forms	146
	<i>Figure A.1 — Example data sheet</i>	146
	<i>Figure A.2 — Example recording form</i>	147
<hr/>		
	Bibliography	148
<hr/>		

Summary of pages

This document comprises a front cover, an inside front cover, pages I to VI, pages 1 to 148, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 1377 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 March 2022. It was prepared by Subcommittee B/526/3, *Ground investigation and ground testing*, under the authority of Technical Committee B/526, *Geotechnics*. A list of organizations represented on these committees can be obtained on request to their committee manager.

Supersession

This part of BS 1377 supersedes [BS 1377-2:1990](#), [BS 1377-4:1990](#), [BS 1377-5:1990](#), [BS 1377-6:1990](#) and [BS 1377-7:1990](#), which are withdrawn.

Relationship with other publications

BS 1377 is published in the following parts:

- Part 1: *General requirements and sample preparation*
- Part 2: *Classification tests and determination of geotechnical properties (this document)*
- Part 3: *Chemical and electrochemical tests*
- Part 9: *In-situ tests*

[BS 1377-1](#) provides general information relating to the tests, common calibration and specification requirements and general requirements for testing laboratories and fieldwork. This information is required for tests for which no BS EN ISO standard is available. [BS EN ISO 17892](#) standards include specific requirements for sample preparation, equipment maintenance and calibration for each test which take precedence.

[BS 1377-3](#) describes test methods for determining the amount of chemical substances in soil and groundwater.

This part of BS 1377 includes reference to BS EN ISO 17892 (all parts) for the relevant test and provides non-contradictory complementary information on the test methods.

Information about this document

This publication may be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at [bsigroup.com/standards](#), or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

This part of BS 1377 consolidates the tests included in [BS 1377-2:1990](#), [BS 1377-4:1990](#), [BS 1377-5:1990](#), [BS 1377-6:1990](#) and [BS 1377-7:1990](#) into one document as follows:

- [BS 1377-2:1990](#), Part 2: Classification tests
- [BS 1377-4:1990](#), Part 4: Compaction-related tests
- [BS 1377-5:1990](#), Part 5: Compressibility, permeability and durability tests
- [BS 1377-6:1990](#), Part 6: Consolidation and permeability tests in hydraulic cells and with pore pressure measurement

- [BS 1377-7:1990](#), Part 7: Shear strength tests (total stress)
- [BS 1377-8:1990](#), Part 8: Shear strength tests (effective stress)

The following tests that were included in BS 1377:1990 have been withdrawn:

[BS 1377-2:1990](#), Clause 6.3 Volumetric shrinkage test (definitive method)

[BS 1377-2:1990](#), Clause 6.4 Volumetric shrinkage test (subsidiary method)

[BS 1377-7:1990](#), Clause 9 Multistage unconsolidated undrained triaxial test

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its methods are expressed as a set of instructions, a description, or in sentences in which the principal auxiliary verb is “shall”.

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. “organization” rather than “organisation”).

Contractual and legal considerations

This publication has been prepared in good faith, however, no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient’s own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

1 Scope

This part of BS 1377 specifies methods of test for the classification of soil and for the determination of geotechnical properties of soils in the laboratory.

Most of these tests are required for the determination of geotechnical behaviour of soils in accordance with BS EN 1997 (all parts) and [BS 5930](#).

This part of BS 1377 includes:

- a) common laboratory tests required for the classification of soils;
- b) determination of compaction characteristics of soils for earthworks, permeability, compressibility and erodibility; and
- c) determination of shear strength of soils in terms of both total and effective stresses.

NOTE Where EN ISO test methods are available, these are normatively referenced and commentary provided to assist in their application.

[BS 1377-1](#) specifies requirements that include details of sample preparation and equipment calibration that are relevant to tests described in this part of BS 1377, unless otherwise detailed in the referenced [BS EN ISO 17892](#) standard.

2 Normative references

[BS 1377-1:2016](#), *Methods of test for soils for civil engineering purposes – Part 1: General requirements and sample preparation*

[BS 812-124:2009](#), *Testing aggregates – Part 124: Method for determination of frost heave*

BS EN ISO 17892-1:2014, *Geotechnical investigation and testing – Laboratory testing of soil – Part 1: Determination of water content*

BS EN ISO 17892-2:2014, *Geotechnical investigation and testing – Laboratory testing of soil – Part 2: Determination of bulk density*

BS EN ISO 17892-3, *Geotechnical investigation and testing – Laboratory testing of soil – Part 3: Determination of particle density*

[BS EN ISO 17892-4:2017](#), *Geotechnical investigation and testing – Laboratory testing of soil – Part 4: Determination of particle size distribution*

[BS EN ISO 17892-5: 2017](#), *Geotechnical investigation and testing – Laboratory testing of soil – Part 5: Incremental loading oedometer test*

[BS EN ISO 17892-7:2018](#), *Geotechnical investigation and testing – Laboratory testing of soil – Part 7: Unconfined compression test*

[BS EN ISO 17892-8:2018](#), *Geotechnical investigation and testing – Laboratory testing of soil – Part 8: Unconsolidated undrained triaxial test*

BS EN ISO 17892-9:2018, *Geotechnical investigation and testing – Laboratory testing of soil – Part 9: Consolidated triaxial compression tests on water saturated soils*

[BS EN ISO 17892-10:2018](#), *Geotechnical investigation and testing – Laboratory testing of soil – Part 10: Direct shear tests*

[BS EN ISO 17892-11](#), *Geotechnical investigation and testing – Laboratory testing of soil – Part 11: Permeability tests*