

BS 4142:2014



BSI Standards Publication

Methods for rating and assessing industrial and commercial sound

bsi.

...making excellence a habit.™

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2014

Published by BSI Standards Limited 2014

ISBN 978 0 580 80051 1

ICS 17.140.20; 91.120.20

The following BSI references relate to the work on this document:

Committee reference EH/1/3

Draft for comment 14/30268407 DC

Publication history

First published March 1967

Second edition November 1990

Third edition September 1997

Fourth edition October 2014

Amendments issued since publication

Date	Text affected
------	---------------

Contents

Foreword *iii*

1	Scope	1
2	Normative references	2
3	Terms and definitions	2
4	Preparation	3
5	Instrumentation	4
6	Measurement procedure	4
7	Specific sound level	6
8	Background sound level	10
9	Rating level	13
10	Uncertainty	15
11	Assessment of the impacts	16
12	Information to be reported	18

Annexes

Annex A (informative)	Examples of how to use the standard to obtain ratings	20
Annex B (informative)	Consideration of uncertainty and good practice for reducing uncertainty	47
Annex C (normative)	Objective method for assessing the audibility of tones in sound: One-third octave method	53
Annex D (normative)	Objective method for assessing the audibility of tones in sound: Reference method	53
Annex E (normative)	Objective method for measuring the prominence of impulsive sounds and for adjustment of L_{Aeq}	63
Bibliography		68

List of figures

Figure 1	– Selecting the measurement time interval	9
Figure 2	– Selecting the measurement time interval	9
Figure 3	– Selecting the measurement time interval	10
Figure 4	– Example of statistical analysis to determine the background sound level	12
Figure A.1	– Sound level variation with time	20
Figure A.2	– Measurement of the factory sound affected by the residual noise	23
Figure A.3	– Sound level variations with time	24
Figure A.4	– Specific sound cycling on and off	26
Figure A.5	– Sound level outside bedroom window with intermittent plant operation: L_{Aeq} for entire period 40 dB, residual L_{Aeq} when no vehicles passing 38 dB, background L_{A90} 27 dB, ambient L_{Aeq} with plant on 36 dB	34
Figure A.6	– Sound level on patio in rear garden with intermittent plant operation: L_{Aeq} for entire period 43 dB, residual L_{Aeq} when no vehicles passing 31 dB, background L_{A90} 30 dB, ambient L_{Aeq} with plant on 39 dB	38
Figure A.7	– Sound level outside bedroom window with intermittent plant operation: L_{Aeq} for entire period 45 dB, residual L_{Aeq} when no vehicles passing 33 dB, background L_{A90} 32 dB, ambient L_{Aeq} with plant on 41 dB	42
Figure A.8	– Sound level variation with time	43
Figure A.9	– Measurement locations	45
Figure A.10	– Measurement locations	46
Figure D.1	– Determination of tonal audibility, ΔL_{ta} , and adjustment, K_t	56
Figure D.2	– Definitions of tones, noise, and noise pause (neither tone nor noise)	58
Figure D.3	– Example 1	61
Figure D.4	– Example 2	61
Figure D.5	– Example 3	62
Figure D.6	– Example 4	63

Figure E.1 – Time history of the A-weighted sound pressure levels with time weighting F 64

List of tables

Table A.1 – Example 1: Assessment	21
Table A.2 – Example 2: Assessment	22
Table A.3 – Example 3: Assessment	25
Table A.4 – Example 4: Assessment	27
Table A.5 – Example 5: Assessment	30
Table A.6 – Example 6: Assessment	32
Table A.7 – Example 7: Assessment	36
Table A.8 – Example 8: Assessment	40
Table A.9 – Example 9: Assessment	44
Table A.10 – Example 11: Assessment	47
Table D.1 – Widths of critical bands	55
Table E.1 – Examples of the prominence P and the adjustment K_1 for different sound sources	66

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 72, an inside back cover and a back cover.

Foreword

Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 October 2014. It was prepared by Sub-committee EH/1/3, *Residential and industrial noise*, under the authority of Technical Committee EH/1, *Acoustics*. A list of organizations represented on these committees can be obtained on request to their secretary.

Supersession

This British Standard supersedes BS 4142:1997, which is withdrawn.

Information about this document

BS 4142 was first published in 1967, and was revised in 1990 to align it with elements of ISO 1996. The 1997 edition clarified aspects of the standard in the light of comments from users.

This edition has been prepared under the direction of the Health and Environment Sector Board. The general basis for the standard is derived from the application of previous editions, together with accumulated experience. Some aspects, including guidance on character corrections, are based upon research which has been reported since publication of the previous edition of this standard.

This edition clarifies the application of the standard. New to this edition is the introduction of uncertainty, including good practice for reducing uncertainty. The examples in Annex A have been considerably expanded.

Response to sound can be subjective and is affected by many factors, both acoustic and non-acoustic. The significance of its impact, for example, can depend on such factors as the margin by which a sound exceeds the background sound level, its absolute level, time of day and change in the acoustic environment, as well as local attitudes to the source of the sound and the character of the neighbourhood. This edition of the standard recognizes the importance of the context in which a sound occurs. Great care has, therefore, been taken in the use of the words "sound" and "noise". Sound can be measured by a sound level meter or other measuring system. Noise is related to a human response and is routinely described as unwanted sound, or sound that is considered undesirable or disruptive.

The documents available as downloads from the sites referenced in the Bibliography were last accessed on 30 October 2014.

Use of this document

It has been assumed in the preparation of this British Standard that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Presentational conventions

The guidance in this standard is presented in roman (i.e. upright) type. Any recommendations are expressed in sentences in which the principal auxiliary verb is "should".

Commentary, explanation and general informative material are presented in smaller italic type.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Currently in preview, click buy full version

1 Scope

1.1 This British Standard describes methods for rating and assessing sound of an industrial and/or commercial nature, which includes:

- a) sound from industrial and manufacturing processes;
- b) sound from fixed installations which comprise mechanical and electrical plant and equipment;
- c) sound from the loading and unloading of goods and materials at industrial and/or commercial premises; and
- d) sound from mobile plant and vehicles that is an intrinsic part of the overall sound emanating from premises or processes, such as that from forklift trucks, or that from train or ship movements on or around an industrial and/or commercial site.

The methods described in this British Standard use outdoor sound levels to assess the likely effects of sound on people who might be inside or outside a dwelling or premises used for residential purposes upon which sound is incident.

NOTE Examples of how ratings might be obtained using this standard are given in Annex A.

1.2 This standard is applicable to the determination of the following levels at outdoor locations:

- a) rating levels for sources of sound of an industrial and/or commercial nature; and

- b) ambient, background and residual sound levels,

for the purposes of:

- 1) investigating complaints;
- 2) assessing sound from proposed, new, modified or additional source(s) of sound of an industrial and/or commercial nature; and
- 3) assessing sound at proposed new dwellings or premises used for residential purposes.

1.3 The determination of noise amounting to a nuisance is beyond the scope of this British Standard.

Sound of an industrial and/or commercial nature does not include sound from the passage of vehicles on public roads and railway systems.

The standard is not intended to be applied to the rating and assessment of sound from:

- a) recreational activities, including all forms of motorsport;
- b) music and other entertainment;
- c) shooting grounds;
- d) construction and demolition;
- e) domestic animals;
- f) people;
- g) public address systems for speech; and
- h) other sources falling within the scopes of other standards or guidance.

The standard is not intended to be applied to the derivation of indoor sound levels arising from sound levels outside, or the assessment of indoor sound levels.