



BSI Standards Publication

**Integral nest boxes — Selection and
installation for new developments —
Specification**

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2022

Published by BSI Standards Limited 2022

ISBN 978 0 50 51533 0

ICS 1.020, 15.020.01

The following BSI references relate to the work on this document:

Committee reference BDY/1

Draft for comment 20/30367011 DC

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

Contents

	Page
Foreword	iii
0 Introduction	1
0.1 General	1
0.2 Health and wellbeing	2
1 Scope	2
2 Normative references	3
3 Terms and definitions	3
4 Bird species	4
5 Pre-installation	5
6 Types of building development	5
7 Selection of integral nest boxes	6
7.1 General	6
7.2 Internal and external dimensions	6
<i>Table 1 — Internal dimensions of integral nest boxes</i>	7
7.3 Entrance holes	7
7.4 Installation	7
7.5 Materials for integral nest boxes	8
8 Location of integral nest boxes	9
8.1 Location on site	9
8.2 Positioning on buildings	9
8.3 Height above ground level	10
8.4 Number of integral nest boxes to be installed	10
9 Scheme design	11
9.1 Information to be submitted to the local planning authority – drawings and plans	11
9.2 Integral nest boxes – installation plan	12
9.3 Building Information Modelling/Management (BIM)	12
10 Evidence of materials, installation, and workmanship	13
10.1 Demonstration of compliance	13
10.2 Effectiveness monitoring	13
Annex A (informative) Useful websites	14
<i>Table A.1 — Useful websites</i>	14
Annex B (informative) Installation of integral nest boxes – examples	15
<i>Figure B.1 — Basic installation – integral nest box installed in outer leaf of brickwork in a traditional cavity wall construction</i>	15
<i>Figure B.2 — Integral nest box installed in the outer leaf showing cavity wall insulation between the box and inner leaf, preventing a thermal/cold bridge and heat loss from the internal living space</i>	16
<i>Figure B.3 — Cross-laminated timber (CLT) rain screen</i>	16
<i>Figure B.4 — Ceramic rain screen</i>	17
<i>Figure B.5 — Integral box within timber frame construction</i>	17
<i>Figure B.6 — Integral nest box installed in the inner block work and spanning the cavity wall</i>	18
<i>Figure B.7 — Integral nest box installed inside a roof void on the inside of the blockwork</i>	18
<i>Figure B.8 — Nest box integrated into eaves with underside entry</i>	18
<i>Figure B.9 — Nest box integrated into eaves with front entry</i>	19
<i>Figure B.10 — Suitable locations for the installation of integral nest boxes in a typical residential home</i>	19

Annex C	(informative) Example of a model planning condition for installing bird boxes in new developments	20
	Bibliography	21

Summary of pages

This document comprises a front cover, an inside front cover, pages I to IV, pages 1 to 21, an inside back cover and a back cover.

Foreword

Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 March 2022. It was prepared by Technical Committee BDY/1, *Biodiversity management*. A list of organizations represented on this committee can be obtained on request to the committee manager.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is “shall”.

Commentary, explanation and general informative material is presented in smaller italic type and does not constitute a normative element.

Requirements in this standard are drafted in accordance with *Rules for the structure and drafting of UK standards*, subclause **G.1.1**, which states, “Requirements should be expressed using wording such as: ‘When tested as described in [Annex A](#), the product shall ...’”. This means that only those products that are capable of passing the specified test will be deemed to conform to this standard.

This publication can be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at bsigroup.com/standards, or by contacting the Customer Service team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient’s own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Currently in preview, click buy full version

0 Introduction

0.1 General

Many bird species nest in holes, crevices, defects in trees, walls and rock faces. A range of integral nest boxes has been created with the intention of mimicking such holes and providing nest places for birds in buildings.

This British Standard has been created to address the variability in the quality of many prefabricated bird boxes and to improve the quality of their installation.

New development is a major part of the UK's strategy for the provision of new homes. Large areas of "brownfield", redundant industrial or commercial areas, "greenfield" and agricultural areas have been earmarked for development. Without viable and active policies, the wildlife resident in these areas is likely to be eliminated. A well-thought-out nest box policy provides, alongside other local and appropriate "green" features, space for nature in built environments.

The number of once common species such as the house sparrow, starling and swift have suffered historic declines.

Swifts, in particular, are iconic summer visitors that brighten skies with their high-speed aerial antics, however they are uniquely dependent on the built environment for nest sites. With extensive renovation of older buildings and new builds which create a totally sealed space, building-dependent species such as swifts can no longer access nooks and crannies in walls or voids under the eaves of buildings.

Part of the solution to these losses is to provide large numbers of integral bird boxes in new development and especially in new-build houses.

The most robust external boxes have a limited life span and are easily removed and therefore integral nest boxes are required.

There are a range of integral nest boxes that:

- a) are suitable for most construction methods;
- b) conform to building regulations;
- c) are typically maintenance free and remain usable for the lifetime of the building;
- d) are less prone to pilferage;
- e) are more than adequately stable;
- f) are manufactured from sustainable materials; and
- g) are easily and unobtrusively built into the fabric of buildings without compromising either the structure or the overall aesthetics.

The government's 25-year environment plan seeks to embed net gain for biodiversity within the planning system. Biodiversity net gain is an approach to development that aims to leave biodiversity in a better state than before. Where a development has an impact on biodiversity it encourages developers to provide an increase in appropriate natural habitat and ecological features over and above that being affected. In such a way, it is hoped that the current loss of biodiversity through development will be halted and ecological networks can be restored.

Siting bird boxes for cavity-nesting species within the built environment complements biodiversity net gain and, in turn, the features provided through biodiversity net gain help support the bird populations using these boxes.

0.2 Health and wellbeing

The government's publication, *A Green Future: Our 25 Year Plan to Improve the Environment* [1] states:

"Spending time in the natural environment – as a resident or a visitor – improves our mental health and feelings of wellbeing. It can reduce stress, fatigue, anxiety and depression. It can help boost immune systems, encourage physical activity and may reduce the risk of chronic diseases such as asthma. It can combat loneliness and bind communities together."

Bringing people closer to birds and birdsong can play an important part in fostering human health and wellbeing, while at the same time making a significant contribution to bird conservation.

Scientists at the University of Surrey studied the "restorative benefits of birdsong", testing whether it improves mental health. They discovered that, of all the natural sounds, birdsongs and calls were those most often cited as helping people recover from stress and allowing them to restore and refocus their attention.

The size of the bird food industry provides an indication of the interest and love that the human population has for common bird species. According to the British Trust for Ornithology, the bird food market in the UK is estimated to be worth £200 million per year.

1 Scope

This British Standard specifies requirements for the selection and installation of integral nest boxes in buildings within new developments, including traditional, modular and modern methods of construction intended for new build developments for:

- a) residential;
- b) commercial, industrial and public buildings; and
- c) renovation and refurbishment of a) or b).

This British Standard covers the design and installation of integral nest boxes associated, principally, with the following bird species:

- 1) swift (*Apus apus*);
- 2) starling (*Sturnus vulgaris*);
- 3) great tit (*Parus major*);
- 4) blue tit (*Cyanistes caeruleus*); and
- 5) house sparrow (*Passer domesticus*).

NOTE 1 There are a number of other bird species that nest in cavities which could be accommodated in integral nest boxes.

This British Standard does not cover installation of:

- i) integral nest boxes in buildings where the surface is primarily glass, as glass surfaces present well-known and fatal hazards for birds, or in metal-framed buildings with any form of insulated or fire-rated cladding; and
- ii) exterior bird boxes.

NOTE 2 Examples of species that might breed in external nest boxes in the built environment include little owl, barn owl, tawny owl, kestrel, peregrine, stock dove, jackdaw, black redstart, pied wagtail, spotted flycatcher, robin, wren, tree sparrow, swallow and house martin.

NOTE 3 For other species using exterior bird boxes, a competent person can advise on the species of bird that are present and suitable mitigation for them. Expert advice is also available from Royal Society

for the Protection of Birds (RSPB), British Trust for Ornithology (BTO) and species-specific groups, e.g. Swift Conservation, Action for Swifts, Hawk and Owl Trust, Barn Owl Trust, Wildlife Trust, Wildfowl and Wetland Trust. See [Annex A](#) for a list of relevant sources of advice.

This British Standard is relevant to professionals and contractors involved in the selection, procurement and installation of integral nest boxes, including competent persons such as ornithologists, ecologists, architects, town planners and building contractors.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application¹⁾. For dated references, only the edition cited applies. For undated references, the latest edition of the reference document (including any amendments) applies.

BS 8683, *Process for designing and implementing Biodiversity Net Gain – Specification*
[BS 42020:2013](#), *Biodiversity – Code of practice for planning and development*

3 Terms and definitions

For the purposes of this British Standard, the following terms and definitions apply.

3.1 cavity wall

wall formed from two thicknesses of brickwork or blockwork with a space between them

3.2 cold void

unheated area of a dwelling

NOTE Examples include within a cavity wall or loft space.

3.3 competent person

person who has the qualifications, training, skills and experience relevant to the task being undertaken

3.4 eaves

part of a roof that meets or overhangs the walls of a building

3.5 gable end

triangular upper part of a wall at the end of a ridged roof

3.6 green infrastructure

network of multifunctional green space and water features, in urban and rural situations, delivering quality of life and environmental benefits for wildlife and communities

3.7 integral nest box

manufactured built-in nest box or chamber incorporated into walls and buildings providing a nesting site for building dependent species

NOTE Large buildings include, but are not limited to residential apartments over three storeys, public buildings, hospitals, laboratories, medical facilities, educational institutions, recreational facilities, plant nurseries, car wash facilities, mini-malls and other business complexes, shopping malls, hotels, office buildings, public warehouses and other light industrial complexes.

¹⁾ Documents that are referred to solely in an informative manner are listed in the Bibliography.