

Specification for 2-pin reversible plugs and shaver socket-outlets

ICS 29.120.30

Co-operating organizations

The Electrical Industry Standards Committee, under whose supervision this British Standard was prepared, consists of representatives from the following Government departments and scientific and industrial organizations:

Associated Offices' Technical Committee
 Association of Consulting Engineers
 Association of Mining Electrical and Mechanical Engineers
 Association of Supervising Electrical Engineers
 British Electrical and Allied Manufacturers' Association
 British Plastics Federation
 British Radio Equipment Manufacturers' Association
 British Railways Board
 Conduit Fittings Manufacturer's Association
 Confederation of British Industry
 Crown Agents for Oversea Governments and Administrations
 Department of Employment and Productivity
 Electric Cable Makers' Confederation
 Electric Lamp Industry Council
 Electric Light Fittings Association
 Electrical Association for Women
 Electrical Contractors' Association (Incorporated)
 Electrical Contractors' Association of Scotland
 Electrical Research Association
 Electricity Council, the Central Electricity Generating Board and the Area Boards in England and Wales
 Electronic Engineering Association
 Engineering Equipment Users' Association
 Fire Offices Committee
 Home Office
 Institution of Electrical Engineers
 Ministry of Defence
 Ministry of Defence, Army Department
 Ministry of Defence, Navy Department
 Ministry of Power
 Ministry of Public Building and Works
 Ministry of Technology
 Municipal Passenger Transport Association (Incorporated)
 National Inspection Council for Electrical Installation Contracting
 National Physical Laboratory (Ministry of Technology)
 Oil Companies Materials Association
 Post Office
 Public Transport Association (Incorporated)
 South of Scotland Electricity Board
 Women's Advisory Committee of the BSI

This British Standard, having been approved by the Electrical Industry Standards Committee, was published under authority of the Standards Board and comes into effect on 19 March 1970.

© The British Standards Institution 2016
 Published by BSI Standards Limited 2016

The following BSI references relate to work on this standard:

Committee reference ELE/4/2
 Drafts for comment
 66/8189 DC, 16/30341956 DC

ISBN 978 0 580 94334 8

Amendments/corrigenda issued since publication

Amd. No.	Date	Comments
4392	October 1983	
5897	April 1988	
9156	November 1996	
15175	11 August 2004	
A5	August 2016	See Foreword

Contents

	Page
Co-operating organizations	Inside front cover
Foreword	iii
<hr/>	
Section 1. General	
1.1 Scope	1
<hr/>	
Section 2. Requirements for plugs	
2.1 Interchangeability	3
2.2 Precautions against accidental contact	3
2.3 Contour of plug	3
2.4 Dimensions and spacing of plug pins	3
2.5 Clearance and creepage	3
2.6 Materials	4
2.7 Plug cover and plug base	4
2.8 Plug pins and terminals	4
2.9 Method of entry of flexible cord in the plug	4
2.10 Plug finger grip	4
2.11 Separation of terminals and conductors	4
2.12 Marking	5
<hr/>	
Section 3. Tests	
3.1 General test requirements	7
3.2 Type tests	7
3.3 Insulation resistance	7
3.4 High voltage flash test	7
3.5 Conductor clamping in non-rewirable plugs	7
3.6 Cord grip of rewirable plugs	8
3.7 Resistance of pins to twisting in non-rewirable plugs	8
3.8 Resistance of pins to pull-out in non-rewirable plugs	8
3.9 Gauge (see figure 1)	8
<hr/>	
Section 4. Requirements for shaver socket-outlets	
4.1 Interchangeability	9
4.2 Precautions against accidental contact	9
4.3 Contact between plug and shaver socket-outlet	9
4.4 Dimensions and spacings of socket-contacts	9
4.5 Clearance and creepage	11
4.6 Materials	11
4.7 Construction of shaver socket-outlets	12
4.8 Marking	14
<hr/>	
Section 5. Tests	
5.1 General test requirements	15
5.2 Type tests	15
5.3 Insulation resistance	15
5.4 High voltage flash test	15
5.5 Effectiveness of contact	15
5.6 Withdrawal pull of complete plugs	16
5.7 Endurance tests	16

	Page
Section 6. Gauges for shaver socket-outlets	
6.1 “Go” gauges (see Figure 2 and Figure 3)	17
6.2 “Contact” and “no-contact” gauges (see Figure 4 and Figure 5)	17
6.3 “Withdrawal pull” gauge (see Figure 7)	17
<hr/>	
Figure 1 — “Go” gauge for plug	5
Figure 2 — Maximum “Go” gauge for socket-outlet	9
Figure 3 — Minimum “Go” gauge for socket-outlet	10
Figure 4 — “Non-contact” test gauge	10
Figure 5 — “Contact” test gauge	11
Figure 6 — Test apparatus and circuit for use with “contact” and “no-contact” test gauges for 2-pin reversible plug and socket-outlet	13
Figure 6a — Electric shaver outlet symbol	14
Figure 7 — “Withdrawal pull” gauge	18
List of references	19
<hr/>	

Foreword

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution.

This British Standard has been prepared by Technical Committee PEL/23 (formerly ELE/4/2).

BS 4573:1970+A5:2016 supersedes BS 4573:1970 (incorporating Amendment No. 4:2004), which is withdrawn.

Text introduced or altered by Amendment No. 5 is indicated in the text by tags $\boxed{A_5}$ $\langle A_5 \rangle$. Minor editorial changes are not tagged. Previous amendments are not indicated.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 19 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

Currently in preview, click buy full version

Section 1. General

1.1 Scope

- 1.1.1 This British Standard specifies requirements for reversible 2-pin plugs and shaver socket-outlets with ratings not greater than 250 V and 200 mA. a.c. 1.1.2

The plugs may be rewirable or integrally moulded and may have the cable entry in any convenient face.

The shaver socket-outlets have a restricted rating of 200 mA for use on voltages of 200 V to 250 V a.c. 1.1.3 and are shuttered, and are for use in rooms other than bathrooms.

These socket-outlets are not necessarily suitable for the supply to electric dry shavers containing battery charging units.

NOTE The titles of the publications referred to in this standard are listed on the inside back cover.