

BS 6349-1-2:2016



BSI Standards Publication

Maritime works –
Part 1-2: General – Code of practice
for assessment of actions

bsi.

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2016

Published by BSI Standards Limited 2016

ISBN 978 0 580 76229 1

ICS 47.020.01; 93.140

The following BSI references relate to the work on this document:

Committee reference CB/502

Draft for comment 15/30250707 DC

Publication history

First published as BS 6349-1, April 1984

Second edition as BS 6349-1, July 2000

Third (present) edition, June 2016

Amendments issued since publication

| Date | Text affected |
|------|---------------|
|------|---------------|

Currently in preview, click buy full version

Contents

Foreword v

Section 1: General 1

- 1 Scope 1
- 2 Normative references 1
- 3 Terms, definitions, symbols and abbreviations 2

Section 2: Combinations of actions and structural design 14

- 4 Limit state design principles 14
 - 4.1 General 14
 - 4.2 Partial factors and combination formulae 14
- 5 Assessment of actions 20
- 6 Design situations and combinations of actions 20
 - 6.1 Design situations 20
 - 6.2 Combinations of actions 24
 - 6.3 Combination factors 25
 - 6.4 Partial factors for actions 25
- 7 Serviceability and other specific limit states 27

Section 3: Wave and water-level conditions 28

- 8 General recommendations on deriving wave and water-level conditions 28
- 9 Climate change 29
 - 9.1 General 29
 - 9.2 Sea-level rise 30
 - 9.3 Increased storminess 30
 - 9.4 Other climate change issues 30
- 10 Wave characteristics 31
 - 10.1 General 31
 - 10.2 Spectral description 31
 - 10.3 Non-linear wave theories 32
 - 10.4 Wave-forms and motions 33
 - 10.5 Nearshore wave processes 34
 - 10.6 Wave breaking 34
 - 10.7 Wave-current interaction 34
- 11 Offshore wave climate 35
 - 11.1 General 35
 - 11.2 Synthetic wave data 36
 - 11.3 Measured wave data 37
 - 11.4 Visually observed wave data 38
 - 11.5 Extrapolation of offshore wave data 38
- 12 Wave transformation 38
 - 12.1 General 38
 - 12.2 Channel effects 40
 - 12.3 Geological and bathymetric features 40
- 13 Long waves 40
 - 13.1 General 40
 - 13.2 Tsunamis 41
- 14 Water levels 42
 - 14.1 General 42
 - 14.2 Storm surge 42

| | | |
|---|---|-----------|
| 15 | Design event probability and extreme values analysis | 43 |
| 15.1 | Design event probability | 43 |
| 15.2 | Independent extremes analysis | 44 |
| 15.3 | Dependent (joint probability) extremes analysis | 45 |
| 16 | Wave structure interaction | 45 |
| 16.1 | Effects of breakwaters and walls on sea states | 45 |
| 16.2 | Harbour response | 46 |
| 17 | Numerical and physical models | 46 |
| 17.1 | Numerical models | 46 |
| 17.2 | Physical models | 47 |
| Section 4: Actions, loads and hydraulic responses 49 | | |
| 18 | General recommendations for actions, loads and hydraulic responses | 49 |
| 18.1 | Basic loads | 49 |
| 18.2 | Dynamic response | 49 |
| 18.3 | Spectral loading | 50 |
| 18.4 | Fatigue | 50 |
| 19 | Soil pressures | 50 |
| 20 | Winds | 51 |
| 21 | Snow and ice | 51 |
| 22 | Thermal actions | 52 |
| 23 | Water-level variations | 52 |
| 24 | Current actions | 53 |
| 24.1 | General | 53 |
| 24.2 | Steady drag force | 53 |
| 24.3 | Flow-induced oscillations | 54 |
| 24.4 | Scour due to vessels | 54 |
| 25 | Wave actions | 55 |
| 25.1 | General | 55 |
| 25.2 | Design wave parameters | 56 |
| 25.3 | Fatigue analysis | 56 |
| 25.4 | Wave action on vertical or inclined cylindrical structures | 56 |
| 25.5 | Wave action on sub-sea elements | 57 |
| 25.6 | Wave action on walls and breakwaters | 58 |
| 25.7 | Wave action on horizontal structures | 59 |
| 25.8 | Wave action on crest structures | 59 |
| 25.9 | Wave action on floating bodies | 61 |
| 26 | Hydraulic responses | 61 |
| 27 | Earthquakes | 62 |
| 27.1 | General | 62 |
| 27.2 | Structural performance | 62 |
| 27.3 | Assessing seismic excitations | 64 |
| 27.4 | Seismic design approach and detailing | 65 |
| 28 | Berthing actions | 66 |
| 28.1 | General | 66 |
| 28.2 | Operational factors | 66 |
| 28.3 | Actions from fenders | 66 |
| 29 | Mooring and breasting actions | 67 |
| 29.1 | General | 67 |
| 29.2 | Operational factors | 67 |
| 29.3 | Evaluation of wind and current forces | 69 |
| 29.4 | Actions on mooring and breasting structures | 70 |

| | | |
|--|---|-----------|
| 30 | Docking and slipping | 72 |
| 31 | Cargo storage | 72 |
| 31.1 | General | 72 |
| 31.2 | Dry bulk stacks | 72 |
| 31.3 | Other commodities | 72 |
| 31.4 | Containers | 73 |
| 31.5 | Other loads | 73 |
| 32 | Cargo handling and transport systems | 74 |
| 32.1 | General | 74 |
| 32.2 | Fixed and rail-mounted equipment | 74 |
| 32.3 | Ship to shore container cranes | 74 |
| 32.4 | Conveyors, pipelines and loading arms/hoses | 75 |
| 32.5 | Rail traffic | 75 |
| 32.6 | Road traffic | 77 |
| 32.7 | Rubber-tyred port vehicles | 77 |
| 33 | Channelized loading in pavements and decks | 81 |
| 34 | Movements, dynamic response and vibrations | 82 |
| 34.1 | Assessment of movements and vibrations | 83 |
| 34.2 | Impulsive loads | 83 |
| 34.3 | Static and long-term cyclic loads | 84 |
| 34.4 | Expansion and contraction | 84 |
| Annexes | | |
| Annex A (informative) Linear ("first order" or "sinusoidal") wave theory | | 85 |
| Annex B (informative) Nearshore wave processes | | 88 |
| Annex C (informative) Wave prediction using charts | | 100 |
| Annex D (informative) Independent extreme values analysis | | 108 |
| Annex E (informative) Wave and current actions | | 110 |
| Annex F (informative) Approximate method of assessment of response and displacement of simple structures under cyclical loading | | 116 |
| Annex G (informative) Wind and current forces formulations | | 119 |
| Annex H (informative) Additional background guidance on assessment of design situations, loads and partial factors for mooring loads | | 130 |
| Annex I (informative) Physical properties of commonly stored cargoes | | 134 |
| Bibliography | | 176 |
| List of figures | | |
| Figure 1 – Relationship between design working life, return period and probability of an event exceeding the normal average | | 44 |
| Figure 2 – Typical container crane dimensions | | 76 |
| Figure 3 – Dimensions of roll trailer vehicle | | 80 |
| Figure A.1 – Linear wave theory – definition diagram | | 85 |
| Figure B.1 – Wave shoaling and estimation of wave height in the surf zone | | 88 |
| Figure B.2 – Schematic diagram of wave refraction | | 93 |
| Figure B.3 – Wave height reduction factor for bottom friction | | 95 |
| Figure B.4 – Breaker types | | 97 |
| Figure C.1 – Significant wave prediction chart – Fetch lengths up to 1 500 km | | 102 |
| Figure C.2 – Significant wave prediction chart – Fetch lengths from 200 km to 20 000 km | | 103 |
| Figure C.3 – JONSWAP wave spectrum | | 104 |
| Figure C.4 – Pierson–Moskowitz wave spectrum | | 105 |
| Figure C.5 – Significant wave height and peak period for wave spectra | | 107 |
| Figure E.1 – Drag force coefficient values for circular cylinders | | 111 |
| Figure E.2 – Critical flow velocity for circular piles for in-line oscillations | | 112 |
| Figure E.3 – Schematic diagram of wave-in-deck loads | | 116 |
| Figure G.1 – Envelope of wind force coefficients for dry cargo vessels and small tankers | | 121 |

| | |
|---|-----|
| Figure G.2 – Wind force coefficients for very large tankers with superstructures aft | 122 |
| Figure G.3 – Wind force coefficients for typical container ship | 123 |
| Figure G.4 – Current drag force coefficients, all ships, deep water case | 124 |
| Figure G.5 – Water depth correction factors for lateral current forces | 125 |
| Figure G.6 – Water depth correction factor for longitudinal current forces on container ships | 125 |
| Figure G.7 – Typical longitudinal projected areas of tankers | 126 |
| Figure G.8 – Container ships: lengths and longitudinal projected areas | 126 |

List of tables

| | |
|--|-----|
| Table 1 – Partial factors for actions | 16 |
| Table 2 – Formulae for combinations of actions | 19 |
| Table 3 – ψ factors for load combinations in maritime structures | 26 |
| Table 4 – Typical frequencies of environmental forces | 50 |
| Table 5 – Importance classes for maritime structures | 63 |
| Table 6 – Characteristics of the reference peak ground acceleration, a_{gR} , at the site of a maritime structure | 63 |
| Table 7 – Nominal bollard loadings for vessels up to 20 000 t displacement | 69 |
| Table 8 – Basis of loads on mooring structures with partial factors for actions | 71 |
| Table 9 – Accidental loads for multiple hooks | 71 |
| Table 10 – Typical stacking heights | 73 |
| Table 11 – Equivalent uniformly distributed loading for rubber-tyred port vehicles | 77 |
| Table 12 – Fork lift truck wheel loading: container handling duties | 78 |
| Table 13 – Reach stacker axle loads | 78 |
| Table 14 – Mobile crane outrigger reactions | 79 |
| Table 15 – Roll trailer loading: axle loads and effective wheel pressures | 80 |
| Table 16 – Loading due to tracked cranes | 81 |
| Table A.1 – Linear wave theory – useful equations | 86 |
| Table E.1 – Modification factors for critical flow velocity | 112 |
| Table F.1 – Added mass of entrained water | 118 |
| Table F.2 – Indicative mass allowance for marine growth | 119 |
| Table H.1 – Commentary on use of partial load factors from Table 8 according to method of assessment of actions and operational factors | 131 |
| Table H.2 – Accidental loads for multiple hooks | 132 |
| Table H.3 – Illustrative comparison of total factored loads on mooring points for different operating conditions and methods of assessment | 133 |
| Table I.1 – Typical dry bulk densities and angles of repose | 134 |
| Table I.2 – Typical stacked densities for common commodities | 135 |

Summary of pages

This document comprises a front cover, an inside front cover, pages i to vi, pages 1 to 138, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 6349 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 30 June 2016. It was prepared by Technical Committee CB/502, *Maritime works*. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

Together with BS 6349-1-1, BS 6349-1-3 and BS 6349-1-4, this part of BS 6349 supersedes BS 6349-1:2000, which is withdrawn.

Relationship with other publications

BS 6349 is published in the following parts:

- Part 1-1: *General – Code of practice for planning and design for operations*;
- Part 1-2: *General – Code of practice for assessment of actions*;
- Part 1-3: *General – Code of practice for geotechnical design*;
- Part 1-4: *General – Code of practice for materials*;
- Part 2: *Code of practice for the design of quay walls, jetties and dolphins*;
- Part 3: *Code of practice for the design of shipyards and sea locks*;
- Part 4: *Code of practice for design of fendering and mooring systems*;
- Part 5: *Code of practice for dredging and land reclamation*;
- Part 6: *Design of inshore moorings and floating structures*;
- Part 7: *Guide to the design and construction of breakwaters*;
- Part 8: *Code of practice for the design of Ro-Ro ramps, linkspans and walkways*.

Information about this document

A full revision of BS 6349-1:2000 has been undertaken and the principal change is to split the document into four smaller parts:

- BS 6349-1-1: *Code of practice for planning and design for operations*;
- BS 6349-1-2: *Code of practice for assessment of actions*;
- BS 6349-1-3: *Code of practice for geotechnical design*;
- BS 6349-1-4: *Code of practice for materials*.

The principal changes in respect of the actions content are:

- incorporation of information regarding partial factors for limit state design approaches and actions previously covered in other parts of the BS 6349 series;
- substantial changes to content relating to sea-state and loads, movements and vibrations, to reflect scientific and technological advances since preparation of the previous version of BS 6349-1.

This revision also updates and replaces the recommendations given in BS 6349-2:2010, 5.1, 5.2, Annex A and Annex B, which will be removed from BS 6349-2 at its next revision.

Use of this document

As a code of practice, this part of BS 6349 takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this British Standard is expected to be able to justify any course of action that deviates from its recommendations.

Presentational conventions

The provisions in this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is "should".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. "organization" rather than "organisation").

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Section 1: General

1 Scope

This part of BS 6349 gives recommendations for the assessment of actions for the planning and design of maritime works.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Standards publications

BS 6349-1-1:2013, *Maritime works – Part 1-1: General – Code of practice for planning and design for operations*

BS 6349-4:2014, *Maritime works – Part 4: Code of practice for design of fendering and mooring systems*

BS EN 1990:2002+A1:2005, *Eurocode – Basis of structural design*

BS EN 1991 (all parts), *Eurocode 1 – Actions on structures*

BS EN 1992 (all parts), *Eurocode 2 – Design of concrete structures*

BS EN 1993 (all parts), *Eurocode 3 – Design of steel structures*

BS EN 1994 (all parts), *Eurocode 4 – Design of composite steel and concrete structures*

BS EN 1995 (all parts), *Eurocode 5 – Design of timber structures*

BS EN 1996 (all parts), *Eurocode 6 – Design of masonry structures*

BS EN 1997 (all parts), *Eurocode 7 – Geotechnical design*

BS EN 1998 (all parts), *Eurocode 8 – Design of structures for earthquake resistance*

BS EN 1999 (all parts), *Eurocode 9 – Design of aluminium structures*

ISO 21050:2007, *Actions from waves and currents on coastal structures*

NA to BS EN 1990:2002+A1:2005, *UK National Annex for Eurocode – Basis of structural design*

NA to BS EN 1991-1-3, *UK National Annex to Eurocode 1 – Actions on structures – Part 1-3: General actions – Snow loads*

Other publications

[N1] AMERICAN SOCIETY OF CIVIL ENGINEERS. *Seismic design of piers and wharves*. ASCE 61-14. Reston, VA: ASCE, 2014.

[N2] OIL COMPANIES INTERNATIONAL MARINE FORUM. *Mooring equipment guidelines*. Third edition (MEG 3). London: OCIMF, 2008.