

BS 6349-1-2:2016+A1:2017

Incorporating Corrigendum No.1



BSI Standards Publication

Maritime works –

Part 1-2: General — Code of practice for assessment of actions

bsi.

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2017

Published by BSI Standards Limited 2017

ISBN 978 0 80 98831 8

ICS 47.020.01 93.140

The following BSI references relate to the work on this document:

Committee reference CB/502

Drafts for comment 15/30250707 DC; 17/30361855 DC

Amendments/corrigenda issued since publication

Date	Text affected
February 2017	C1: see Foreword
31 October 2017	A1: see Foreword

Contents

	Page
Foreword	iv
Section 1: General	1
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and abbreviations	2
Section 2: Combinations of actions and structural design	15
4 Limit state design principles	15
<i>Table 1 — Partial factors for actions</i>	17
<i>Table 2 — Formulae for combinations of actions</i>	22
5 Assessment of actions	23
6 Design situations and combinations of actions	23
<i>Table 3 — ψ factors for load combinations in maritime structures</i>	28
7 Serviceability and other specific limit states	30
Section 3: Wave and water-level conditions	31
8 General recommendations on deriving wave and water-level conditions	31
9 Climate change	32
10 Wave characteristics	33
11 Offshore wave climate	37
12 Wave transformation	40
13 Long waves	42
14 Water levels	44
15 Design event probability and extreme values analysis	45
<i>Figure 1 — Relationship between design working life, return period and probability of an event exceeding the normal average</i>	46
16 Wave structure interaction	47
17 Numerical and physical models	48
Section 4: Actions, loads and hydraulic responses	51
18 General recommendations for actions, loads and hydraulic responses	51
<i>Table 4 — Typical frequencies of environmental forces</i>	52
19 Soil pressures	52
20 Winds	52
21 Snow and ice	53
22 Thermal actions	54
23 Water-level variations	54
24 Current actions	54
25 Wave actions	57
26 Hydraulic responses	62
27 Earthquakes	63
<i>Table 5 — Importance classes for maritime structures</i>	64
<i>Table 6 — Characteristics of the reference peak ground acceleration, a_{gR}, at the site of a maritime structure</i>	64
28 Berthing actions	66
29 Mooring and breasting actions	67
<i>Table 7 — Nominal bollard loadings for vessels up to 20 000 t displacement</i>	69
<i>Table 8 — Basis of loads on mooring structures with partial factors for actions</i>	71
<i>Table 9 — Accidental loads for multiple hooks</i>	72
30 Docking and slipping	72
31 Cargo storage	72

	<i>Table 10 — Typical stacking heights</i>	73
32	Cargo handling and transport systems	74
	<i>Figure 2 — Typical container crane dimensions</i>	76
	<i>Table 11 — Equivalent uniformly distributed loading for rubber-tyred port vehicles</i>	77
	<i>Table 12 — Fork lift truck wheel loading: container handling duties</i>	78
	<i>Table 13 — Reach stacker axle loads</i>	78
	<i>Table 14 — Mobile crane outrigger reactions</i>	79
	<i>Figure 3 — Dimensions of roll trailer vehicle</i>	80
	<i>Table 15 — Roll trailer loading: axle loads and effective wheel pressures</i>	81
	<i>Table 16 — Loading due to tracked cranes</i>	81
33	Channelized loading in pavements and decks	81
34	Movements, dynamic response and vibrations	82
Annex A	(informative) Linear (“first order” or “sinusoidal”) wave theory	84
	<i>Figure A.1 — Linear wave theory — definition diagram</i>	84
	<i>Table A.1 — Linear wave theory — useful equations</i>	85
Annex B	(informative) Nearshore wave processes	87
	<i>Figure B.1 — Wave shoaling and estimation of wave height in the surf zone</i>	87
	<i>Figure B.1 — Wave shoaling and estimation of wave height in the surf zone (continued)</i>	88
	<i>Figure B.1 — Wave shoaling and estimation of wave height in the surf zone (continued)</i>	89
	<i>Figure B.1 — Wave shoaling and estimation of wave height in the surf zone (continued)</i>	90
	<i>Figure B.1 — Wave shoaling and estimation of wave height in the surf zone (continued)</i>	91
	<i>Figure B.1 — Wave shoaling and estimation of wave height in the surf zone (continued)</i>	92
	<i>Figure B.2 — Schematic diagram of wave refraction</i>	93
	<i>Figure B.3 — Wave height reduction factor for bottom friction</i>	95
	<i>Figure B.4 — Breaker types</i>	97
Annex C	(informative) Wave prediction using charts	100
	<i>Figure C.1 — Significant wave prediction chart — Fetch lengths up to 1 500 km</i>	102
	<i>Figure C.2 — Significant wave prediction chart — Fetch lengths from 200 km to 20 000 km</i>	103
	<i>Figure C.3 — JONSWAP wave spectrum</i>	104
	<i>Figure C.4 — Pierson–Moskowitz wave spectrum</i>	105
	<i>Figure C.5 — Significant wave height and peak period for wave spectra</i>	107
Annex D	(informative) Independent extreme values analysis	108
Annex E	(informative) Wave and current actions	110
	<i>Figure E.1 — Drag force coefficient values for circular cylinders</i>	111
	<i>Table E.1 — Drag and inertia coefficients for common structural forms</i>	112
	<i>Figure E.2 — Critical flow velocity for circular piles for in-line oscillations</i>	114
	<i>Table E.2 — Modification factors for critical flow velocity</i>	114
	<i>Figure E.3 — Schematic diagram of wave-in-deck loads</i>	117
Annex F	(informative) Approximate method of assessment of response and displacement of simple structures under cyclical loading	118
	<i>Table F.1 — Added mass of entrained water</i>	120
	<i>Table F.2 — Indicative mass allowance for marine growth</i>	121
Annex G	(informative) Wind and current forces formulations	121
	<i>Figure G.1 — Envelope of wind force coefficients for dry cargo vessels and small tankers</i>	124
	<i>Figure G.2 — Wind force coefficients for very large tankers with superstructures aft</i>	125
	<i>Figure G.3 — Wind force coefficients for typical container ship</i>	126
	<i>Figure G.4 — Current drag force coefficients, all ships, deep water case</i>	127

	<i>Figure G.5 — Water depth correction factors for lateral current forces</i>	128
	<i>Figure G.6 — Water depth correction factor for longitudinal current forces on container ships</i>	128
	<i>Figure G.7 — Typical longitudinal projected areas of tankers</i>	129
	<i>Figure G.8 — Container ships: lengths and longitudinal projected areas</i>	129
Annex H	(informative) Additional background guidance on assessment of design situations, loads and partial factors for mooring loads	132
	<i>Table H.1 — Commentary on use of partial load factors from Table 8 according to method of assessment of actions and operational factors</i>	133
	<i>Table H.2 — Accidental loads for multiple hooks</i>	134
	<i>Table H.3 — Illustrative comparison of total factored loads on mooring points for different operating conditions and methods of assessment</i>	135
Annex I	(informative) Physical properties of commonly stored cargoes	136
	<i>Table I.1 — Typical dry bulk densities and angles of repose</i>	136
	<i>Table I.2 — Typical stacked densities for common commodities</i>	137
	Bibliography	138

Summary of pages

This document comprises a front cover, and inside front cover, pages i to vi, pages 1 to 140, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 6349 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 30 June 2016. It was prepared by Technical Committee CB/502, *Maritime works*. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

BS 6349-1-2:2016+A1:2017 supersedes BS 6349-1-2:2016, which is withdrawn.

Relationship with other publications

BS 6349 is published in the following parts:

- Part 1-1: *General – Code of practice for planning and design for operations*;
- Part 1-2: *General – Code of practice for assessment of actions*;
- Part 1-3: *General – Code of practice for geotechnical design*;
- Part 1-4: *General – Code of practice for materials*;
- Part 2: *Code of practice for the design of quay walls, jetties and dolphins*;
- Part 3: *Code of practice for the design of ship ramps and sea locks*;
- Part 4: *Code of practice for design of fendering and mooring systems*;
- Part 5: *Code of practice for dredging and land reclamation*;
- Part 6: *Design of inshore moorings and mooring structures*;
- Part 7: *Guide to the design and construction of breakwaters*;
- Part 8: *Code of practice for the design of Ro-Ro ramps, linkspans and walkways*.

Information about this document

A full revision of BS 6349-1:2000 has been undertaken and the principal change is to split the document into four smaller parts:

- BS 6349-1-1: *Code of practice for planning and design for operations*;
- BS 6349-1-2: *Code of practice for assessment of actions*;
- BS 6349-1-3: *Code of practice for geotechnical design*;
- BS 6349-1-4: *Code of practice for materials*.

The principal changes in respect of the actions content are:

- incorporation of information regarding partial factors for limit state design approaches and actions previously covered in other parts of the BS 6349 series;
- substantial changes to content relating to sea-state and loads, movements and vibrations, to reflect scientific and technological advances since preparation of the previous version of BS 6349-1.

This revision also updates and replaces the recommendations given in BS 6349-2:2010, **5.1**, **5.2**, [Annex A](#) and [Annex B](#), which will be removed from BS 6349-2 at its next revision.

The start and finish of text introduced or altered by Corrigendum No. 1 and Amendment No. 1 is indicated in the text by tags **C1** and **A1**.

Use of this document

As a code of practice, this part of BS 6349 takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this British Standard is expected to be able to justify any course of action that deviates from its recommendations.

Presentational conventions

The provisions in this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is “should”.

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. “organization” rather than “organisation”).

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer liability from legal obligations.

Currently in preview, click buy full vers.

Section 1: General

1 Scope

This part of BS 6349 gives recommendations for the assessment of actions for the planning and design of maritime works.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 6349-1-1:2013, *Maritime works — Part 1-1: General — Code of practice for planning and design for operations*

BS 6349-4:2014, *Maritime works — Part 4: Code of practice for design of fendering and mooring systems*

BS EN 1990:2002+A1:2005, *Eurocode — Basis of structural design*

BS EN 1991 (all parts), *Eurocode 1 – Actions on structures*

BS EN 1992 (all parts), *Eurocode 2 – Design of concrete structures*

BS EN 1993 (all parts), *Eurocode 3 – Design of steel structures*

BS EN 1994 (all parts), *Eurocode 4 – Design of composite steel and concrete structures*

BS EN 1995 (all parts), *Eurocode 5 – Design of timber structures*

BS EN 1996 (all parts), *Eurocode 6 – Design of masonry structures*

BS EN 1997 (all parts), *Eurocode 7 – Geotechnical design*

BS EN 1998 (all parts), *Eurocode 8 – Design of structures for earthquake resistance*

BS EN 1999 (all parts), *Eurocode 9 – Design of aluminium structures*

ISO 21650:2007, *Action from waves and currents on coastal structures*

NA to BS EN 1990:2002+A1:2005, *UK National Annex for Eurocode – Basis of structural design*

NA to BS EN 1991-1-1, *UK National Annex to Eurocode 1 – Actions on structures – Part 1-3: General actions – Snow loads*

[N1] AMERICAN SOCIETY OF CIVIL ENGINEERS. *Seismic design of piers and wharves*. ASCE 61004. Reston, VA: ASCE, 2014.

[N2] OIL COMPANIES INTERNATIONAL MARINE FORUM. *Mooring equipment guidelines*. Third edition (MEG 3). London: OCIMF, 2008.