

BS 8002:2015



BSI Standards Publication

Code of practice for earth retaining structures

Currently in preview, click buy full version

bsi.

...making excellence a habit.™

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2015

Published by BSI Standards Limited 2015

ISBN 978 0 580 86678 4

ICS 93.020

The following BSI references relate to the work on this document:

Committee reference B/526

Draft for comment 15/30301518 DC

Publication history

First published April 1994

Second (present) edition, June 2015

Amendments issued since publication

Date	Text affected
-------------	----------------------

Currently in preview, click buy full version

Contents

Foreword *iii*

1	Scope	1
2	Normative references	1
3	Terms and definitions	6
4	General rules	7
5	Gravity retaining walls	43
6	Semi-gravity retaining walls	61
7	Embedded retaining walls	69
8	Cofferdams, basements, and strutted excavations	82

Annexes

Annex A (normative)	Deadman anchors	86
Annex B (informative)	Specific formations	89

Bibliography 92

List of figures

Figure 1	Suggested values for characteristic weight density of soils above the groundwater table	15
Figure 2	Suggested values for characteristic weight density of soils below the groundwater table	16
Figure 3	Stiffness parameters for non-linear soil	23
Figure 4	Maximum effective horizontal earth pressure from compaction theory	36
Figure 5	Examples of mass concrete retaining walls	45
Figure 6	Examples of unreinforced masonry retaining walls	46
Figure 7	Examples of gabion retaining walls	48
Figure 8	Examples of crib walls	50
Figure 9	Typical drainage systems behind gravity retaining walls	51
Figure 10	Masonry clad mass concrete wall with cavity	58
Figure 11	Examples of reinforced concrete retaining walls	62
Figure 12	Examples of reinforced and prestressed masonry retaining walls	64
Figure 13	Post-tensioned masonry diaphragm wall construction	65
Figure 14	Examples of embedded retaining walls	70
Figure 15	Lagging between adjacent soldier/king piles	72
Figure 16	Soldier piles comprising a pair of steel sections with end plates	73
Figure 17	Outline of the successive stage method of analysis	76
Figure A.1	Types of deadman anchor	87
Figure A.2	Non-interference of zones for anchored deadman wall	88

List of tables

Table 1	Values of ϕ'_{angr} , ϕ'_{PSD} and ϕ'_{dil} to obtain values of $\phi'_{\text{pk,k}}$ and $\phi'_{\text{cv,k}}$ for silty sands and gravels with fines content not exceeding 15%	18
Table 2	Values of $\phi'_{\text{cv,k}}$ for fine soils from plasticity index	20
Table 3	Values of parameters for use with equation (11)	23
Table 4	Values of parameters for use with equation (12)	24
Table 5	Use classes relevant to timber in earth retaining structures	29
Table 6	Imposed loads on vehicle traffic areas (excluding walls adjacent to bridges or where the gross vehicle weight is greater than 160 kN)	30
Table 7	Imposed loads on vehicle traffic areas (next to wing walls and other earth retaining structures)	31
Table 8	Values of $\sigma'_{\text{h,comp}}$, z_c and h_c for different weights of compaction plant	36

Table 9 – Maximum weight of compaction plant to be used within 2 m of an earth retaining structure 41

Table 10 – Drainage systems for gravity retaining walls 52

Table 11 – Values of the model factor for load-effects for props, struts and anchors 80

Currently in preview, click buy full version

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 96, an inside back cover and a back cover.

Foreword

Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 30 June 2015. It was prepared by Technical Committee B/526, *Geotechnics*. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

Together with BS EN 1997-1:2004+A1:2013, this British Standard supersedes BS 8002:1994, which is withdrawn.

Relationship with other publications

BS 8002 gives non-contradictory, complementary information for use with BS EN 1997 and its UK National Annexes.

Information about this document

This is a full revision of the standard, which introduces the following principal changes:

- the revised text is fully compatible with the current version of Eurocode 7 (BS EN 1997);
- guidance is given on designing earth retaining structures according to limit state principles using partial factors;
- guidance is given on the selection of design parameters for soils;
- guidance is given on model factors to be applied to prop loads determined by calculation;
- the revised text reflects advances in earth retaining structure technology over the past 30 years.

Use of this document

As a code of practice, this British Standard takes the form of guidance and recommendation. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this British Standard is expected to be able to justify any course of action that deviates from its recommendations.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is "should".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

The word "should" is used to express recommendations of this standard. The word "may" is used in the text to express permissibility, e.g. as an alternative to the primary recommendation of the clause. The word "can" is used to express possibility, e.g. a consequence of an action or an event.

Notes and commentaries are provided throughout the text of this standard. Notes give references and additional information that are important but do not form part of the recommendations. Commentaries give background information.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Currently in preview, click buy full version

1 Scope

This British Standard gives recommendations for the design and construction of earth retaining structures to support ground at slopes steeper than the ground would naturally assume. It provides non-contradictory, complementary information for use in conjunction with BS EN 1997 and its UK National Annex.

Clause 4 gives general recommendations for the design and construction of all types of earth retaining structures; Clause 5, Clause 6, and Clause 7 give specific recommendations for the design and construction of gravity walls, semi-gravity walls, and embedded walls (respectively); and Clause 8 gives specific recommendations for the design and construction of cofferdams, basements, and strutted excavations.

Annex A gives specific recommendations for the design and construction of deadman anchors.

Annex B gives information about specific geological formations encountered in the UK.

NOTE 1 This standard does not cover the design and construction of anchors (other than deadman anchors), for which see BS 8081.

NOTE 2 This standard does not cover the design and construction of earthworks, for which see BS 6031.

NOTE 3 This standard does not cover the design and construction of foundations, for which see BS 8004.

NOTE 4 This standard does not cover the design and construction of maritime works, for which see BS 6349.

NOTE 5 This standard does not cover the design and construction of earth retaining structures constructed using strengthened or reinforced soil walls, for which see BS 8006.

2 Normative references

Standards publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 690, *Specification for vitrified clay pipes, fittings and ducts, also flexible mechanical joints for use solely with surface water pipes and fittings*

BS 6937, *Specification for cast iron drain pipes, fittings and their joints for socketed and socketless systems*

BS 4449, *Steel for the reinforcement of concrete – Weldable reinforcing steel – Bar, coil and decoiled product – Specification*

BS 4660, *Thermoplastics ancillary fittings of nominal sizes 110 and 160 for below ground gravity drainage and sewerage*

BS 4729, *Clay and calcium silicate bricks of special shapes and sizes – Recommendations*

BS 4962, *Specification for plastics pipes and fittings for use as subsoil field drains*

BS 5480, *Specification for glass reinforced plastics (GRP) pipes, joints and fittings for use for water supply or sewerage*

BS 5481, *Specification for unplasticized PVC pipe and fittings for gravity sewers*