

BS 8615-2:2019



BSI Standards Publication

Specification for pozzolanic materials for use with Portland cement

Part 2: High reactivity natural calcined pozzolana

bsi.

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2019

Published by BSI Standards Limited 2019

ISBN 978 0 59 00210 2

ICS 11.100.10, 91.100.40

The following BSI references relate to the work on this document:

Committee reference B/517/4

Draft for comment 18/30374451 DC

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

Contents

	Page
Foreword	ii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Chemical requirements	3
4.1 General	3
4.2 Sampling	3
4.3 Chemical composition	3
5 Physical requirements	5
5.1 Fineness	5
5.2 Activity index	5
5.3 Soundness	5
5.4 Particle density	5
5.5 Initial setting time	5
5.6 Water requirement	5
6 Packaging and labelling	6
7 Information to be provided by the manufacturer	6
7.1 Test report	6
7.2 Additional information	6
Annex A (normative) Conformity assessment	7
Table A.1 — Minimum testing frequencies	7
Table A.2 — Conformity criteria	8
Table A.3 — Acceptability constant, k_A	9
Table A.4 — Value of C_A for $P_k = 10\%$	10
Table A.5 — Limit values for single results	10
Annex B (normative) Measuring the total quantity of fixed calcium hydroxide (modified Chapelle Test)	11
Figure B.1 — Schematic diagram of test apparatus	14
Bibliography	15

Summary of pages

This document comprises a front cover, and inside front cover, pages i to ii, pages 1 to 15, an inside back cover and a back cover.

Foreword

Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 January 2019. It was prepared by Subcommittee B/517/4, *Additions for concrete*, under the authority of Technical committee B/517, *Concrete*. A list of organizations represented on these committees can be obtained on request to their secretary.

Relationship with other publications

BS 8615 is published in two parts:

- *Part 1: Natural pozzolana and natural calcined pozzolana*
- *Part 2: High reactivity natural calcined pozzolana*

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is “shall”.

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. “organization” rather than “organisation”).

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

1 Scope

This British Standard specifies requirements for the production, chemical composition, mechanical and physical properties of high reactivity natural calcined pozzolana for use in combination with Portland cement class 42.5 N or greater, conforming with BS EN 197-1, as a component of concrete, mortar or grout. It also specifies requirements for marking, provision of information and conformity criteria for the manufacturer's autocontrol system.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes provisions of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 6100-9:2007, *Building and civil engineering — Vocabulary — Part 9: Work with concrete and plaster*

BS EN 196-1, *Methods of testing cement — Part 1: Determination of strength*

BS EN 196-2:2013, *Method of testing cement — Part 2: Chemical analysis of cement*

BS EN 196-3, *Method of testing cement — Part 3: Determination of setting times and soundness*

BS EN 196-6, *Methods of testing cement — Part 6: Determination of fineness*

BS EN 196-7, *Methods of testing cement — Part 7: Methods of taking and preparing samples of cement*

BS EN 197-1:2011, *Cement — Part 1: Composition, specifications and conformity criteria for common cements*

BS EN 450-1:2012, *Fly ash for concrete — Part 1: Definitions, specifications and conformity criteria*

BS EN 451-1, *Method of testing fly ash — Part 1: Determination of free calcium oxide content*

BS EN 451-2, *Method of testing fly ash — Part 2: Determination of fineness by wet sieving*

BS EN 933-10, *Tests for geometrical properties of aggregates — Part 10: Assessment of fines — Grading of filler aggregates (air jet sieving)*

BS EN 1097-7, *Tests for mechanical and physical properties of aggregates — Part 7: Determination of the particle density of filler — Pycnometer method*

BS ISO 29581-2, *Cement — Test methods — Part 2: Chemical analysis by X-ray fluorescence*

3 Terms and definitions

For the purpose of this British Standard, the terms and definitions given in BS 6100-9:2007 and the following apply.

3.1 Type II addition

finely divided inorganic pozzolanic or latent hydraulic material that can be added to concrete in order to improve certain properties or to achieve special properties

NOTE For more information see BS EN 206.