

# PAS 35491:2017

Design and installation of telecommunications and broadcast infrastructure within the home – Code of practice



CEDIA®

bsi.

Currently in preview, click buy full version

### **Publishing and copyright information**

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2017. Published by BSI Standards Limited 2017.

**ISBN** 978 0 580 922572

**ICS** 33.040.50; 33.120.10; 91.140.99

*No copying without BSI permission except as permitted by copyright law.*

### **Publication history**

First published March 2017

# Contents

Foreword .....	ii
Introduction .....	iv
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>2</b>
<b>3 Terms, definitions and abbreviations .....</b>	<b>3</b>
<b>4 Design considerations .....</b>	<b>5</b>
<b>5 Installation .....</b>	<b>6</b>
<b>6 Commissioning .....</b>	<b>19</b>
<b>7 Documentation .....</b>	<b>20</b>
<b>8 Example configurations .....</b>	<b>21</b>
<b>Annexes</b>	
Annex A (normative) Procurement references for components meeting the recommendations of this PAS .....	24
Annex B (informative) Coaxial cable distance chart .....	25
Bibliography .....	27
<b>List of figures</b>	
Figure 1 – Star wired topology .....	5
Figure 2 – 5No. coaxial cables with earth conductor from room to PHDS .....	7
Figure 3 – 4 pair unscreened balanced cable .....	8
Figure 4 – Pin-pair configuration of RJ45 termination .....	8
Figure 5 – Example double screen coax .....	8
Figure 6 – Coaxial and balanced cables in a single jacket .....	9
Figure 7 – Example NTP/NTE equipment .....	9
Figure 8 – F type connector and through-panel .....	10
Figure 9 – Example outlet plates .....	11
Figure 10 – Examples of a quad outlet faceplate .....	12
Figure 11 – Example patching cabinet up to 12 rooms .....	12
Figure 12 – Example RJ45 panel .....	13
Figure 13 – Example telephone patch panel .....	13
Figure 14 – Example TV and satellite F connector patch panel .....	13
Figure 15 – Example patch panel layout .....	14
Figure 16 – Simple satellite and TV example (1 room) .....	15
Figure 17 – Example Satellite and TV (12 rooms) .....	16
Figure 18 – Example satellite with IRS connections within a MDU .....	17
Figure 19 – Router connected to 4 rooms .....	21
Figure 20 – Example router and data switch with all 12 rooms connected .....	22
Figure 21 – Example telephone line connected to through to telephone .....	23
Figure 22 – Example RJ45 to telephone socket adapter .....	23
Figure B.1 – Coaxial cable distance .....	25

# Foreword

This PAS was sponsored by CEDIA. Its development was facilitated by BSI Standards Limited and it was published under licence from The British Standards Institution. It came into effect on 31 March 2017.

Acknowledgement is given to the following organizations that were involved in the development of this PAS as members of the steering group:

- BT Group plc
- CEDIA
- Confederation of Aerial Industries (CAI)
- Electrical Contractors' Association (ECA)
- e-Ready Building Limited
- The Institution of Engineering and Technology (IET)
- Sky UK
- WSP Parsons Brinkerhoff

Acknowledgement is also given to the members of a wider review panel who were consulted in the development of this PAS.

The British Standards Institution retains ownership and copyright of this PAS. BSI Standards Limited as the publisher of the PAS reserves the right to withdraw or amend this PAS on receipt of authoritative advice that it is appropriate to do so. This PAS will be reviewed at intervals not exceeding two years, and any amendments arising from the review will be published as an amended PAS and published in *Update Standards*.

This PAS is not to be regarded as a British Standard. It will be withdrawn upon publication of its content in, or as, a British Standard.

The PAS process enables a code of practice to be rapidly developed in order to fulfil an immediate need in industry. A PAS can be considered for further development as a British Standard, or constitute part of the UK input to the development of a European or International Standard.

## Relationship with other publications

The guidance and recommendations outlined in this PAS were developed in line with BS EN 50173-4, BS EN 50174-1 and BS EN 50174-2:2009+A2:2011 Clause 10.

## Use of this document

As a code of practice, this PAS takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this PAS is expected to be able to justify any course of action that deviates from its recommendations.

It has been assumed in the preparation of this PAS that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

## Presentational conventions

The provisions of this PAS are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is "should".

*Commentary, explanation and general informative material is presented in italic type, and does not constitute a normative element.*

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. "organization" rather than "organisation").

The word “should” is used to express recommendations of this PAS. The word “may” is used in the text to express permissibility, e.g. as an alternative to the primary recommendation of the clause. The word “can” is used to express possibility, e.g. a consequence of an action or an event.

Notes are provided throughout the text of this PAS. Notes give references and additional information that are important but do not form part of the recommendations.

### **Contractual and legal considerations**

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a PAS cannot confer immunity from legal obligations.

# Introduction

The purpose of this PAS is to provide house builders, developers, specifiers, service providers and mechanical & electrical (M&E) consultants with a simple, low cost, service provider neutral wiring infrastructure, which is based on existing British Standards, for design and installation. In certain areas this PAS provides enhancements to the technical requirements of those Standards. For the occupier it represents flexibility and availability for all services such as TV (IPTV, terrestrial, satellite and cable), radio (FM and DAB), broadband, Internet, telephony and over-the-top TV services.

The modern family has numerous devices such as personal computers, laptops, smart phones, tablets, TVs, satellite boxes, Blu-Ray players, and games consoles that all require an Internet connection to utilize all of their facilities. Even the most basic household may have in excess of 15 connected devices. Typically these devices are distributed around the home in different locations.

Home owners expect good TV and broadband services; and house prices can be adversely affected as a result of poor broadband speeds. Once the service arrives at the home there may be inadequate provision for maximizing its use around the dwelling.

Many manufacturers and service providers recommend wireless as their preferred method for transmitting data. Wireless technology, including Wi-Fi, is part of the solution within the home but it is not always a complete solution. Modern building materials, such as foil-covered insulation and foil-backed plaster board, inhibit wireless signals creating a Faraday cage effect that in the worst cases may prevent wireless transmission from one room to the next. Domestic properties typically use a mix of communication and TV services that may change over time subject to the occupier's needs and the changing landscape of content delivery.

The recommendations set out in this PAS enables the infrastructure provider to meet the changing requirements of the occupier and make it easy to change service provider without additional cabling or upheaval around the home.

This PAS is aimed at new build properties and those under major refurbishment and facilitates any service provider's content to be transmitted to rooms of the occupier's choice. The system does not rely on any specific manufacturer's equipment and is not limited to any one service provider.

Currently in preview, click only full version

Licensed copy: Lewis Poole, ISO Exchange - Michigan, Version correct as of 28/03/2017.

# 1 Scope

This PAS gives recommendations for the design and installation of domestic wiring infrastructure for the delivery of digital services based upon the requirements of BS EN 50173 and BS EN 50174. It is suitable for use within single residential dwellings and most homes of multiple occupation.

**NOTE 1** For larger, more complex properties additional advice can be sought.

It covers:

- incoming services;
- primary home distribution space (PHDS) planning;
- component selection;
  - balanced cabling components of Category 5, 6 and 6<sub>A</sub>;
- **NOTE** Category 5e and 6A as specified in the American standards approximate to Category 5 and Category 6<sub>A</sub> of BS EN 50173-4.
- coaxial cabling components;
- cable installation and termination;
- commissioning (testing, verification and certification); and
- documentation.

This PAS does not cover:

- distribution cabling for network speeds above 10 Gbit/s;
- distribution cabling using optical fibre;
- distribution cabling for home automation systems;
- installation of satellite dishes or aerials;
- cabling to the home provided by the service provider; or
- Wi-Fi design and location of access points.

This PAS makes no provision for the transmission of uncompressed digital video over balanced or coaxial cables.

This PAS does not cover safety requirements or building regulations.

**NOTE 2** See BS EN 50173-4, Code of Practice for Electrical Safety Requirements for Signal Reception Systems (excluding CATV) [1].