



BSI Standards Publication

Guidelines for the evaluation of uncertainty of measurement in air conditioner and heat pump cooling and heating capacity tests

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

National foreword

This Published Document is the UK implementation of CEN ISO/TS 16491:2012.

The UK participation in its preparation was entrusted to Technical Committee RHE/17, Testing of air conditioning units.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013

Published by BSI Standards Limited 2013

ISBN 978 0 580 73504 2

ICS 23.120; 27.080

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 January 2013.

Amendments issued since publication

Amd. No.	Date	Text affected
----------	------	---------------

ICS 23.120; 27.080

English Version

Guidelines for the evaluation of uncertainty of measurement in
air conditioner and heat pump cooling and heating capacity tests
(ISO/TS 16491:2012)

Lignes directrices pour l'évaluation de l'incertitude de
mesure lors des essais de puissance frigorifique et
calorifique des climatiseurs et des pompes à chaleur
(ISO/TS 16491:2012)

Leitlinien für die Beurteilung der Messunsicherheit bei der
Prüfung der Kühl- und Heizleistung von Klimaanlage und
Wärmepumpen (ISO/TS 16491:2012)

This Technical Specification (CEN/TS) was approved by CEN on 20 November 2012 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....3

Currently in preview, click buy full version

Foreword

This document (CEN ISO/TS 16491:2012) has been prepared by Technical Committee ISO/TC 86 "Refrigeration and air-conditioning" in collaboration with Technical Committee CEN/TC 113 "Heat pumps and air conditioning units" the secretariat of which is held by AENOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO/TS 16491:2012 has been approved by CEN as a CEN ISO/TS 16491:2012 without any modification.

Contents

	Page
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Symbols.....	3
5 Method of calculation.....	4
5.1 Calibration.....	4
5.2 Correction.....	4
5.3 (Instrumental) drift.....	4
5.4 Stability.....	4
5.5 Uncertainty due to the lack of homogeneity.....	4
6 Explanatory notes useful in laboratory application.....	4
6.1 Uncertainty.....	4
6.2 Confidence level.....	4
6.3 Evaluation of errors.....	5
6.4 Steps in evaluation of uncertainty in measurements.....	5
6.5 Uncertainty of measurements.....	5
7 Evaluation of uncertainty — Calorimeter room method.....	7
7.1 Cooling capacity test.....	8
7.2 Heating capacity test.....	11
8 Evaluation of uncertainty — Air enthalpy method.....	14
8.1 Cooling capacity test.....	15
8.2 Heating capacity test.....	16
8.3 Uncertainty of measurement on the air volume flow rate.....	18
Annex A (normative) Uncertainty budget sheets.....	19
Annex B (informative) Determination of indirect contribution to uncertainty, $U(C_i)$	27
Bibliography.....	28

Introduction

This Technical Specification is intended to be a practical guide to assist laboratory personnel in evaluating the uncertainties in the measurement of the cooling and heating capacities of air conditioners and heat pumps. It contains a brief introduction to the theoretical basis for the calculations, and contains examples of uncertainty budget sheets that can be used as a basis for the determination of the uncertainty of measurement.

Currently in preview, click buy full version

Guidelines for the evaluation of uncertainty of measurement in air conditioner and heat pump cooling and heating capacity tests

1 Scope

This Technical Specification gives guidance on the practical applications of the principles of performance measurement of air-cooled air-conditioners and air-to-air heat pumps as described in ISO 5151, ISO 13253, and ISO 15042.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC Guide 99, *International vocabulary of metrology — Basic and general concepts and associated terms (VIM)*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO 3534-1, *Statistics — Vocabulary and symbols — Part 1: General statistical terms and terms used in probability*

ISO 5151, *Non-ducted air conditioners and heat pumps — Testing and rating for performance*

ISO 13253, *Ducted air-conditioners and air-to-air heat pumps — Testing and rating for performance*

ISO 15042, *Multiple split-system air-conditioners and air-to-air heat pumps — Testing and rating for performance*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC Guide 99, ISO/IEC Guide 98-3, ISO 3534-1, ISO 5151, ISO 13253 and ISO 15042 apply.

NOTE — The definitions of terms 3.1, 3.2, 3.3, 3.4 and 3.5 are taken from ISO/IEC Guide 99:2007, 2.39, 4.14, 2.53, 2.11 and 4.19, respectively, and they are repeated here for easy reference.

3.1 calibration

operation that, under specified conditions, in a first step, establishes a relation between the quantity values with measurement uncertainties provided by measurement standards and corresponding indications with associated measurement uncertainties and, in a second step, uses this information to establish a relation for obtaining a measurement result from an indication

[SOURCE: ISO/IEC Guide 99:2007, 2.39]