

PD CEN ISO/TS 19321:2015



BSI Standards Publication

**Intelligent transport systems —  
Cooperative ITS — Dictionary  
of in-vehicle information (IVI)  
data structure**

**bsi.**

...making excellence a habit.™

**National foreword**

This Published Document is the UK implementation of CEN ISO/TS 19321:2015.

The UK participation in its preparation was entrusted to Technical Committee EPL/278, Intelligent transport systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.  
Published by BSI Standards Limited 2015

ISBN 978 0 580 84722 6  
ICS 35.240.60; 43.040.15

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 11 May 2015.

**Amendments/corrigenda issued since publication**

Date	Text affected
------	---------------

---

ICS 43.040.15; 35.240.60

English Version

Intelligent transport systems - Cooperative ITS - Dictionary of in-vehicle information (IVI) data structure (ISO/TS 19321:2015)

Systèmes intelligents de transport - Coopérative STI -  
Dictionnaire de structures de données d'informations dans  
les véhicules (IVI) (ISO/TS 19321:2015)

Intelligente Transportsysteme - Kooperative ITS -  
Beschreibungsverzeichnis für zugehöriger Informationen  
von Datenstrukturen (IVI) (ISO/TS 19321:2015)

This Technical Specification (CEN/TS) was approved by CEN on 7 March 2015 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

**Contents**

**Page**

Foreword.....3

Currently in preview, click buy full version

## Foreword

This document (CEN ISO/TS 19321:2015) has been prepared by Technical Committee CEN/TC 278 "Intelligent transport systems" the secretariat of which is held by NEN, in collaboration with Technical Committee ISO/TC 204 "Intelligent transport systems".

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Endorsement notice

The text of ISO/TS 19321:2015 has been approved by CEN as CEN ISO/TS 19321:2015 without any modification.

# Contents

	Page
<b>Foreword</b> .....	<b>v</b>
<b>Introduction</b> .....	<b>vi</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Abbreviated terms</b> .....	<b>3</b>
<b>5 In-vehicle Information (IVI) data structure</b> .....	<b>4</b>
5.1 Structural model.....	4
5.1.1 General model.....	4
5.1.2 Conceptual zones.....	4
5.2 Location referencing.....	6
5.2.1 General.....	6
5.2.2 Geographic positioning.....	6
5.2.3 Map-based location referencing.....	7
<b>6 IVI Containers</b> .....	<b>7</b>
6.1 IVI Management Container.....	7
6.1.1 Definition.....	7
6.1.2 Usage — IVI Management Container.....	7
6.2 IVI Location Container.....	8
6.2.1 General.....	8
6.2.2 Geographic Location Container.....	9
6.3 IVI Application Containers.....	10
6.3.1 General.....	10
6.3.2 General IVI Container.....	10
6.3.3 Road Configuration Container.....	12
6.3.4 Text Container.....	13
6.3.5 Layout Container.....	15
<b>7 Description of data frames and data elements</b> .....	<b>15</b>
7.1 General.....	15
7.2 Data Frames.....	16
7.2.1 AnyCatalogue.....	16
7.2.2 CompleteVehicleCharacteristics.....	16
7.2.3 ComputedSegment.....	16
7.2.4 LOD.....	17
7.2.5 PDD_IO.....	17
7.2.6 DestinationPlace.....	17
7.2.7 DestinationRoad.....	17
7.2.8 ISO14823Attributes.....	18
7.2.9 ISO14823Code.....	18
7.2.10 LaneInformation.....	18
7.2.11 LayoutComponents.....	18
7.2.12 LoadType.....	19
7.2.13 PolygonalLine.....	19
7.2.14 RSCode.....	19
7.2.15 Segment.....	20
7.2.16 TractorCharacteristics.....	20
7.2.17 TrailerCharacteristics.....	20
7.2.18 TrainCharacteristics.....	20
7.2.19 Text.....	20
7.2.20 VcCode.....	20
7.2.21 VehicleCharacteristicsFixValues.....	21
7.2.22 VehicleCharacteristicsRanges.....	21

7.2.23	Zone	22
7.3	Data Elements	22
7.3.1	AbsolutePosition	22
7.3.2	AbsolutePositionWAltitude	22
7.3.3	ComparisonOperator	22
7.3.4	DayOfWeek	23
7.3.5	DeltaPosition	23
7.3.6	Direction	23
7.3.7	Distance	23
7.3.8	DistanceOrDuration	23
7.3.9	DriverCharacteristics	23
7.3.10	GoodsType	23
7.3.11	Heading	24
7.3.12	HoursMinutes	24
7.3.13	Its-Rrid	24
7.3.14	IviIdentificationNumber	24
7.3.15	IviStatus	24
7.3.16	IviType	25
7.3.17	IviPurpose	25
7.3.18	LaneNumber	25
7.3.19	LaneStatus	26
7.3.20	LaneType	26
7.3.21	LaneWidth	27
7.3.22	MonthDay	27
7.3.23	Provider	27
7.3.24	RSCUnit	27
7.3.25	ReferencePosition	28
7.3.26	Speed	28
7.3.27	VcClass	28
7.3.28	VcOption	28
7.3.29	Weight	28
7.3.30	Zid	28
<b>Annex A (normative) ASN.1 module</b>		<b>29</b>
<b>Annex B (informative) Information on usages</b>		<b>38</b>
<b>Bibliography</b>		<b>44</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary Information](#).

ISO/TS 19321 was prepared by European Committee for Standardization (CEN) in collaboration with ISO/TC 204, *Intelligent transport systems*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

## Introduction

In Cooperative-ITS (C-ITS), presenting information related to the traffic situation or regulation of a road to the driver of a vehicle is an important component of road operations. The road operators are responsible for road setup, operation, signage, and maintenance for traffic management and road safety, and in some countries, also for the enforcement of road laws. For road operators, efficient transport of vehicles on roadways ensures a safe and predictable trip for all road users. Road operators, together with equipment manufacturers, be it that they are of vehicles or of roadside equipment, contribute to how road information is properly presented to drivers.

So far, one defined C-ITS method for notifying road users of road and/or traffic situations and events is by transmission of messages such as Cooperative Awareness Messages (CAM), Decentralized Environment Notification Messages (DENM), or Basic Safety Messages (BSM).

This Technical Specification supports mandatory and advisory road signage such as contextual speeds and road works warnings. In-vehicle information can be sent by an ITS-S and either corresponds to physical road signs such as static or variable road signs or not correspond to physical road signs (a virtual sign) or correspond to road works. IVI does not include identification of road events as already provided by DENM.

This Technical Specification provides a toolbox of information elements for IVI. It can be used to fulfil the requirements of the service provider considering the needs of receiving ITS-S. The container concept provides a way for an ITS-S to manage the relevant IVI information, determine where the IVI is relevant, and to provide details for the application of IVI. The description of data elements encompasses the data syntax and semantics, i.e. a definition of data format and content, together with a description of how to use those data elements.

This Technical Specification is of an enabling nature. It does not specify which information is necessary for a certain service, but it supports those IVI information elements that can be necessary to be transmitted to a receiving ITS-S to carry out a certain service. Usage of the IVI information elements depends on the specific context and application of IVI for a specific service and usage is established as mandatory or optional only for messaging purposes, not for application purposes. The IVI Structure is intended to be profiled to fulfil the requirements of a specific service.

This Technical Specification refers to ISO/TS 14823 as one system of standardized codes for existing road signs codes. Note that ISO/TS 14823 does not contain codes for specific national or regional signs which are not commonly used. ISO/TS 14823 also does not represent a catalogue of road sign pictograms for all applicable nations.

# Intelligent transport systems — Cooperative ITS — Dictionary of in-vehicle information (IVI) data structures

## 1 Scope

This Technical Specification specifies the in-vehicle information (IVI) data structures that are required by different ITS services (for example, refer to ISO/TS 17425 and ISO/TS 17426) for exchanging information between ITS Stations. A general, extensible data structure is specified (see [Clause 5](#)). This is split into structures called containers to accommodate current-day information (see [Clause 6](#)). Transmitted information includes IVI such as contextual speed, road works warnings, vehicle restrictions, lane restrictions, road hazards warnings, location-based services, re-routing, etc. The information in the containers is organized in sub-structures called data frames and data elements which are described in terms of its content (see [Clause 7](#)) and its syntax (see [Annex A](#)).

The data structures are specified as communications agnostic. This Technical Specification does not provide the communication protocols. This Technical Specification then provides scenarios for usage of the data structure, e.g. in case of real time, short-range communications.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 639-1:2002, *Codes for the representation of names of languages — Part 1: Alpha-2 code*

ISO 3166-1, *Codes for the representation of names of countries and their subdivisions — Part 1: Country codes*

ISO 14816:2005, *Road transport and traffic telematics — Automatic vehicle and equipment identification — Numbering and data structure*

ISO 14906:2011, *Electronic fee collection — Application interface definition for dedicated short-range communication*

ISO/IEC 8824-1:2008, *Information technology — Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/TS 14823, *Traffic and travel information — Messages via media independent stationary dissemination systems — Graphic data dictionary for pre-trip and in-trip information dissemination systems*

ETSI/TS 102 814-2 V1.1.12, *Intelligent Transport Systems (ITS); Users and applications requirements; Part 2: Applications and facilities layer common data dictionary*

## 3 Terms and definitions

### 3.1

#### application data unit

data unit exchanged between ITS-S applications

### 3.2

#### container

group of *data frames* ([3.4](#)) and data elements semantically belonging together in one place in the IVI structure