



BSI Standards Publication

## Space Engineering — Thermal design handbook

---

Part 3: Spacecraft Surface Temperature

## National foreword

This Published Document is the UK implementation of CEN/CLC/TR 17603-31-03:2021.

The UK participation in its preparation was entrusted to Technical Committee ACE/68, Space systems and operations.

A list of organizations represented on this committee can be obtained on request to its committee manager.

### Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2021  
Published by BSI Standards Limited 2021

ISBN 978 0 55 16977 5

ICS 49.040

**Compliance with a Published Document cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 August 2021.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

---

TECHNICAL REPORT  
RAPPORT TECHNIQUE  
TECHNISCHER BERICHT

**CEN/CLC/TR 17603-31-  
03**

August 2021

ICS 49.140

English version

**Space Engineering - Thermal design handbook - Part 3.  
Spacecraft Surface Temperature**

Ingénierie spatiale - Manuel de conception thermique -  
Partie 3 : Température de surface des véhicules  
spatiaux

Raumfahrttechnik - Handbuch für thermisches Design -  
Teil 3: von Oberflächen auf Raumfahrzeugen

This Technical Report was approved by CEN on 14 June 2021. It has been drawn up by the Technical Committee CEN/CLC/JTC 5.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



**CEN-CENELEC Management Centre:  
Rue de la Science 23, B-1040 Brussels**

## Table of contents

<b>European Foreword</b> .....	<b>10</b>
<b>1 Scope</b> .....	<b>11</b>
<b>2 References</b> .....	<b>12</b>
<b>3 Terms, definitions and symbols</b> .....	<b>13</b>
3.1 Terms and definitions .....	13
3.2 Symbols.....	13
<b>4 Solar radiation</b> .....	<b>15</b>
4.1 General.....	15
4.2 Infinitely conductive planar surfaces .....	19
4.2.1 Flat plate emitting on one or both sides.....	19
4.3 Infinitely conductive spherical surfaces .....	21
4.3.1 Sphere .....	21
4.4 Infinitely conductive cylindrical surfaces.....	22
4.4.1 Two-dimensional circular cylinder .....	22
4.4.2 Three-dimensional circular cylinder.....	23
4.5 Infinitely conductive conical surfaces .....	25
4.5.1 Semi-infinite circular cone .....	25
4.5.2 Finite circular cone with insulated base. (axial configuration) .....	27
4.5.3 Finite height circular cone .....	29
4.6 Infinitely conductive cylindrical-conical surfaces .....	31
4.6.1 Cone-cylinder-cone .....	31
4.7 Infinitely conductive prismatic surfaces .....	49
4.7.1 Prism with an n-sided regular polygonal section.....	49
4.8 Infinitely conductive pyramidal surfaces.....	60
4.8.1 Pyramid with an n-sided regular polygonal section.....	60
4.9 Infinitely conductive prismatic-pyramidal surfaces.....	70
4.9.1.1 Pyramid-prism-pyramid with an n-sided regular polygonal .....	70
4.10 Thin-walled spherical bodies. Finite conductivity.....	80
4.10.1 Non-spinning sphere .....	80

4.10.2	Non-spinning sphere. Including internal radiation.....	82
4.11	Thin-walled cylindrical bodies. Finite conductivity.....	83
4.11.1	Non-spinning two-dimensional circular cylinder.....	83
4.11.2	Spinning two-dimensional circular cylinder.....	85
4.11.3	Circular cylinder. solar radiation parallel to axis of symmetry.....	89
4.11.4	Cylindrical surface of rectangular cross section. Solar radiation normal to face.....	90
4.12	Thin-walled conical bodies. Conductivity.....	95
4.12.1	Non-spinning cone.....	95
<b>5</b>	<b>Planetary radiation.....</b>	<b>99</b>
5.1	General.....	99
5.2	Infinitely conductive planar surfaces.....	104
5.2.1	Flat plate absorbing and emitting on one side.....	104
5.3	Infinitely conductive spherical surfaces.....	105
5.3.1	Sphere.....	105
5.3.2	Hemispherical surface absorbing and emitting on outer face.....	106
5.4	Infinitely conductive cylindrical surfaces.....	108
5.4.1	Circular cylinder with insulated bases.....	108
5.4.2	Finite height circular cylinder.....	109
5.5	Infinitely conductive conical surfaces.....	119
5.5.1	Circular cone with insulated base.....	119
5.5.2	Finite height circular cone.....	122
<b>6</b>	<b>Albedo radiation.....</b>	<b>125</b>
6.1	General.....	125
6.2	Infinitely conductive planar surfaces.....	130
6.2.1	Flat plate absorbing and emitting on one side.....	130
6.3	Infinitely conductive spherical surfaces.....	135
6.3.1	Sphere.....	135
6.4	Infinitely conductive cylindrical surfaces.....	139
6.4.1	Circular cylinder with insulated bases.....	139
	<b>Bibliography.....</b>	<b>144</b>
<b>Figures</b>		
	Figure 4-1: The function $T_R(A_E/A_I)^{1/4}$ vs. the distance to the Sun. Calculated by the compiler.....	16
	Figure 4-2: The function $T_R(A_E/A_I)^{1/4}$ vs. the optical characteristics of the surface. Shaded zone of <i>a</i> is enlarged in <i>b</i> . Calculated by the compiler.....	17

Figure 4-3: Temperature  $T_R$  as a function of  $\alpha_s / \varepsilon$  and  $A_{||}/A_E$  for  $d = 1$  AU. Shaded zone of  $a$  is enlarged in  $b$ . Calculated by the compiler. .... 18

Figure 4-4: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$ , in the case of a flat plate. Calculated by the compiler. .... 20

Figure 4-5: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $H/R$ , in the case of a finite height circular cylinder. Calculated by the compiler. .... 24

Figure 4-6: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\delta$ , in the case of a semi-infinite circular cone. Calculated by the compiler. .... 26

Figure 4-7: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\delta$ , in the case of a finite circular cone with insulated base (axial configuration). Calculated by the compiler. .... 28

Figure 4-8: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a finite height cone. Calculated by the compiler. .... 30

Figure 4-9: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 32

Figure 4-10: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 33

Figure 4-11: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 34

Figure 4-12: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 35

Figure 4-13: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 36

Figure 4-14: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 37

Figure 4-15: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 38

Figure 4-16: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 39

Figure 4-17: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 40

Figure 4-18: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 41

Figure 4-19: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 42

Figure 4-20: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $\delta$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 43

Figure 4-21: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  for any value of  $H/R$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 44

Figure 4-22: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $H/R$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 45

Figure 4-23: Ratio  $(A_{||}/A_E)^{1/4}$  as a function of  $\gamma$  and  $H/R$ , in the case of a cone-cylinder-cone. Calculated by the compiler. .... 46

Figure 4-24: Ratio $(A_i/A_E)^{1/4}$ as a function of $\gamma$ and $H/R$ , in the case of a cone-cylinder-cone. Calculated by the compiler. ....	47
Figure 4-25: Ratio $(A_i/A_E)^{1/4}$ as a function of $\gamma$ and $H/R$ , in the case of a cone-cylinder-cone. Calculated by the compiler. ....	48
Figure 4-26: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a prism. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Circular cylinder, $n = \infty$ . Calculated by the compiler. ....	50
Figure 4-27: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a prism. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to $H/R \leq 1$ are also plotted in the previous figure. Circular cylinder, $n = \infty$ . Calculated by the compiler. ....	51
Figure 4-28: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a prism. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Circular cylinder, $n = \infty$ . Calculated by the compiler. ....	52
Figure 4-29: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a prism. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to $H/R \leq 1$ are also plotted in the previous figure. Circular cylinder, $n = \infty$ . Calculated by the compiler. ....	53
Figure 4-30: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a prism. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Circular cylinder, $n = \infty$ . Calculated by the compiler. ....	54
Figure 4-31: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a prism. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to $H/R \leq 1$ are also plotted in the previous figure. Circular cylinder, $n = \infty$ . Calculated by the compiler. ....	55
Figure 4-32: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a prism. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Circular cylinder, $n = \infty$ . Calculated by the compiler. ....	56
Figure 4-33: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a prism. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to $H/R \leq 1$ are also plotted in the previous figure. Circular cylinder, $n = \infty$ . Calculated by the compiler. ....	57
Figure 4-34: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a prism. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Circular cylinder, $n = \infty$ . Calculated by the compiler. ....	58
Figure 4-35: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a prism. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to $H/R \leq 1$ are also plotted in the previous figure. Circular cylinder, $n = \infty$ . Calculated by the compiler. ....	59
Figure 4-36: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Circular cone, $n = \infty$ . Calculated by the compiler. ....	61
Figure 4-37: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to $H/R \leq 1$ are also plotted in the previous figure. Circular cone, $n = \infty$ . Calculated by the compiler. ....	62

Figure 4-38: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Circular cone,  $n = \infty$ . Calculated by the compiler.....63

Figure 4-39: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to  $H/R \leq 1$  are also plotted in the previous figure. Circular cone,  $n = \infty$ . Calculated by the compiler.....64

Figure 4-40: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Circular cone,  $n = \infty$ . Calculated by the compiler.....65

Figure 4-41: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to  $H/R \leq 1$  are also plotted in the previous figure. Circular cone,  $n = \infty$ . Calculated by the compiler.....66

Figure 4-42: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Circular cone,  $n = \infty$ . Calculated by the compiler.....67

Figure 4-43: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to  $H/R \leq 1$  are also plotted in the previous figure. Circular cone,  $n = \infty$ . Calculated by the compiler.....68

Figure 4-44: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Circular cone,  $n = \infty$ . Calculated by the compiler.....69

Figure 4-45: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to  $H/R \leq 1$  are also plotted in the previous figure. Circular cone,  $n = \infty$ . Calculated by the compiler.....70

Figure 4-46: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid - prism - pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Cone - cylinder - cone,  $n = \infty$ . Calculated by the compiler.....71

Figure 4-47: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid - prism - pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to  $H/R \leq 1$  are also plotted in the previous figure. Cone - cylinder - cone,  $n = \infty$ . Calculated by the compiler.....72

Figure 4-48: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid - prism - pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Cone - cylinder - cone,  $n = \infty$ . Calculated by the compiler.....73

Figure 4-49: Ratio  $(A/A_E)^{1/4}$  as a function of  $H/R$ , in the case of a pyramid - prism - pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to  $H/R \leq 1$  are also plotted in the previous figure. Cone - cylinder - cone,  $n = \infty$ . Calculated by the compiler.....74

Figure 4-50: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a pyramid - prism - pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Cone - cylinder - cone, $n = \infty$ . Calculated by the compiler. ....	75
Figure 4-51: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a pyramid - prism - pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to $H/R \leq 1$ are also plotted in the previous figure. Cone - cylinder - cone, $n = \infty$ . Calculated by the compiler. ....	76
Figure 4-52: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a pyramid - prism - pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Cone - cylinder - cone, $n = \infty$ . Calculated by the compiler. ....	77
Figure 4-53: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a pyramid - prism - pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. The values corresponding to $H/R \leq 1$ are also plotted in the previous figure. Cone - cylinder - cone, $n = \infty$ . Calculated by the compiler. ....	78
Figure 4-54: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a pyramid - prism - pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Cone - cylinder - cone, $n = \infty$ . Calculated by the compiler. ....	79
Figure 4-55: Ratio $(A_i/A_E)^{1/4}$ as a function of $H/R$ , in the case of a pyramid - prism - pyramid. The curves plotted are those corresponding to the largest and smallest areas projected from the Sun. Cone - cylinder - cone, $n = \infty$ . Calculated by the compiler. ....	80
Figure 4-56: Temperature distribution on sphere. No spin. No internal radiation. Calculated by the compiler. ....	81
Figure 4-57: Temperature distribution on sphere including internal radiation. No spin. Calculated by the compiler. ....	83
Figure 4-58: Temperature distribution on a two-dimensional cylinder. No spin. No internal radiation. Calculated by the compiler. ....	85
Figure 4-59: Temperature distribution on a two - dimensional spinning cylinder for several $\mu$ and $\gamma$ values. No internal radiation. Calculated by the compiler. ....	87
Figure 4-60: Temperature distribution on a two - dimensional spinning cylinder for several $\mu$ and $\gamma$ values. No internal radiation. Calculated by the compiler. ....	88
Figure 4-61: Temperature distribution on cylinder. No spin. No internal radiation. From Nichols (1961) [11]. ....	90
Figure 4-62: Temperature distribution on a cylindrical surface whose cross section is a rectangle of aspect - ratio $\lambda = 0,5$ . No internal radiation. Calculated by the compiler. ....	92
Figure 4-63: Temperature distribution on a cylindrical surface whose cross section is a rectangle on aspect - ration $\lambda = 1$ . No internal radiation. Calculated by the compiler. ....	93
Figure 4-64: Temperature distribution on a cylindrical surface whose cross section is a rectangle on aspect - ration $\lambda = 2$ . No internal radiation. Calculated by the compiler. ....	94

Figure 4-65: Temperature distribution on cone. No spin. No internal radiation. From Nichols (1961) [11]. .....96

Figure 4-66: Temperature distribution on cone. No spin. No internal radiation. From Nichols (1961) [11]. .....97

Figure 4-67: Temperature distribution on cone. No spin. No internal radiation. From Nichols (1961) [11]. .....98

Figure 5-1: The ratio  $T_{RP}/T_P$  vs. the optical characteristics of the surface for different values of  $F_{SP}$ . Shaded zone of *a* is enlarged in *b*. Calculated by the compiler. ....101

Figure 5-2: Radiation equilibrium temperature  $T_{RP}$  vs. ratio  $T_{RP}/T_P$ . Incoming radiation from different planets. After NASA - SP - 3051 (1965).....102

Figure 5-3: Different estimates of radiation equilibrium temperature  $T_{RP}$  vs.  $T_{RP}/T_P$ , for radiation from the Earth. Plotted from data by Johnson (1965) [9]. .....103

Figure 5-4:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a flat plate absorbing and emitting on one side. Calculated by the compiler.....105

Figure 5-5:  $F_{SP}$  as a function of  $h/R_P$  in the case of a sphere. Calculated by the compiler. ....106

Figure 5-6:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a hemispherical surface absorbing and emitting on outer face. Calculated by the compiler. ....107

Figure 5-7:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a circular cylinder with insulated bases. Calculated by the compiler.....109

Figure 5-8:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a finite height circular cylinder. Calculated by the compiler. ....110

Figure 5-9:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a finite height circular cylinder. Calculated by the compiler. ....111

Figure 5-10:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a finite height circular cylinder. Calculated by the compiler. ....112

Figure 5-11:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a finite height circular cylinder. Calculated by the compiler. ....113

Figure 5-12:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a finite height circular cylinder. Calculated by the compiler. ....114

Figure 5-13:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a finite height circular cylinder. Calculated by the compiler. ....115

Figure 5-14:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a finite height circular cylinder. Calculated by the compiler. ....116

Figure 5-15:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a finite height circular cylinder. Calculated by the compiler. ....117

Figure 5-16:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a finite height circular cylinder. Calculated by the compiler. ....118

Figure 5-17:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a circular cone with insulated base. Calculated by the compiler. ....120

Figure 5-18:  $F_{SP}$  as a function of  $\lambda$  and  $h/R_P$  in the case of a circular cone with insulated base. Calculated by the compiler. ....121

Figure 5-19: $F_{SP}$ as a function of $\lambda$ in the case of a finite height circular cone. Calculated by the compiler.....	123
Figure 5-20: $F_{SP}$ as a function of $\lambda$ in the case of a finite height circular cone. Calculated by the compiler.....	124
Figure 6-1: The ratio $T_{RA}/T_A$ vs. the optical characteristics of the surface for different values of $F$ . Shaded zone of $a$ is enlarged in $b$ . Calculated by the compiler. ....	126
Figure 6-2: Albedo equilibrium temperature, $T_{RA}$ , vs. dimensionless ratio $T_{RA}/T_A$ . Incoming albedo from different planets. After Anderson (1969) [1]. ....	127
Figure 6-3: Different estimates of albedo equilibrium temperature $T_{RA}$ , vs. $T_{RA}/T_A$ in case of the Earth. Calculated by the compiler. ....	128
Figure 6-4: Albedo view factor $F$ vs. $h/R_P$ for different values of $\theta_S$ in the case of a flat plate ( $\lambda = 0^\circ$ , $\phi_c = 180^\circ$ ). From Bannister (1965) [2]. ....	131
Figure 6-5: Albedo view factor $F$ vs. $h/R_P$ for different values of $\theta_S$ in the case of a flat plate ( $\lambda = 30^\circ$ , $\phi_c = 0^\circ$ ). From Bannister (1965) [2]. ....	132
Figure 6-6: Albedo view factor $F$ vs. $h/R_P$ for different values of $\theta_S$ in the case of a flat plate ( $\lambda = 30^\circ$ , $\phi_c = 90^\circ$ ). From Bannister (1965) [2]. ....	133
Figure 6-7: Albedo view factor $F$ vs. $h/R_P$ for different values of $\theta_S$ in the case of a flat plate ( $\lambda = 30^\circ$ , $\phi_c = 180^\circ$ ). From Bannister (1965) [2]. ....	134
Figure 6-8: Albedo view factor $F$ vs. $h/R_P$ for different values of $\theta_S$ in the case of a sphere. From Cunningham (1961) [6]. ....	136
Figure 6-9: Albedo view factor $F$ vs. $h/R_P$ for different values of $\theta_S$ in the case of a sphere. From Cunningham (1961) [6]. ....	137
Figure 6-10: Albedo view factor $F$ vs. $h/R_P$ for different values of $\theta_S$ in the case of a sphere. Calculated by the compiler. ....	138
Figure 6-11: Albedo view factor $F$ vs. $h/R_P$ for different values of $\theta_S$ in the case of a cylinder ( $\lambda = 0^\circ$ , $\phi_c = 0^\circ, 180^\circ$ ). From Bannister (1965) [2]. ....	140
Figure 6-12: Albedo view factor $F$ vs. $h/R_P$ for different values of $\theta_S$ in the case of a cylinder ( $\lambda = 60^\circ$ , $\phi_c = 0^\circ$ ). From Bannister (1965) [2]. ....	141
Figure 6-13: Albedo view factor $F$ vs. $h/R_P$ for different values of $\theta_S$ in the case of a cylinder ( $\lambda = 60^\circ$ , $\phi_c = 90^\circ$ ). From Bannister (1965) [2]. ....	142
Figure 6-14: Albedo view factor $F$ vs. $h/R_P$ for different values of $\theta_S$ in the case of a cylinder ( $\lambda = 60^\circ$ , $\phi_c = 180^\circ$ ). From Bannister (1965) [2]. ....	143

**Tables**

Table 5-1: Relevant data on the Planets and the Moon. ....	104
Table 6-1: Relevant data on the Planets and the Moon. ....	129

## European Foreword

---

This document (CEN/CLC/TR 17603-31-03:2021) has been prepared by Technical Committee CEN/CLC/JTC 5 "Space", the secretariat of which is held by DIN.

It is highlighted that this technical report does not contain any requirement but only collection of data or descriptions and guidelines about how to organize and perform the work in support of EN 16603-31.

This Technical report (TR 17603-31-03:2021) originates from ECSS-E-HB-31-01 Part 3A.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any TR covering the same scope but with a wider domain of applicability (e.g.: aerospace).

# 1 Scope

---

Factors affecting the equilibrium temperature of a spacecraft surface are described in this Part 3 using simple geometrical configurations and basic assumptions.

Methods for conducting calculations on the affect of Solar, planetary and albedo radiation are given taking into consideration the internal and immediate environmental factors and incorporating the various configurations and dimensions of the constituent parts.

The Thermal design handbook is published in 16 Parts

TR 17603-31-01	Thermal design handbook – Part 1: View factors
TR 17603-31-02	Thermal design handbook – Part 2: Holes, Grooves and Cavities
TR 17603-31-03	Thermal design handbook – Part 3: Spacecraft Surface Temperature
TR 17603-31-04	Thermal design handbook – Part 4: Conductive Heat Transfer
TR 17603-31-05	Thermal design handbook – Part 5: Structural Materials: Metallic and Composite
TR 17603-31-06	Thermal design handbook – Part 6: Thermal Control Surfaces
TR 17603-31-07	Thermal design handbook – Part 7: Insulations
TR 17603-31-08	Thermal design handbook – Part 8: Heat Pipes
TR 17603-31-09	Thermal design handbook – Part 9: Radiators
TR 17603-31-10	Thermal design handbook – Part 10: Phase – Change Capacitors
TR 17603-31-11	Thermal design handbook – Part 11: Electrical Heating
TR 17603-31-12	Thermal design handbook – Part 12: Louvers
TR 17603-31-13	Thermal design handbook – Part 13: Fluid Loops
TR 17603-31-14	Thermal design handbook – Part 14: Cryogenic Cooling
TR 17603-31-15	Thermal design handbook – Part 15: Existing Satellites
TR 17603-31-16	Thermal design handbook – Part 16: Thermal Protection System