



BSI Standards Publication

End use performance of wood products — Utilisation and improvement of existing methods to estimate service life

National foreword

This Published Document is the UK implementation of CEN/TR 16816:2015.

The UK participation in its preparation was entrusted to Technical Committee B/515, Wood preservation.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 88431 3

ICS 79.080

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 April 2015.

Amendments issued since publication

Date	Text affected
------	---------------

ICS 79.080

English Version

End use performance of wood products - Utilisation and improvement of existing methods to estimate service life

Performances des produits en bois dans leur emploi -
Utilisation et amélioration des méthodes existantes pour
estimer la durée de vie

Leistungseigenschaften von Holzprodukten

This Technical Report was approved by CEN on 21 March 2015. It has been drawn up by the Technical Committee CEN/TC 38.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
Foreword.....	3
1 Scope	4
2 Background	4
2.1 General.....	4
2.2 ISO/TC 59/SC14 “Design life”	4
2.3 CEN/TC 350 Sustainability of Construction Words.....	5
2.4 CEN/TC 351 Construction Products: Assessment of release of dangerous substances	5
2.5 COST Action E37 sustainability through new technologies for enhanced wood durability	5
2.6 WoodExter project.....	6
2.7 Design value I_{Rd} for resistance factor depending on material	6
3 Work in this area continued in the Swedish led project WoodBuild 2008-2013. CEN/TC38 Standards: requirements for efficacy.....	8
3.1 Preservative treated wood	8
3.2 Naturally durable wood	9
4 Guidance on the determination of end use performance of wood products	10
5 Guidance on utilization and improvement of existing methods to estimate service life	11
5.1 General.....	11
5.2 Gap analysis of existing standards in TC38 to inform on service life	11
6 Actions.....	30
6.1 General.....	30
6.2 WG21.....	30
6.3 WG23.....	31
6.4 WG25.....	31
6.5 WG24.....	31
7 Acknowledgements	32
Bibliography.....	33

Foreword

This document (CEN/TR 16816:2015) has been prepared by Technical Committee CEN/TC 38 “Durability of wood and wood-based products”, the secretariat of which is held by AFNOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Currently in preview, click buy full version

1 Scope

The scope of WG28 Performance Classification is expressed in this Technical Report:

Guidance on the determination of end use performance of wood products: utilization and improvement of existing test methods to estimate service life, in order to give input to the harmonized product standards dealing with the durability requirement of the CPD and future Regulation (EU) No 305/2011 (The Construction Products Regulation CPR).

This Technical Report brings together the evaluations and discussions to date that have occurred within CEN/TC38/WG28 Performance Classification.

This technical report does not address panel products specifically.

2 Background

2.1 General

The development of performance-based design methods for durability requires that models are available to predict performance in a quantitative and probabilistic format. The relationship between performance during testing and in service needs to be quantified in statistical terms and the resulting predictive models need to be calibrated to provide a realistic measure of service life, including a defined acceptable risk of non-conformity.

Service-life prediction or planning is a process for ensuring that, as far as possible, the service life of a building will equal or exceed its design life, while taking into account (and preferably optimising) its life-cycle costs (ISO 15686 [1]). For a long time, the international organizations CIB and RILEM have been leading this development, which has had an impact on standardization work nationally, regionally, and globally through ISO.

Service-life prediction should be integrated into the design process for constructions, but it is also applicable to existing buildings and other construction works.

Drivers for establishing service-life planning methodology and routines include the need for building owners to be able to forecast and control costs throughout the design life of a building or construction. It also influences the reliability of constructed assets, and hence the health and safety of users.

The construction sector is under pressure to improve its cost effectiveness, quality, energy efficiency and environmental performance and to reduce the use of non-renewable resources. A key issue for the competitiveness of wood is the delivery of reliable components of controlled durability with minimum maintenance needs and life-cycle costs.

The importance of service-life issues is reflected in the Construction Products Directive (CPD) with its six essential requirements which should be fulfilled by construction products during a 'reasonable service life'.

2.2 ISO/TC 59/SC 4 "Design life"

The development of performance-based design methods for durability requires that models are available to predict performance in a quantitative and probabilistic format. The relationship between performance during testing and in service needs to be quantified in statistical terms and the resulting predictive models need to be calibrated to provide a realistic measure of service life, including a defined acceptable risk of non-conformity.

Service-life prediction or planning is a process for ensuring that, as far as possible, the service life of a building will equal or exceed its design life, while taking into account (and preferably optimising) its life-cycle costs (ISO 15686 [1]). For a long time, the international organisations CIB and RILEM have been leading this development, which has had an impact on standardization work nationally, regionally, and globally through ISO.