

PD CEN/TR 16970:2016



BSI Standards Publication

Sustainability of construction works — Guidance for the implementation of EN 15804

bsi.

National foreword

This Published Document is the UK implementation of CEN/TR 16970:2016.

The UK participation in its preparation was entrusted to Technical Committee B/558, Sustainability of construction works.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.
Published by BSI Standards Limited 2016

ISBN 978 0 580 92702 7

ICS 91.010.99

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 August 2016.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

TECHNICAL REPORT

CEN/TR 16970

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

July 2016

ICS 91.010.99

English Version

Sustainability of construction works - Guidance for the implementation of EN 15804

Contribution des ouvrages de construction au développement durable - Lignes directrices pour la mise en application de l'EN 15804

Nachhaltiges Bauen - Leitfaden für die Anwendung von EN 15804

This Technical Report was approved by CEN on 11 April 2016. It has been drawn up by the Technical Committee CEN/TC 350.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	4
Introduction	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	6
4 Abbreviations	7
5 General aspects.....	7
5.1 Objectives.....	7
5.1.1 Objectives of core PCR.....	7
5.1.2 Objectives of the guidance	8
5.2 Types of EPD with respect to life cycle stages covered.....	9
5.2.1 Information Modules	9
5.2.2 Beyond the product life cycle: information module D.....	10
5.2.3 Scenarios	10
5.2.4 Types of EPD with respect to applied modules	10
5.2.5 Default values for indicator results for the use in c-PCR	10
5.3 Comparability of EPD for construction products	10
5.4 Additional information	11
5.5 Ownership, responsibility and liability for the EPD.....	11
5.6 Communication formats.....	11
6 Product Category Rules for LCA.....	11
6.1 Product Category.....	11
6.2 Life cycle stages and their information modules to be included	11
6.2.1 General.....	11
6.2.2 A1-A3, Product stage, information modules	11
6.2.3 A4-A5, Construction process stage, information modules.....	12
6.2.4 B1-B5, Use stage, information modules related to the building fabric.....	12
6.2.5 B6-B7, use stage, information modules related to the operation of the building.....	12
6.2.6 C1-C4 End-of-life stage, information modules	12
6.2.7 D, Benefits and loads beyond the system boundary, information module	15
6.3 Calculation rules for the LCA.....	15
6.3.1 Functional unit.....	15
6.3.2 Declared Unit.....	15
6.3.3 Reference service life (RSL).....	15
6.3.4 System boundaries	15
6.3.5 Criteria for the exclusion of inputs and outputs.....	21
6.3.6 Selection of data with regard to average EPD.....	21
6.3.7 Data quality requirements.....	22
6.3.8 Developing product level scenarios	22
6.3.9 Units.....	23
6.4 Inventory analysis	23
6.4.1 Collecting Data	23
6.4.2 Calculation procedures.....	23
6.4.3 Allocation of input flows and output emissions.....	23
6.5 Impact assessment.....	24

7	Content of the EPD	24
7.1	Declaration of general information	24
7.2	Declaration of environmental parameters derived from LCA	25
7.2.1	General	25
7.2.2	Rules for declaring LCA information per module	25
7.2.3	Parameters describing environmental impacts	25
7.2.4	Parameters describing resource use	26
7.2.5	Other environmental information describing different waste categories and output flows	27
7.3	Scenarios and additional technical information	27
7.4	Additional information on release of dangerous substances to indoor air, soil and water during the use stage	27
7.5	Aggregation of information modules	27
8	Project report	27
9	Verification and validity of an EPD	27
	Bibliography	28

European foreword

This document (CEN/TR 16970:2016) has been prepared by Technical Committee CEN/TC 350 “Sustainability of construction works”, the secretariat of which is held by AFNOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Currently in preview, click buy full vers.

Introduction

This Technical Report is a complementary document to EN 15804 “Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products”. It is intended to assist the understanding and use of EN 15804 by giving guidance and further explanation.

This document does not replace any of the standard’s requirements or introduce any new rules and it is not intended to be used as a stand-alone document.

This document provides guidance to CEN Technical Committees for construction products and other bodies such as Environmental Product Declaration programme operators in the construction sector developing Product Category Rules complementary to EN 15804.

According to decision BT 3/2013, CEN Technical Committees for construction products are asked to inform CEN/TC 350 at the earliest stage when a complementary PCR document will be developed, allowing CEN/TC 350 to arrange a liaison and ensure they can review the document when necessary.

1 Scope

This Technical Report provides general guidance to the users of EN 15804 and those preparing complementary Product Category Rules (c-PCR's) by:

- stating general principles for the use of EN 15804 by CEN Technical Committees for construction products (Product TC's) in order to ensure consistency among the complementary PCR produced by Product TC's;
- addressing the questions raised by Product TC's, manufacturers or their sub-contractors who provide LCA studies underlying an Environmental Product Declaration (EPD) and by EPD programme operators who include c-PCR of specific subcategories in their PCR registry.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15804:2012+A1:2013, *Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products*

EN 15978, *Sustainability of construction works - Assessment of environmental performance of buildings - Calculation method*

EN ISO 14025:2010, *Environmental labels and declarations - Type III environmental declarations - Principles and procedures (ISO 14025:2006)*

ISO 15686 (all parts), *Buildings and constructed assets — Service life planning*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 15804:2012+A1:2013 and the following apply.

3.1 complementary product category rules, c-PCR

product group specific or horizontal PCR, which provide additional, compliant and non-contradictory requirements to EN 15804

Note 1 to entry: c-PCR are meant to be used together with EN 15804.

3.2 default values

pre-defined results without further calculation

3.3 freshwater

water having a low concentration of dissolved solids

Note 1 to entry: Freshwater typically contains less than 1 000 mg per litre of dissolved solids and is generally accepted as suitable for withdrawal and conventional treatment to produce potable water.

Note 2 to entry: The concentration of total dissolved solids can vary considerably over space and/or time.

[SOURCE: ISO 14046:2014, 3.1.1]