



BSI Standards Publication

Plant biostimulants — Determination of mycorrhizal fungi

National foreword

This Published Document is the UK implementation of CEN/TS 17722:2022.

The UK participation in its preparation was entrusted to Technical Committee EH/4/-/7, Plant Biostimulants.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 55 17311 6

ICS 65.080

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 July 2022.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 17722

March 2022

ICS 65.080

English Version

Plant biostimulants - Determination of mycorrhizal fungi

Biostimulants des végétaux - Détermination des
champignons mycorhiziens

Biostimulanzien für die pflanzliche Anwendung -
Bestimmung von Mykorrhizapilzen

This Technical Specification (CEN/TS) was approved by CEN on 3 January 2022 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep existing national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

	Page
European foreword.....	4
Introduction	5
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions	7
4 Methods for the quantification of mycorrhiza.....	9
4.1 General.....	9
4.2 How to prepare the initial sample	11
4.2.1 General.....	11
4.2.2 Liquid – water-based formulations	11
4.2.3 Liquid – oil-based (emulsifiable concentrate EC) formulations	11
4.2.4 Solid – wettable powder (WP) formulations.....	11
4.2.5 Solid – water dispersible granules (WDG) formulations.....	11
4.2.6 Solid – pellets, granules, microgranules (slow release) formulations.....	12
4.2.7 Solid – substrate	12
4.3 Enumeration methods.....	12
4.3.1 General.....	12
4.3.2 Method N° 1: Spore isolation and counting MTT	12
4.3.3 Method N° 2: Procedure for clearing and staining root samples and enumeration of vesicles in the stained root samples.....	14
4.3.4 Enumeration of the total number of UPM in the product using Method N°1 + Method N°2	17
4.3.5 Method N°3: Endomycorrhiza bioassay	17
4.3.6 Method N°4: Ectomycorrhiza and ectoconid count.....	25
5 Molecular characterization and identification of mycorrhiza isolates	29
5.1 General.....	29
5.2 Materials and equipment	29
5.3 Method for the molecular characterization and identification of mycorrhiza isolates	29
5.3.1 Spores cleaning.....	29
5.3.2 DNA extraction	30
5.3.3 Preparation for PCR	31
5.3.4 Preparation for gel-electrophoresis	33
5.3.5 Direct sequencing (outsourced sequencing lab)	34
6 Method of molecular characterization and identification for ectomycorrhiza and ectoconid	34
6.1 General.....	34
6.2 Materials.....	35
6.2.1 Fungal material.....	35
6.2.2 Molecular biology kits/chemicals.....	35
6.2.3 Equipment	36
6.3 Detailed description of method	36
6.3.1 Material preparation	36
6.3.2 DNA extraction and quality check.....	37

6.3.3	PCR amplification of ITS sequences	37
6.3.4	Gel electrophoresis and PCR product visualization.....	38
	Bibliography	39

Currently in preview, click buy full version

European foreword

This document (CEN/TS 17722:2022) has been prepared by Technical Committee CEN/TC 455 “Plant Biostimulants”, the secretariat of which is held by AFNOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document was prepared by the experts of CEN/TC 455 “Plant Biostimulants”. The European Committee for Standardization (CEN) was requested by the European Commission (EC) to draft European standards or European standardization deliverables to support the implementation of Regulation (EU) 2019/1009 of the European Parliament and of the Council of 5 June 2019 laying down rules on the making available on the market of EU fertilising products (“FPR” or “Fertilising Products Regulation”). This standardization request, presented as M/564, also contributes to the Communication on “Innovating for Sustainable Growth: A Bio economy for Europe”. Working Group 5 “Labelling and denominations” was created to develop a work program as part of this standardization request.

Technical Committee CEN/TC 455 “Plant Biostimulants” was established to carry out the work program that will prepare a series of standards. The interest in biostimulants has increased significantly in Europe as a valuable tool to use in agriculture. Standardization was identified as having an important role in order to promote the use of biostimulants. The work of CEN/TC 455 seeks to improve the reliability of the supply chain, thereby improving the confidence of farmers, industry, and consumers in biostimulants, and will promote and support commercialisation of the European biostimulant industry.

The biostimulants used in agriculture can be applied in multiple ways: on soil, on plants, as seed treatment, etc. A microbial plant biostimulant consists of a microorganism or a consortium of microorganisms, as referred to in Component Material Category 7 or Annex II of the EU Fertilising Products Regulation.

This document is applicable to all biostimulants in agriculture based on live microorganisms belonging to the mycorrhiza.

Table 1 summarizes many of the agro-ecological principles and the role played by biostimulants.

Table 1 — Agro-ecological principles and the role played by biostimulants

Increase biodiversity
By improving soil microorganism quality/quantity
Reinforce biological regulation and interactions
By reinforcing plant-microorganism interactions
— symbiotic exchanges i.e. <i>Mycorrhiza</i>
— symbiotic exchanges i.e. <i>Rhizobiaceae/Fava</i>
— secretions mimicking plant hormones (i.e. <i>Trichoderma</i>)
By regulating plant physiological processes
— e.g. growth, metabolism, plant development
Improve biogeochemical cycles
— improve absorption of nutritional elements
— improve bioavailability of nutritional elements in the soil
— stimulate degradation of organic matter

WARNING — Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

IMPORTANT — It is absolutely essential that tests conducted in accordance with this document be carried out by suitably trained staff.

Currently in preview, click buy full version

1 Scope

This document was developed to provide a horizontal method for enumeration and genera/species determination [1], [2], [3] of mycorrhizal fungi in plant biostimulants products in accordance with the EU Fertilising Products Regulation.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

mycorrhiza

symbiotic relationship between a filamentous fungus and a plant

Note 1 to entry: In a mycorrhizal association, the fungus colonizes the plants' root tissues either intracellularly (as with endomycorrhiza) or extracellularly (as with ectomycorrhiza). This beneficial interaction brings several advantages to the plants such as, for instance, enhancement of nutrients and water uptake.

[SOURCE: CEN/TS 17724:2022, 3.2.2.6]

3.2

endomycorrhiza

symbiotic association characterized by a filamentous fungal partner that colonizes the plants' root tissues intracellularly

EXAMPLE Four main groups of endomycorrhizal associations exist like arbuscular, ericoid, orchidoid and sebacinoid mycorrhiza.

[SOURCE: CEN/TS 17724:2022, 3.2.2.6.1]

3.3

arbuscular mycorrhizal fungus

AMF

AM fungus

biotrophic microscopic fungus belonging to the Glomeromycota phylum (synonymous Glomeromycota) that establishes obligate symbiotic associations with more than 70 % of plant species on Earth

Note 1 to entry: Arbuscular mycorrhizal fungi produce structures inside plant roots, such as vesicles and/or endospores, but also specialized nutrient exchange structures called arbuscules.

Note 2 to entry: The hyphae do not penetrate the plant cell protoplast, but instead they invaginate the cortical cell membrane, where they branch dichotomously to develop the arbuscule, which is meant to be the place where the exchange of nutrients and water takes place between the plant and the fungus.

Note 3 to entry: Arbuscular mycorrhizal fungi extraradical mycelium forms an extensive network within the soil, which increases plant nutrient availability and absorption.