



BSI Standards Publication

**Inorganic fertilizers — Determination of  
the copper content in ammonium nitrate  
fertilizers of high nitrogen content**

---

## National foreword

This Published Document is the UK implementation of CEN/TS 17762:2022.

The UK participation in its preparation was entrusted to Technical Committee CII/37, Fertilisers and related chemicals.

A list of organizations represented on this committee can be obtained on request to its committee manager.

### Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2022  
Published by BSI Standards Limited 2022

ISBN 978 0 533 17659 9

ICS 65.080

**Compliance with a Published Document cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 July 2022.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

---

English Version

Inorganic fertilizers - Determination of the copper  
content in ammonium nitrate fertilizers of high  
nitrogen content

Engrais inorganiques - Détermination de la  
teneur en cuivre dans les engrais à base de  
nitrate d'ammonium et à forte teneur en azote

Anorganische Düngemittel - Bestimmung des  
Kupfergehaltes in Ammoniumnitratdüngemitteln  
mit hohem Stickstoffgehalt

This Technical Specification (CEN/TS) was approved by CEN on 13 March 2022 for provision of application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## Contents

Page

European foreword .....	iii
<b>1 Scope</b> .....	<b>4</b>
<b>2 Normative references</b> .....	<b>4</b>
<b>3 Terms and definitions</b> .....	<b>4</b>
<b>4 Principle</b> .....	<b>4</b>
<b>5 Reagents</b> .....	<b>4</b>
5.4 Ammonium nitrate .....	4
5.6 Copper stock solution .....	4
5.7 Copper standard solution .....	5
<b>6 Apparatus and equipment</b> .....	<b>5</b>
6.5 Copper-free filter paper .....	5
<b>7 Sampling and sample preparation</b> .....	<b>5</b>
<b>8 Procedure</b> .....	<b>5</b>
8.1 Preparation of the solution for analysis .....	5
8.2 Blank solution .....	5
8.3 Determination .....	6
8.3.1 Preparation of sample and blank solutions .....	6
8.3.2 Preparation of the calibration solutions .....	6
8.4 Measurement .....	6
<b>9 Expression of the results</b> .....	<b>6</b>
<b>10 Test report</b> .....	<b>6</b>
<b>Bibliography</b> .....	<b>7</b>

## European foreword

This document (CEN/TS 17762:2022) has been prepared by Technical Committee CEN/TC 260 “Fertilizers and liming materials”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

**WARNING** — The use of this document can involve hazardous materials, operations and equipment. This document does not purport to address all the safety problems associated with its use. It is the responsibility of the user of this document to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This document specifies a method for the determination of the copper content in ammonium nitrate fertilizers of high nitrogen content.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1482-2, *Fertilizers and liming materials — Sampling and sample preparation — Part 2: Sample preparation*

EN 12944-1, *Fertilizers and liming materials — Vocabulary — Part 1: General terms*

EN 12944-2, *Fertilizers and liming materials — Vocabulary — Part 2: Terms relating to fertilizers*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12944-1 and EN 12944-2 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

## 4 Principle

The sample is dissolved in dilute hydrochloric acid and the copper is determined by atomic absorption spectrophotometry (AAS) or by inductive coupled plasma - optical emission spectroscopy (ICP-OES).

## 5 Reagents

Use only reagents of recognized analytical grade and distilled or demineralized water (grade 3 according to EN ISO 3696:1995).

**5.1 Hydrochloric acid**, density  $\rho = 1,18$  g/ml, at 20 °C.

**5.2 Hydrochloric acid**, substance concentration  $c = 6$  mol/l.

**5.3 Hydrochloric acid**,  $c = 0,5$  mol/l.

**5.4 Ammonium nitrate**.

**5.5 Hydrogen peroxide**, 30 % m/V.

**5.6 Copper stock solution**.

Weigh, to the nearest 0,001 g, 1 g of pure copper (Cu), dissolve in 25 ml of hydrochloric acid (5.2), add 5 ml of hydrogen peroxide (5.5) in portions and dilute to 1 l with water. One ml of this solution contains 1 000 µg of copper.

A commercially available stock copper solution may be used.