



BSI Standards Publication

Organo-mineral fertilizers - Identification of chelating agents

Part 1: Determination of EDTA, HEEDTA and DTPA by ion chromatography

National foreword

This Published Document is the UK implementation of CEN/TS 17789-1:2022.

The UK participation in its preparation was entrusted to Technical Committee CII/37, Fertilisers and related chemicals.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 55 17918 7

ICS 65.080

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 July 2022.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

TECHNICAL SPECIFICATION
 SPÉCIFICATION TECHNIQUE
 TECHNISCHE SPEZIFIKATION

CEN/TS 17789-1

April 2022

ICS 65.080

English Version

Organo-mineral fertilizers - Identification of chelating agents - Part 1: Determination of EDTA, HEEDTA and DTPA by ion chromatography

Engrais organo-minéraux - Identification des agents chélatants - Partie 1 : Détermination de l'EDTA, de l'HEEDTA et du DTPA par chromatographie ionique

Organisch-mineralische Düngemittel - Identifizierung von Chelatbildnern - Teil 1: Bestimmung von EDTA, HEEDTA und DTPA mittels Ionenchromatographie

This Technical Specification (CEN/TS) was approved by CEN on 21 February 2022 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
 COMITÉ EUROPÉEN DE NORMALISATION
 EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
European foreword		3
Introduction		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Principle	5
5	Interferences	5
6	Reagents	6
7	Apparatus	7
8	Sampling and sample preparation	8
9	Procedure	8
9.1	Preparation of the test solution	8
9.2	Preparation of the standard solutions	8
9.3	Chromatographic analysis	8
10	Expression of results	9
11	Test report	9
Annex A (informative) Complete names of chelating agents		10
Annex B (informative) Chromatogram		11
Bibliography		12

European foreword

This document (CEN/TS 17789-1:2022) has been prepared by Technical Committee CEN/TC 260 "Fertilizers and liming materials", the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Micronutrients are considered to be, in plant nutrition, a number of elements known to be needed in small amounts for proper plant growth and development. The most common are Iron (Fe), Manganese (Mn), Molybdenum (Mo), Copper (Cu), Zinc (Zn) and Boron (B).

If an organo-mineral fertilizer contains a substance, or one of the substances in the mixture, which is intended to enhance the long term availability to plants of micronutrients in the EU fertilizing product, that substance is either a chelating agent or a complexing agent.

The chelating agents are divided into two groups¹:

- Group 1: EDTA, DTPA, HEEDTA, IDHA and [S,S]-EDDS;
- Group 2: Chelating agents present in UVCB (unknown or variable composition, complex reaction products or biological materials) chelates including [o,o] EDDHA, [o,p] EDDHA, [o,o] EDDHMA, HBED and EDDHSA.

This document specifies the test method to be used in order to determine the content of certain chelating agents (EDTA, DTPA and HEEDTA) in organo-mineral fertilizers (product function category (PFC) 1(B) according to Regulation (EU) 2019/1009 [4]).

¹ Abbreviated terms are described in Annex A.

1 Scope

This document specifies a method for the determination by ion chromatography of the total amount of each of the individual chelating agents EDTA, HEEDTA, and DTPA in organo-mineral fertilizers, having an organic matrix based on vegetal residues (cocoa shells, grape residue, soybean residue, ...), algae extract, and animal meal (feather, bones, blood, ...) and containing one or more of these substances.

The method allows the identification and the determination of the total water-soluble fraction of each of these chelating agents. It does not allow to distinguish between the free form and the metal bound form of the chelating agents.

This method applies to organo-mineral fertilizers containing chelates of one or more of the following micronutrients: cobalt, copper, iron, manganese, zinc and with a mass fraction of at least 0.1 %.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12944-1, *Fertilizers and liming materials — Vocabulary — Part 1: General terms*

EN 12944-2, *Fertilizers and liming materials — Vocabulary — Part 2: Terms relating to fertilizers*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12944-1 and EN 12944-2 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

4 Principle

The micronutrients associated with the chelating agents present in an aqueous extract of the sample are replaced by iron(III). The iron chelates are separated and determined by ion chromatography. The separation is based on anion exchange, by elution with a nitrate acetate solution. The detection is based on UV photometry at 330 nm, after post-column reaction with diluted perchloric acid.

5 Interferences

Several substances can interfere, to a degree largely dependent on the type of column used. With the column described in 7.2, the following phenomena have been observed.

- a) Injection of solutions having high concentrations of salts can cause shifts in the retention times, mostly decreasing the retention when compared to the standard solutions. In these cases, the identity of the peaks can be confirmed by standard addition.
- b) Solutions having high concentrations of salts can also create a large signal at the void volume, poorly resolved from the HEEDTA peak.
- c) High concentrations of nitrate, carbonate, sulfate, and phosphate do not interfere. However, large amounts of chloride create a negative fronting peak poorly resolved from the DTPA peak and altering its peak shape.