



BSI Standards Publication

**Maritime navigation and radiocommunication
equipment and systems — VHF data exchange
system — Requirements and methods of testing
for stations including ASM functionality**

National foreword

This Published Document is the UK implementation of IEC PAS 63343:2021.

The UK participation in its preparation was entrusted to Technical Committee EPL/80, Maritime navigation and radiocommunication equipment and systems.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2021
Published by BSI Standards Limited 2021

ISBN 978 0 539 15608 9

ICS 47.020.70; 47.060; 49.090

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 28 February 2021.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------



IEC PAS 63343

Edition 1.0 2021-02

PUBLICLY AVAILABLE SPECIFICATION



**Maritime navigation and radiocommunication equipment and systems –
VHF data exchange system – Requirements and methods of testing for stations
including ASM functionality**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 47.060; 49.090; 47.020.70

ISBN 978-2-8322-9438-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviated terms	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	8
4 General requirements and tests of equipment.....	9
4.1 Requirements (placeholder).....	9
4.2 Methods of tests for general requirements	9
5 Performance requirements.....	9
5.1 Mobile station	9
5.1.1 Overview	9
5.1.2 General requirements	10
5.1.3 Technical requirements	11
5.2 Coast Station	23
5.2.1 Overview	23
5.2.2 General requirements	23
5.2.3 Technical requirements	23
5.3 AtoN Station	34
6 Methods of testing and required results	34
6.1 Mobile station	34
6.1.1 Test environment.....	34
6.1.2 Test signals.....	35
6.1.3 Environmental, power supply, special purpose and safety tests	35
6.1.4 Operational tests	36
6.1.5 Specific tests of physical layer.....	37
6.1.6 Specific tests of Link layer.....	45
6.1.7 Specific tests of Network layer.....	48
6.1.8 Specific tests of Transport layer.....	49
6.2 Coast station.....	49
6.2.1 Test environment.....	49
6.2.2 Test signals.....	50
6.2.3 Environmental, power supply, special purpose and safety tests	50
6.2.4 Operational tests	51
6.2.5 Specific tests of Physical layer	52
6.2.6 Specific tests of Link layer	60
6.2.7 Specific tests of Network layer.....	62
6.2.8 Specific tests of Transport layer.....	63
6.3 Tests for AtoN station	63
Annex A (normative) Presentation Interface (PI) sentences	64
A.1 General.....	64
A.2 AAB – ASM Selective Addressed Message	64
A.3 ABB – ASM Broadcast Message	65
A.4 ADM – Received ASM VHF Data-Link Message	66
A.5 ADO – ASM VHF Data-Link Own-Vessel transmission	67
A.6 AGB – ASM Geographical Multicast Message	67

A.7	AMK – Addressed and broadcast ASM message acknowledgement	69
A.8	ASM – ASM Message Assembly	69
A.9	ASQ – ASM Message Assembly Query	71
A.10	ACC – "ASM Coast Station Configuration command"	71
A.11	??? – "additional ASM Coast Station Configuration"	71
A.12	??? – "ASM Coast Station Status sentence"	72
	Bibliography	73
	Figure 1 – Slotted transmission spectrum for ASM	13
	Figure 2 – Transmitter power versus time characteristics for $\pi/4$ QPSK (ASM)	14
	Figure 3 – Slot selection Criteria Flow Chart	21
	Figure 4 – Slotted transmission spectrum for ASM	25
	Figure 5 – Transmitter power versus time characteristics for $\pi/4$ QPSK (ASM)	26
	Figure 6 – Slot selection Criteria Flow Chart	33
	Figure 7 – Test setup for frequency error measurement	37
	Figure 8 – Test setup for adjacent channel selectivity	41
	Figure 9 – Measurement arrangement for intermodulation	43
	Figure 10 – Measurement arrangement for blocking or de-sensitisation	44
	Figure 11 – Test setup for frequency error measurement	52
	Figure 12 – Test setup for adjacent channel selectivity	56
	Figure 13 – Measurement arrangement for intermodulation	58
	Figure 14 – Measurement arrangement for blocking or de-sensitisation	59
	Table 1 – Slotted transmission spectrum for ASM	12
	Table 2 – Transmitter power versus time characteristics	14
	Table 3 – Receiver requirements without FEC (using Link ID 1)	15
	Table 4 – IEC 61162 Talker Identifiers and Sentence Formatters used for input of data to Equipment for transmission to ASM VDL	16
	Table 5 – IEC 61162 Sentence Formatters used to output ASM VDL	16
	Table 6 – IEC 61162 Sentence Formatters used to output equipment status and input related commands	17
	Table 7 – Use of ASM VDL messages	18
	Table 8 – Message 0 description	19
	Table 9 – Quiet time multiplier	21
	Table 10 – Slotted transmission spectrum for ASM	24
	Table 11 – Transmitter power versus time characteristics	26
	Table 12 – Receiver requirements without FEC (using Link ID 1)	27
	Table 13 – IEC 61162 Talker Identifiers and Sentence Formatters used for input of data to Equipment for transmission to ASM VDL	28
	Table 14 – IEC 61162 Sentence Formatters used to output ASM VDL	28
	Table 15 – IEC 61162 Sentence Formatters used to output equipment status and input related commands	29
	Table 16 – Use of ASM VDL messages	30
	Table 17 – Message 0 description	31
	Table 18 – Quiet time multiplier	32

Table 19 – Power supply test schedule 36

Table 20 – Carrier power, required results 38

Table 21 – Used parameters and required results for ASM and VDE sensitivity tests 40

Table 22 – Used parameters and required results for ASM and VDE high input level tests 40

Table 23 – Additional channel combinations used for co-channel rejection tests 41

Table 24 – Test signals used for adjacent channel selectivity tests 42

Table 25 – Frequencies for inter-modulation test 44

Table 26 – Test signals used for inter-modulation test 44

Table 27 – Frequencies for blocking test..... 45

Table 28 – Test signals used for blocking test..... 45

Table 29 – Carrier power, required results 53

Table 30 – Used parameters and required results for ASM and VDE sensitivity tests 55

Table 31 – Used parameters and required results for ASM and VDE high input level tests 55

Table 32 – Additional channel combinations used for co-channel rejection tests 55

Table 33 – Test signals used for adjacent channel selectivity tests 56

Table 34 – Frequencies for inter-modulation test 58

Table 35 – Test signals used for inter-modulation test 58

Table 36 – Frequencies for blocking test..... 59

Table 37 – Test signals used for blocking test..... 60

currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – VHF DATA EXCHANGE SYSTEM – REQUIREMENTS AND METHODS OF TESTING FOR STATIONS INCLUDING ASM FUNCTIONALITY

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"); the preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations cooperating with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

A PAS is an intermediate specification made available to the public and needing a lower level of consensus than an International Standard to be approved by vote (simple majority).

IEC PAS 63343 has been processed by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

The text of this PAS is based on the following document:

This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document

Draft PAS	Report on voting
80/975/DPAS	80/982/RVDPAS

Following publication of this PAS, which is a pre-standard publication, the technical committee or subcommittee concerned may transform it into an International Standard.

This PAS shall remain valid for an initial maximum period of 2 years starting from the publication date. The validity may be extended for a single period up to a maximum of 2 years, at the end of which it shall be published as another type of normative document, or shall be withdrawn.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Currently in preview, click buy full version

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – VHF DATA EXCHANGE SYSTEM – REQUIREMENTS AND METHODS OF TESTING FOR STATIONS INCLUDING ASM FUNCTIONALITY

1 Scope

This document specifies technical requirements, methods of test and required test results for equipment implementing ASM part of the VHF Data exchange system (VDES) as defined in ITU-R M.2092.

This document is intended to be the first step of development of standard(s) describing equipment that implement functions of VDES in any combination.

NOTE All text of this document whose wording is identical to applicable external references such as ITU Recommendations is printed in *italics*, and the reference and associated paragraph numbers are indicated in brackets.

NOTE The intention of text written in notation [Future: text] in this document is to include future placeholder for topics that are considered important even for the first implementations that may comply with this document.

Requirements set in this document provide means to mitigate adverse interference to Automatic Identification System (AIS).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945:2002, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61108 (all parts), *Maritime navigation and radiocommunication equipment and systems – Global navigation satellite systems (GNSS)*

IEC 61162-1:2016, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

IEC 61162-450, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 450: Multiple talkers and multiple listeners – Ethernet interconnection*

IEC 61183-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*

IEC 61993-2:2018, *Maritime navigation and radiocommunication equipment and systems – Automatic identification systems (AIS) – Part 2: Class A shipborne equipment of the automatic identification system (AIS) – Operational and performance requirements, methods of test and required test results*

IEC 62320-1:2015, *Maritime navigation and radiocommunication equipment and systems – Automatic identification system (AIS) – Part 1: AIS Base Stations – Minimum operational and performance requirements, methods of testing and required test results*