



BSI Standards Publication

**Electrical interface specifications for  
self ballasted lamps and control gear in  
phase-cut dimmed lighting systems**

---

## National foreword

This Published Document is the UK implementation of IEC TR 63037:2019. It supersedes PD IEC/TR 63037:2016, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee CPL/34, Lamps and Related Equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019  
Published by BSI Standards Limited 2019

ISBN 978 0 539 00582 0

ICS 29.140.99

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 July 2019.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

---



# TECHNICAL REPORT

---

**Electrical interface specifications for self ballasted lamps and controlgear  
in phase-cut dimmed lighting systems**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 29.140.99

ISBN 978-2-8322-7095-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms, definitions, abbreviated terms and symbols.....	7
3.1 Terms and definitions.....	7
3.2 Abbreviated terms and symbols .....	9
4 General description .....	11
5 General requirements .....	11
5.1 Voltage rating .....	11
5.2 Frequency rating.....	11
5.3 Marking of controlgear .....	11
6 Description of the lighting system and its components .....	12
6.1 Wiring method.....	12
6.2 Wiring diagram.....	12
7 Specifications .....	12
7.1 General.....	12
7.2 Electrical characteristics during the on-state of lighting system .....	13
7.2.1 General .....	13
7.2.2 Electrical characteristics for leading edge dimming method .....	13
7.2.3 Electrical characteristics for trailing edge dimming method .....	18
7.3 Electrical characteristics during the off-state of a lighting system .....	23
7.4 Audible noise .....	24
7.5 Ghosting .....	24
7.6 Flicker of light output .....	25
7.7 Dimming range.....	25
7.8 Maximum number of cycles.....	25
8 Test procedures .....	26
8.1 General.....	26
8.2 Parameters .....	26
8.3 Tests for leading edge dimmable devices.....	26
8.3.1 General .....	26
8.3.2 Test related to the non-conducting phase .....	26
8.3.3 Test related to the conducting phase and to the transition from the non-conducting to the conducting phase .....	27
8.4 Tests for trailing edge dimmable devices .....	27
8.4.1 General .....	27
8.4.2 Test related to the conducting phase .....	27
8.4.3 Test related to the transition from the conducting phase to the non-conducting phase .....	28
8.4.4 Test related to the non-conducting phase .....	28
8.5 Tests for characteristics during electronic off-state .....	28
8.6 Testing audible noise .....	29
8.6.1 General .....	29
8.6.2 Test setup .....	29
8.6.3 Test procedures.....	31

8.7	Testing ghosting .....	31
8.8	Measurement method for determining flicker .....	31
8.9	Measurement method for determining dimming range .....	32
Annex A (informative)	Voltage shapes to be used for tests .....	34
A.1	General .....	34
A.2	Waveform description .....	34
Annex B (informative)	Equivalent phase-cut dimmer circuit .....	35
Bibliography	.....	36
Figure 1	– Example of wiring diagram .....	12
Figure 2	– Timing leading edge dimming method .....	14
Figure 3	– Timing trailing edge dimming method .....	19
Figure 4	– Test setup for testing the conducting phase .....	27
Figure 5	– Test setup for the transition from conducting to the non-conducting phase .....	28
Figure 6	– Test setup for the non-conducting phase .....	29
Figure 7	– Test enclosure .....	30
Figure 8	– Geometry of microphone placement in relation to the DU .....	30
Figure 9	– Test setup for determination of RMLO .....	32
Figure A.1	– Waveform of AC voltage .....	34
Figure A.2	– Waveform of AC voltage source .....	34
Figure B.1	– Schematic diagram of EC_D circuit .....	35
Table 1	– Nominal mains voltage 100 V; frequency 50 Hz or 60 Hz .....	15
Table 2	– Nominal mains voltage 120 V; frequency 50 Hz or 60 Hz .....	15
Table 3	– Nominal mains voltage 200 V; frequency 50 Hz or 60 Hz .....	15
Table 4	– Nominal mains voltage 230 V; frequency 50 Hz or 60 Hz .....	15
Table 5	– Nominal mains voltage 277 V; frequency 50 Hz or 60 Hz .....	16
Table 6	– Slew rate for voltage decrease across the phase-cut dimmer .....	16
Table 7	– Nominal mains voltage 100 V; frequency 50 Hz or 60 Hz .....	17
Table 8	– Nominal mains voltage 120 V; frequency 50 Hz or 60 Hz .....	17
Table 9	– Nominal mains voltage 200 V; frequency 50 Hz or 60 Hz .....	17
Table 10	– Nominal mains voltage 230 V; frequency 50 Hz or 60 Hz .....	18
Table 11	– Nominal mains voltage 277 V; frequency 50 Hz or 60 Hz .....	18
Table 12	– Nominal mains voltage from 100 V to 277 V; frequency 50 Hz or 60 Hz .....	20
Table 13	– Nominal mains voltage 100 V; frequency 50 Hz or 60 Hz .....	21
Table 14	– Nominal mains voltage 120 V; frequency 50 Hz or 60 Hz .....	21
Table 15	– Nominal mains voltage 200 V; frequency 50 Hz or 60 Hz .....	22
Table 16	– Nominal mains voltage 230 V; frequency 50 Hz or 60 Hz .....	22
Table 17	– Nominal mains voltage 277 V; frequency 50 Hz or 60 Hz .....	23
Table 18	– Currents and voltages for controlgear during the electronic off-state .....	24
Table 19	– Light output when connected to a dimmer .....	25
Table 20	– Parameters for testing purposes .....	26

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICAL INTERFACE SPECIFICATIONS  
FOR SELF BALLASTED LAMPS AND CONTROLGEAR IN PHASE-CUT  
DIMMED LIGHTING SYSTEMS**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 63037, which is a Technical Report, has been prepared by IEC technical committee 34: Lamps and related equipment.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) emission of audible noise;
- b) ghosting caused by issues that are not related to the power supply of the dimmer or synchronization;

- c) stability of phase angle waveform (for the dimmer), including symmetry and stability tests;
- d) flicker of light loads;
- e) repetitive ring up voltage;
- f) dimming range; and
- g) number of switching cycles have been added.

The text of this Technical Report is based on the following documents:

Draft TR	Report on voting
34/517/DTR	34/583A/RVDTR

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## INTRODUCTION

This document describes the technical requirements for self-ballasted lamps and controlgear to work with phase-cut dimmers. For a complete picture of the technical requirements the user should also refer to IEC TR 63036 (see also IEC 60669-2-1:—, <sup>1</sup> Annex EE), the companion document that contains technical requirements and testing methods for phase-cut dimmers.

Currently in preview, click buy full version

---

<sup>1</sup> Under preparation. Stage at the time of publication IEC AFDIS 60669-2-1:2019.

## **ELECTRICAL INTERFACE SPECIFICATIONS FOR SELF BALLASTED LAMPS AND CONTROLGEAR IN PHASE-CUT DIMMED LIGHTING SYSTEMS**

### **1 Scope**

This document provides guidance to controlgear/integrated lamp designers for the development of products suitable to operate with future phase-cut dimmers. It describes the possible voltage signals and the expected response of the controlgear/integrated lamps.

This document describes the expected response of controlgear during all operation states of a phase-cut lighting system and provides a complete understanding of the requirements for phase-cut dimmers. The response of a phase-cut dimmer is described in IEC 60609-2-1:—, Annex EE.

This document specifies the system performance aspects and test procedures for the control by mains voltage phase-cut dimming of the brightness of mains operated electronic lighting equipment intended to be controlled by mains voltage phase-cut dimmers, such as LED integrated lamps and light sources with external controlgear.

Safety requirements are not covered by this document, but by respective product standards.

### **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845, *International Electrotechnical Vocabulary – Part 845: Lighting* (available at <http://www.electropedia.org>)

IEC 62504, *General lighting – Light emitting diode (LED) products and related equipment – Terms and definitions*

### **3 Terms, definitions, abbreviated terms and symbols**

#### **3.1 Terms and definitions**

For the purposes of this document, the terms and definitions given in IEC 60050-845 and IEC 62504 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

##### **3.1.1**

#### **phase-cut dimmed lighting system lighting system**

combination of a phase-cut dimmer and one or more controlgear and light sources