



BSI Standards Publication

Rotating electrical machines

Part 34: AC adjustable speed rolling mill motors

National foreword

This Published Document is the UK implementation of IEC TS 60034-34:2020.

The UK participation in its preparation was entrusted to Technical Committee PEL/2, Rotating electrical machinery.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2023
Published by BSI Standards Limited 2023

ISBN 978 0 560 96622 4

ICS 29.30.10

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 July 2023.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------



IEC TS 60034-34

Edition 1.0 2020-11

TECHNICAL SPECIFICATION



**Rotating electrical machines –
Part 34: AC adjustable speed rolling mill motors**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.160.01

ISBN 978-2-8322-9046-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	9
3.1 Terms and definitions.....	9
3.2 Terms and definitions for adjustable speed control and rolling operation.....	13
3.3 Terms and definitions for adjustable speed drive system.....	14
3.4 Terms and definitions for monitoring and protection sequence	15
3.5 Terms and definitions for motor installation and site trial operation	15
3.6 Terms and definitions for test.....	16
4 Terminal voltage determination.....	17
5 Duty type and temperature class	19
5.1 General.....	19
5.2 Selection of rolling operation pattern.....	19
5.3 Evaluation of winding temperature deviation during one rolling cycle	20
5.4 Duty type S1 or S9 selection.....	20
5.5 Class B rise or Class F rise selection.....	21
5.6 Overload current duration time limit based on winding temperature deviation in one rolling cycle for RMS current of 100%.....	21
6 Continuous overload capability	22
6.1 General.....	22
6.2 Relative thermal life index of TL value estimation by simplified method	23
6.3 Relative thermal life estimation by precise method.....	24
6.4 Relative thermal life index of TL value determination by precise method	25
7 Mechanical requirements.....	25
7.1 General.....	25
7.2 Mechanical strength for shaft and other transmission parts considering torsional vibration	25
7.3 Vibration transmission through the motor base.....	25
7.4 Tangential forces applied to rotor and stator	25
7.5 Thrust load	25
7.5.1 General	25
7.5.2 Frequently applied thrust load.....	25
7.5.3 Occasionally applied maximum thrust load	26
7.5.4 Emergency maximum thrust load	26
7.6 Radial load for bearings	26
7.7 Overspeed	26
7.8 Stator coil end fixation	26
7.9 Stator shift construction for maintenance inspection.....	26
7.10 Mounting code application	26
8 Withstand voltage capability	26
8.1 Rotor bars or damper bars and short-circuit rings	26
8.2 General.....	27
8.3 Withstand voltage test.....	27
8.4 Withstand voltage capability.....	27

8.4.1	General	27
8.4.2	Ground insulation	27
8.4.3	Turn-to-turn insulation	29
9	Factory tests and recommended site operation tests	29
9.1	General.....	29
9.1.1	General scope for the tests.....	29
9.1.2	Requirements of the site operation test where vector control is applied	29
9.2	Factory test.....	30
9.3	Preparation before trial operation at site	30
9.3.1	General	30
9.3.2	Calibration of feedback signals for the converter	31
9.3.3	Insulation resistance tests for motor	31
9.3.4	Insulation resistance tests for bearings.....	31
9.3.5	Performance test for bearing lubrication oil supply unit.....	31
9.3.6	Confirmation of lubrication oil surface level for bearings	31
9.3.7	Performance test for cooling systems	31
9.3.8	Confirmation of alarm issue levels for motor protection.....	31
9.3.9	Synchronous motor pole position confirmation test	32
9.4	Site uncoupled trial operation.....	32
9.4.1	General	32
9.4.2	Rotational speed build-up test	32
9.4.3	Bearing temperature rise test.....	32
9.5	Site no-load characteristic test.....	32
9.5.1	Induction motor no-load characteristics test.....	32
9.5.2	Synchronous motor no-load characteristics test.....	33
9.5.3	No-load characteristics test record.....	33
9.6	Site acceleration and deceleration test.....	33
10	Grounding	34
10.1	General.....	34
10.2	Protection against bearing currents.....	34
10.3	Protective earthing (PE).....	34
10.4	Functional earthing (FE)	34
11	Rating plate	35
Annex A (normative)	Short-time overload capability	36
A.1	General.....	36
A.2	Frequently applied Art-1 short-time overload capability specification.....	36
A.3	Frequently applied Art-2 short-time overload capability specification.....	39
Annex B (normative)	Rolling operation pattern designation	42
B.1	General.....	42
B.2	Rolling operation pattern for hot reversing rolling	42
B.3	Rolling operation pattern for hot continuous rolling of sheet strip	43
B.4	Rolling operation pattern for continuous caster directly connected hot continuous rolling mills.....	44
B.5	Rolling operation pattern for hot continuous rolling for wire and rod mills	45
B.6	Rolling operation pattern for cold reversing rolling mills	46
B.7	Rolling operation pattern for cold continuous rolling	47
B.8	Operation pattern for coilers and reels	48
Annex C (informative)	Determination of winding temperature deviation in one rolling cycle.....	50

C.1	General.....	50
C.2	Simplified method for estimation of the winding temperature deviation between maximum and mean values in one rolling cycle.....	50
C.3	Precise method for estimation of the winding temperature deviation between maximum and mean in one rolling cycle.....	52
Annex D	(informative) Evaluation of reduced insulation life.....	57
Annex E	(informative) Control system configuration for the assumed adjustable speed rolling mill induction motors.....	59
E.1	Induction motor model and controller configuration.....	59
E.2	Significance of acceleration and deceleration tests.....	62
Annex F	(informative) Control system configuration for the assumed adjustable speed rolling mill synchronous motors.....	63
F.1	Control device configuration and synchronous machine model.....	63
F.2	Significance of acceleration and deceleration tests.....	66
F.3	Magnetic pole position confirmation test.....	67
Annex G	(informative) Mounting code application for the rolling mill motor special cases.....	68
G.1	General.....	68
G.2	IM code application for the twin-drive rolling mill configuration.....	68
G.2.1	General.....	68
G.2.2	IM code application for common base configuration.....	68
G.3	IM code application for sub-base insertion under the motor base for lifting-up motor shaft centre.....	69
G.4	Coupling supply for cylindrical shaft extension.....	70
Bibliography	71
Figure 1	– Example of induction motor terminal voltage versus speed.....	18
Figure 2	– Example of synchronous motor terminal voltage versus speed.....	18
Figure 3	– Selection of motor temperature rise based on the temperature deviation in one rolling cycle and shock load conditions.....	21
Figure 4	– Example of overload current duration time limit based on winding temperature deviation between maximum and mean, in one rolling cycle RMS current of 100 %.....	22
Figure 5	– Example of discrete constant loads with 115 % continuous overload.....	24
Figure 6	– 2-level inverter configuration, waveform and switching surge voltage.....	28
Figure 7	– 3-level inverter configuration, waveform and switching surge voltage.....	28
Figure 8	– Example of protective earthing and functional earthing.....	35
Figure A.1	– Art-1 short-time overload capability of Type-A motors.....	37
Figure A.2	– Art-1 short-time overload capability of Type-B motors.....	38
Figure A.3	– Art-2 short-time overload capability of Type-A motors.....	40
Figure A.4	– Art-2 short-time overload capability of Type-B motors.....	41
Figure B.1	– Typical rolling operation pattern for hot reversing rolling.....	43
Figure B.2	– Typical rolling operation for hot continuous rolling of sheet strip.....	44
Figure B.3	– Typical rolling operation pattern for continuous caster connected hot continuous rolling for sheet strip.....	45
Figure B.4	– Typical rolling operation pattern for hot continuous rolling for wire and rod mills.....	46
Figure B.5	– Typical rolling operation pattern for cold reversing rolling mills.....	47

Figure B.6 – Typical rolling operation pattern for cold continuous rolling	48
Figure B.7 – Typical rolling operation pattern for coilers and reels	49
Figure C.1 – Winding temperature rise as a step response for the first order delay system with the winding thermal equivalent time constant of T	50
Figure C.2 – Numerical calculation result for the condition in Table C.1	52
Figure C.3 – Equivalent rectangular current waveform introduction	52
Figure C.4 – Torque, speed, and current deviation in one rolling cycle for hot strip mill finishing motor	54
Figure C.5 – An example of winding temperature deviation estimation in one rolling cycle by the precise method.....	55
Figure D.1 – Example of stator coil insulation surface crack caused by repetitive mechanical stress	58
Figure E.1 – Example configuration of induction motor (IM) control system	60
Figure F.1 – Principle of armature reaction compensation.....	64
Figure F.2 – Example configuration of synchronous motor (SM) control system	65
Figure F.3 – Armature current and field current waveform example for the adjustable speed rolling mill synchronous motor for reversing rotational direction	66
Figure G.1 – IM code application for bottom forward twin drive configuration with common motor bases	69
Figure G.2 – IM code application for sub-base insertion under the motor base for increasing motor shaft centre	70
Table 1 – Thermal life shortening due to the super temperature in one rolling cycle.....	20
Table A.1 – Art-1 short-time overload capability of Type-A motors	38
Table A.2 – Art-1 short-time overload capability of Type-B motors	39
Table A.3 – Art-2 short-time overload capability of Type-A motors	40
Table A.4 – Art-2 short-time overload capability of Type-B motors	41
Table C.1 – Calculation example for repetitive 225 % overload current with $RMS = 1,0$	51
Table C.2 – An example of winding temperature deviation estimation in one rolling cycle by the precise method.....	56

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ROTATING ELECTRICAL MACHINES –**Part 34: AC adjustable speed rolling mill motors**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publications”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a Technical Specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the likelihood but no immediate possibility of an agreement on an International Standard.

Technical Specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 60034-34, which is a Technical Specification, has been prepared by IEC technical committee 2: Rotating machinery.

The text of this Technical Specification is based on the following documents:

Draft TS	Report on voting
2/1995/DTS	2/2017/RVDTS

Full information on the voting for the approval of this Technical Specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60034 series, published under the general title *Rotating electrical machines*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Rolling mill DC motors have 100 years of successful history. These metal rolling mill motors have been manufactured based on specific U.S.A. National Electric Manufacturers Association (NEMA) standards.

However, the control technology development, owing to progress in semiconductor device technology and micro-processor application technology, has made it practical to use AC adjustable speed rolling mill motors, both induction and synchronous motor types.

On the other hand, structures and characteristics of AC motors are far different from those for DC motors. Therefore, for application of AC adjustable speed rolling mill motors the purchaser and equipment supplier need a common understanding. This document incorporates various technical aspects of experience with DC mill motors and AC motor application experiences.

It introduces the field weakening control concept and overload operation as applied to AC adjustable speed rolling mill motors, and uses this information to specify factory test voltages to be used.

Various types of overload capacity conditions and overloads are defined. The possible effect on motor insulation life due to operating the motor beyond its design capability is discussed.

Requirements for confirmation of motor under specified variable speed operational conditions are introduced.

Rolling loads are defined for several application conditions. These supplement the duty classifications in IEC 60034-1 with specific cases.

ROTATING ELECTRICAL MACHINES –

Part 34: AC adjustable speed rolling mill motors

1 Scope

This part of IEC 60034 is applicable to AC adjustable speed rolling mill motors and identifies specific requirements for AC adjustable speed rolling mill motors, where those performance characteristics are different from those for conventional AC motors.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1:2017, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60034-2 (all parts), *Rotating electrical machines*

IEC 60034-7:1992, *Rotating electrical machines – Part 7: Classification of types of constructions and mounting arrangements (IM Code)*

IEC 60034-7:1992/AMD1:2000

IEC 60417, *Graphical symbols for use on equipment – 12-month subscription to regularly updated online database comprising all graphical symbols published in IEC 60417*

IEC 61800-4:2002, *Adjustable speed electrical power drive systems – Part 4: General requirements – Rating specifications for a.c. power drive systems above 1 000 V a.c. and not exceeding 35 kV*

3 Terms and definitions

For purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 Terms and definitions

3.1.1

AC adjustable speed rolling mill motor

motor which is applied to metal rolling mill applications

Note 1 to entry: AC motors for rolling mills have the following specific features:

- a) high short time overload capability;
- b) strong mechanical construction to withstand shock load torque and vibration.