



BSI Standards Publication

Electric vehicle wireless power transfer (WPT) systems

Part 3: Specific requirements for the magnetic field wireless power transfer systems

National foreword

This Published Document is the UK implementation of IEC TS 61980-3:2019.

The UK participation in its preparation was entrusted to Technical Committee PEL/69, Electric vehicles.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019
Published by BSI Standards Limited 2019

ISBN 978 0 580 88639 3

ICS 43.120

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 June 2019.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------



IEC TS 61980-3

Edition 1.0 2019-06

TECHNICAL SPECIFICATION



**Electric vehicle wireless power transfer (WPT) systems –
Part 3: Specific requirements for the magnetic field wireless power transfer
systems**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 43.120

ISBN 978-2-8322-6675-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
4 Abbreviations	13
4 Symbols and abbreviated terms.....	13
5 General	13
6 Classification.....	13
7 Interoperability	15
7 System infrastructure requirements	15
8 General systems requirements	24
9 Communication.....	24
10 Protection against electric shock	24
11 Specific requirements for WPT systems.....	25
12 Power cable assembly requirements.....	26
13 Constructional requirements	27
14 Strength of materials and parts.....	27
15 Service and test conditions.....	28
16 Electromagnetic compatibility (EMC)	28
17 Marking and instructions.....	28
101 Test procedure	28
Annex AA (informative) DD reference EV power circuit (EVPC) for MF-WPT1, MF-WPT2 and MF-WPT3	37
Annex BB (informative) Circular reference EV power circuit (EVPC) for MF-WPT1, MF-WPT2 and MF-WPT3	54
Annex CC (informative) Heavy-duty magnetic field WPT	73
Annex DD (informative) Composition in parking spot.....	79
Annex EE (informative) Description for system interoperability.....	80
Bibliography.....	107
Figure 101 – Flush mounted	11
Figure 102 – Surface mounted.....	12
Figure 103 – Components of an MF-WPT system	16
Figure 104 – Control loop of WPT system	21
Figure 105 – Illustration of test positions.....	30
Figure AA.1 – Mechanical dimensions of the MF-WPT1/Z1 DD reference secondary device.....	38
Figure AA.2 – Schematic of the EV power electronics for the MF-WPT1/Z1 DD reference EVPC.....	39
Figure AA.3 – Mechanical dimensions of the MF-WPT1/Z2 DD reference secondary device.....	40

Figure AA.4 – Schematic of the EV power electronics for the MF-WPT1/Z2 DD reference EVPC.....	41
Figure AA.5 – Mechanical dimensions of the MF-WPT2/Z1 DD reference secondary device.....	42
Figure AA.6 – Schematic of the EV power electronics for the MF-WPT2/Z1 DD reference EVPC.....	43
Figure AA.7 – Mechanical dimensions of the MF-WPT2/Z2 DD reference secondary device.....	44
Figure AA.8 – Schematic of the EV power electronics for the MF-WPT2/Z2 DD reference EVPC.....	45
Figure AA.9 – Mechanical dimensions of the MF-WPT2/Z3 DD reference secondary device.....	46
Figure AA.10 – Schematic of the EV power electronics for the MF-WPT2/Z3 DD reference EVPC.....	47
Figure AA.11 – Mechanical dimensions of the MF-WPT3/Z1 DD reference secondary device.....	48
Figure AA.12 – Schematic of the EV power electronics for the MF-WPT3/Z1 DD reference EVPC.....	49
Figure AA.13 – Mechanical dimensions of the MF-WPT3/Z2 DD reference secondary device.....	50
Figure AA.14 – Schematic of the EV power electronics for the MF-WPT3/Z2 DD reference EVPC.....	51
Figure AA.15 – Mechanical dimensions of the MF-WPT3/Z3 DD reference secondary device.....	52
Figure AA.16 – Schematic of the EV power electronics for the MF-WPT3/Z3 DD reference EVPC.....	53
Figure BB.1 – Mechanical dimensions of the MF-WPT1/Z1 circular reference secondary device.....	55
Figure BB.2 – Schematic of the EV power electronics for the MF-WPT1/Z1 circular reference EVPC.....	56
Figure BB.3 – Mechanical dimensions of the MF-WPT1/Z2 circular reference secondary device.....	57
Figure BB.4 – Schematic of the EV power electronics for the MF-WPT1/Z2 circular reference EVPC.....	58
Figure BB.5 – Mechanical dimensions of the MF-WPT1/Z3 circular reference secondary device.....	59
Figure BB.6 – Schematic of the EV power electronics for the MF-WPT1/Z3 circular reference EVPC.....	59
Figure BB.7 – Mechanical dimensions of the MF-WPT2/Z1 circular reference secondary device.....	61
Figure BB.8 – Schematic of the EV power electronics for the MF-WPT2/Z1 circular reference EVPC.....	62
Figure BB.9 – Mechanical dimensions of the MF-WPT2/Z2 circular reference secondary device.....	63
Figure BB.10 – Schematic of the EV power electronics for the MF-WPT2/Z2 circular reference EVPC.....	64
Figure BB.11 – Mechanical dimensions of the MF-WPT2/Z3 circular reference secondary device.....	65
Figure BB.12 – Schematic of the EV power electronics for the MF-WPT2/Z3 circular reference EVPC.....	66

Figure BB.13 – Mechanical dimensions of the MF-WPT3/Z1 circular reference secondary device 67

Figure BB.14 – Schematic of the EV power electronics for the MF-WPT3/Z1 circular reference EVPC 68

Figure BB.15 – Mechanical dimensions of the MF-WPT3/Z2 circular reference secondary device 69

Figure BB.16 – Schematic of the EV power electronics for the MF-WPT2/Z2 circular reference EVPC 70

Figure BB.17 – Mechanical dimensions of the MF-WPT3/Z3 circular reference secondary device 71

Figure BB.18– Schematic of the EV power electronics for the MF-WPT3/Z3 circular reference EVPC 72

Figure CC.1 – Mechanical dimensions of the MF-WPT5 heavy-duty WPT reference primary device 75

Figure CC.2 – Schematic of supply power electronics for the heavy-duty WPT reference primary device 76

Figure CC.3 – Mechanical dimensions of the MF-WPT5 heavy-duty WPT reference secondary device 77

Figure CC.4 – Schematic of the EV power electronics for the MF-WPT5 heavy-duty WPT secondary reference device 78

Figure DD.1 – Coil position in parking spot 79

Figure EE.1 – General schematic of the concept showing the coil system and the ports at which the parameters are defined 81

Figure EE.2 – Example of GA impedance zone with stimulation results for different reference primary devices and secondary devices 89

Figure EE.3 – Schematic to explain impedance 91

Figure EE.4 – Behaviour of the reflected impedance 92

Figure EE.5 – Position of measurement points 95

Figure EE.6 – Coaxial gauge device 97

Figure EE.7 – Transversal gauge device 99

Figure EE.8 – Design of wiring for the transversal gauge device 100

Figure EE.9 – Exemplary test bench setup for secondary interoperability tests 101

Figure EE.10 – Exemplary test bench setup for primary device interoperability tests 103

Figure EE.11 – Test set-up for electric interoperability design testing 105

Figure EE.12 – Test set-up for electric interoperability design testing 105

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRIC VEHICLE WIRELESS POWER TRANSFER (WPT) SYSTEMS –**Part 3: Specific requirements for the magnetic field wireless power transfer systems**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 61980-3, which is a Technical Specification, has been prepared by IEC technical committee 69: Electric road vehicles and electric industrial trucks.

The text of this Technical Specification is based on the following documents:

Draft TS	Report on voting
69/554A/DTS	69/616B/RVDTS

Full information on the voting for the approval of this Technical Specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61980 series, published under the general title *Electric vehicle wireless power transfer (WPT) systems*, can be found on the IEC website.

This part is to be used in conjunction with IEC 61980-1:2015.

The clauses of the particular requirements in this document supplement or modify the corresponding clauses in IEC 61980-1:2015. Where the text indicates an "addition" to or a "replacement" of the relevant requirement, test specification or explanation of IEC 61980-1:2015, these changes are made to the relevant text of IEC 61980-1:2015, which then becomes part of the standard. Where no change is necessary, the words "Clause xx of IEC 61980-1:2015 is applicable" are used. Additional items to those of IEC 61980-1:2015 are numbered starting 101. Additional annexes are lettered from AA onwards.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be:

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 61980 series is published in separate parts according to the following structure:

- IEC 61980-1 covers general requirements for electric road vehicle (EV) wireless power transfer (WPT) systems including general background and definitions. (e.g. efficiency, electrical safety, EMC);
- IEC TS 61980-2 covers specific requirements for communication between electric road vehicle (EV) and wireless power transfer (WPT) systems including general background and definitions.
- IEC TS 61980-3 covers specific requirements for electric road vehicle (EV) magnetic field wireless power transfer (MF-WPT) systems including general background and definitions (e.g. efficiency, electrical safety, EMC).

The requirements described in IEC 61980-1 are general. The technical requirements for the various wireless power transfer (WPT) technologies are very different; they are specified in the technology specific parts of the IEC 61980 series. A list of possible WPT technologies is listed in IEC 61980-1. The requirements for magnetic field wireless power transfer systems (MF-WPT) are described in this document. Further parts of the IEC 61980 series will describe other technologies such as power transfer via electric field (EF-WPT) or via electromagnetic field wireless power transfer systems (EF-WPT) or electromagnetic field-WPT systems, also named microwave-WPT systems (MW-WPT).

Reference to "technology specific parts" always refers to each part of the IEC 61980 series. The structure of the "technology specific parts" follows the structure of IEC 61980-1.

WPT systems are still under development. For this reason, there is the future but not immediate possibility of an agreement to publish an International Standard. The committee has decided, by following the procedure set out in ISO/IEC Directives part 1:2018, 2.3, that the publication of a Technical Specification is appropriate. The reason for publishing the Technical Specification is a high market need for a first basic technical description.

IEC TS 61980-2, also published as a Technical Specification for the same reason as IEC TS 61980-3, deals with communication and for this reason has an independent structure. The numbering of the clauses does not follow the numbering of the other parts of the IEC 61980 series.

The electric road vehicle (EV) requirements of the MF-WPT system are covered by ISO PAS 19363.

ELECTRIC VEHICLE WIRELESS POWER TRANSFER (WPT) SYSTEMS –

Part 3: Specific requirements for the magnetic field wireless power transfer systems

1 Scope

This part of IEC 61980, which is a Technical Specification, applies to the equipment for the magnetic field wireless power transfer (MF-WPT) of electric power from the supply network to electric road vehicles for purposes of supplying electric energy to the RESS (rechargeable energy storage system) and/or other on-board electrical systems. The MF-WPT system operates at standard supply voltages ratings per IEC 60038 up to 1 000 V AC and up to 1 500 V DC. The power transfer takes place while the electric vehicle (EV) is stationary.

This document also applies to MF-WPT equipment supplied from on-site storage systems (e.g. buffer batteries) at standard supply voltages ratings per IEC 60038 up to 1 000 V AC and up to 1 500 V DC.

The aspects covered in this document include

- the characteristics and operating conditions,
- the required level of electrical safety,
- requirements for basic communication for safety and process matters if required by a MF-WPT system,
- requirements for positioning to assure efficient and safe MF-WPT power transfer, and
- specific EMC requirements for MF-WPT systems.

The following aspects are under consideration for future documents:

- requirements for two- and three-wheel vehicles,
- requirements for MF-WPT systems supplying power to EVs in motion, and
- requirements for bidirectional power transfer.

This standard does not apply to

- safety aspects related to maintenance, and
- trolley bus, rail vehicles and vehicles designed primarily for use off-road.

NOTE The terms used in this document are specifically for MF-WPT.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60947-2, *Low-voltage switchgear and controlgear – Part 2: Circuit-breakers*

IEC 61008-1, *Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) – Part 1: General rules*