



BSI Standards Publication

High-voltage switchgear and controlgear

Part 304: Classification of indoor enclosed switchgear and controlgear for rated voltages above 1 kV up to and including 52 kV related to the use in special service conditions with respect to condensation and pollution

National foreword

This Published Document is the UK implementation of IEC TS 62271-304:2019. It supersedes DD CLC/TS 62271-304:2008, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PEL/17, High voltage switchgear, controlgear and assemblies.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019
Published by BSI Standards Limited 2019

ISBN 978 0 580 95499 3

ICS 29.130.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 March 2019.

Amendments/corrigenda issued since publication

| Date | Text affected |
|------|---------------|
|------|---------------|



IEC TS 62271-304

Edition 2.0 2019-03

TECHNICAL SPECIFICATION

SPECIFICATION TECHNIQUE



**High-voltage switchgear and controlgear –
Part 304: Classification of indoor enclosed switchgear and controlgear for rated
voltages above 1 kV up to and including 52 kV related to the use in special
service conditions with respect to condensation and pollution**

**Appareillage à haute tension –
Partie 304: Classification de l'appareillage d'intérieur sous enveloppe pour
tensions assignées supérieures à 1 kV et jusqu'à 52 kV inclus relatives à
l'utilisation dans des conditions spéciales de service en ce qui concerne la
condensation et la pollution.**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.130.10

ISBN 978-2-8322-6674-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|--|----|
| FOREWORD | 4 |
| 1 Scope | 6 |
| 2 Normative references | 6 |
| 3 Terms and definitions | 6 |
| 4 Definition of indoor service conditions under condensation and pollution | 7 |
| 5 Classification of enclosed switchgear and controlgear | 8 |
| 6 Test procedure for classification | 8 |
| 7 Test facilities and associated requirements | 9 |
| 7.1 Climatic test room | 10 |
| 7.2 Measurement and control requirements | 10 |
| 7.3 Energizing facilities | 10 |
| 7.4 Information to be included in the test report | 10 |
| 8 Arrangement of the equipment for test | 11 |
| 9 Ageing test | 11 |
| 9.1 Level 1 ageing test | 11 |
| 9.2 Level 2 ageing test | 12 |
| 10 Electrical assessment after ageing test | 13 |
| 10.1 General | 13 |
| 10.2 Criteria to pass the tests | 14 |
| Annex A (informative) Climatic test room | 15 |
| Annex B (informative) Typical indoor environments | 16 |
| B.1 General | 16 |
| B.2 Pollution | 16 |
| Annex C (informative) Typical precautions to improve indoor operating conditions | 20 |
| C.1 General | 20 |
| C.2 Precautions for operating room | 20 |
| Annex D (informative) Mechanical assessment | 21 |
| Annex E (informative) Pollution testing conditions, parameters, and procedure | 22 |
| E.1 General | 22 |
| E.2 Proposal for new classes | 22 |
| E.3 Testing procedure | 22 |
| E.3.1 Testing conditions | 22 |
| E.3.2 Testing parameters | 23 |
| E.3.3 Testing procedure | 23 |
| Bibliography | 26 |
| Figure 1 – Flow chart for classification testing procedure | 9 |
| Figure 2 – Climatic conditions for ageing test for level 1 and electrical assessment | 12 |
| Figure 3 – Power-frequency voltage test sequences with high humidity after ageing test | 14 |
| Figure A.1 – Climatic test room | 15 |
| Figure E.1 – Test cycle | 24 |
| Table B.1 – Examples of typical environments (IEC TS 60815-1, IEC 60721-3-3) | 17 |

| | |
|--|----|
| Table B.2 – Concentrations of some of the most important pollutants in different types of environments (Annex B of ISO 9223:2012 [8], IEC 60721-3-3) | 18 |
| Table B.3 – Deposits of some of the most important pollutants in different types of environments (Annex B of ISO 9223:2012 [8], IEC TS 60815-1, IEC 60721-3-3, IEC 60721-2-5[7]) | 19 |
| Table C.1 – Typical precautions to improve indoor operating conditions..... | 20 |

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 304: Classification of indoor enclosed switchgear and controlgear for rated voltages above 1 kV up to and including 52 kV related to the use in special service conditions with respect to condensation and pollution

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a Technical Specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical Specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62771-304, which is a Technical Specification, has been prepared by subcommittee 17C: Assemblies, of IEC technical committee 17: High-voltage switchgear and controlgear.

This second edition cancels and replaces the first edition published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the description of the several service conditions under condensation and pollution;
- b) the classification of enclosed switchgear and controlgear, according to the testing procedure does not cover polluted service conditions P_L and P_H ;
- c) a wider description in Annex B of typical indoor environments based on ISO/IEC standards;
- d) a new Annex C giving guidance on precautions to improve indoor operating conditions;
- e) a new Annex D dedicated to the optional items such as records of mechanical characteristics;
- f) a new Annex E, giving additional combinations of environments with condensation and pollution, as well as a proposal of testing procedure of ageing test, is provided to create experience on correlation between ageing effects in laboratory and ageing effects at site conditions.

The text of this Technical Specification is based on the following documents:

| | |
|-------------|------------------|
| Draft TS | Report on voting |
| 17C/679/DTS | 17C/691/RVTS |

Full information on the voting for the approval of this Technical Specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62271 series, under the general title *High-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 304: Classification of indoor enclosed switchgear and controlgear for rated voltages above 1 kV up to and including 52 kV related to the use in special service conditions with respect to condensation and pollution

1 Scope

This part of IEC 62271, which is a Technical Specification, applies to indoor enclosed switchgear and controlgear complying with IEC 62271-200 and IEC 62271-201, intended to be used in special service conditions with respect to condensation and pollution deviating from the normal service conditions specified in IEC 62271-1.

The test detailed in this document has been designed primarily to classify the electrical insulation performance of equipment having high-voltage electrical insulation exposed to indoor service conditions, mainly in presence of condensation. The assessment of mechanical components, such as mechanisms, interlocks and enclosure is also considered.

In this document, the term "equipment" is used in accordance with the scope for an "enclosed assembly of switchgear and controlgear" (see IEC 60050-441, subclause 441-12-02).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60721-3-3, *Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 3: Stationary use at weatherprotected locations*

IEC TS 60815-1, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 1: Definitions, information and general principles*

IEC 62271-1:2017, *High-voltage switchgear and controlgear – Part 1: Common specifications for alternating current switchgear and controlgear*

IEC 62271-200, *High-voltage switchgear and controlgear – Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV*

IEC 62271-201, *High-voltage switchgear and controlgear – Part 201: AC solid-insulation enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62271-1 apply.