



BSI Standards Publication

Marine energy — Wave, tidal and other water current converters

Part 202: Early stage development of tidal energy converters — Best practices and recommended procedures for the testing of pre-prototype scale devices

National foreword

This Published Document is the UK implementation of IEC TS 62600-202:2022.

The UK participation in its preparation was entrusted to Technical Committee PEL/114, Marine energy - Wave, tidal and other water current converters.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 500 97343 7

ICS 27.140

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2022.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------



IEC TS 62600-202

Edition 1.0 2022-04

TECHNICAL SPECIFICATION



**Marine energy – Wave, tidal and other water current converters –
Part 202: Early stage development of tidal energy converters – Best practices
and recommended procedures for the testing of pre-prototype scale devices**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.140

ISBN 978-2-8322-1095-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	10
4 Symbols and abbreviated terms.....	11
5 Staged development approach	11
5.1 General.....	11
5.2 Stage 1	11
5.2.1 Scope.....	14
5.2.2 Stage gate.....	14
5.3 Stage 2.....	15
5.3.1 Scope.....	15
5.3.2 Stage gate.....	15
5.4 Stage 3.....	16
5.4.1 Scope.....	16
5.4.2 Stage gate.....	16
6 Test planning.....	17
6.1 TEC similitudes.....	17
6.1.1 General	17
6.1.2 Reynolds scaling	18
6.1.3 Temperature and salinity effects on Reynolds number	21
6.2 Power take off (PTO) similitude.....	21
6.3 Design statement.....	21
6.4 Facility selection and outline plan.....	23
6.4.1 General	23
6.4.2 Stage 1 and Stage 2.....	23
6.4.3 Stage 3.....	25
6.5 Physical model considerations	26
6.5.1 General	26
6.5.2 Stage 1.....	26
6.5.3 Stage 2.....	27
6.5.4 Stage 3.....	27
6.5.5 Methods for applying torque	27
6.5.6 Methods for controlling angular velocity.....	28
6.6 Additional test procedures.....	28
6.6.1 Dry run	28
6.6.2 Natural frequency	28
6.7 Uncertainties and repeat tests	28
7 Reporting requirements	29
7.1 Overview.....	29
7.2 General.....	29
7.3 Test conditions and goals	29
7.3.1 General	29
7.3.2 Facility selection report.....	29
7.3.3 Physical model report	30

7.3.4	Measurement procedure report	30
7.4	Presentation of results	30
8	Data acquisition	31
8.1	Signal conditioning	31
8.2	Sample rate	32
8.3	Analogue to digital conversion and DAQ system	32
8.4	Frequency response	32
8.5	Data synchronization	32
8.6	Data recording	33
8.7	Recording of supplementary test data	33
8.8	Calibration factors/Physical units	33
8.9	Instrument response functions	33
8.10	Health monitoring and verification of signals	33
8.11	Special data acquisition requirements for Stage 3 open ocean trials	34
9	Testing environment characterization	34
9.1	General	34
9.2	Environmental measurements	34
9.3	Inflow/ Onset velocity	35
9.3.1	General	35
9.3.2	Inferred inflow velocity	36
9.3.3	Point measurement	36
9.4	Velocity shear profile	36
9.4.1	General	36
9.4.2	Measuring a velocity shear profile	36
9.4.3	Presenting velocity shear profile	37
9.5	Wave climate	37
9.5.1	General	37
9.5.2	Measuring waves	38
9.6	Turbulence	38
9.6.1	General	38
9.6.2	Turbulence intensity	38
9.6.3	Integral length and time scales	39
9.6.4	Other considerations	39
9.7	Temperature, salinity, density and viscosity	39
10	Turbine rotor performance characterization	39
10.1	Testing goals	39
10.2	Performance indicators	40
10.2.1	General	40
10.2.2	Power, torque and angular velocity	40
10.2.3	Turbine rotor drag (thrust)	40
10.3	Non-dimensional performance indicators	40
10.3.1	General	40
10.3.2	Torque performance characterization	40
10.3.3	Power performance characterization	40
10.3.4	Thrust performance characterization	41
10.3.5	Presentation of non-dimensional results	41
11	Motions and loads under operational conditions	41
11.1	Testing goals	41

11.2	Testing similitude	41
11.3	Platform motions	42
11.4	Local loads, cross-sectional loads and mooring or global loads	43
11.5	Test conditions	44
11.5.1	Stage 1 and 2	44
11.5.2	Stage 3	45
11.5.3	Fatigue measures	45
12	Motions and loads under survival conditions	45
12.1	Testing goals	45
12.2	Testing similitude	46
12.3	Signal measurements	47
12.4	Environmental Input parameters	47
12.4.1	General	47
12.4.2	Stage 1 and 2	47
12.4.3	Stage 3	48
12.5	Performance indicators	48
13	Testing of arrays	48
Annex A	(informative) Stage gates	49
A.1	General	49
A.2	Design statements	49
A.3	Stage gate criteria	49
A.4	Uncertainty factors	50
A.5	Third party review	50
Annex B	(informative) Device type	51
B.1	General	51
B.2	Axial flow turbines	51
B.3	Cross-flow turbines	51
B.4	Hydrofoil devices	52
B.5	Other	52
B.5.1	Ducted devices	52
B.5.2	Oscillating devices	52
B.5.3	Underwater tests	52
Annex C	(informative) Facilities selection	53
C.1	General	53
C.2	Towing tank	53
C.3	Recirculating water channel/flume	53
C.4	Open water push test	54
C.5	Tidal test site	54
C.6	Cavitation tunnel	55
C.7	Other facilities	55
C.7.1	General	55
C.7.2	Other specialized basins and tanks	55
C.7.3	Wind tunnel	55
C.7.4	Rotating arm facility	55
C.8	Facilities comparison	55
Annex D	(informative) Instruments	57
D.1	General	57
D.2	Flow characteristics	57

D.2.1	General	57
D.2.2	Acoustic techniques	57
D.2.3	Optical techniques	57
D.2.4	Other techniques	58
D.3	Wave measurement	58
D.4	Structural characteristics	58
D.5	Measurement and control of turbine shaft angular velocity	58
D.6	Measuring torque	59
D.7	Measuring thrust	59
D.8	Mooring force measurement	59
D.9	Model motion	59
D.9.1	Optical multi camera six degree of freedom measurement system	59
D.9.2	Gyroscope, accelerometer, compass, GPS	60
	Bibliography	61
	Figure 1 – Power and drag (thrust) coefficients for the US Department of Energy Reference Model vertical-axis cross-flow turbine (RM2) tested in a towing tank (Bachant <i>et al.</i> 2016)	20
	Figure 2 – Effect of Reynolds number on performance – Power (left) and thrust (right) coefficient for reference model RM2 at $\lambda = 3,1$ plotted versus turbine diameter and approximate average turbine blade root chord Reynolds number (Bachant <i>et al.</i> 2016)	20
	Figure 3 – Effect of Reynolds number on performance – Power coefficient versus tip speed ratio (left) and power coefficient at $\lambda = 1,9$ plotted versus turbine diameter and approximate average turbine blade root chord Reynolds number (right), both for UNH-RVAT turbine (Bachant and Wosnik 2016)	20
	Table 1 – Staged development approach	13
	Table 2 – Scaling considerations	18
	Table 3 – Presentation of continuous measured indicators	31
	Table 4 – Presentation of discrete measured indicators	31
	Table 5 – Environmental measurements	35
	Table 6 – Instruments suitable for velocity profiling	37
	Table 7 – Environmental performance indicators	38
	Table 8 – Geometric similitude requirements (operational environments)	42
	Table 9 – Structural similitude requirements (operational environments)	42
	Table 10 – Kinematic signal measurements (operational environments)	43
	Table 11 – Dynamic signal measurements (operational environments)	44
	Table 12 – Current parameters for kinematics and dynamics testing (operational conditions)	45
	Table 13 – Geometric similitude requirements (survival environments)	46
	Table 14 – Structural similitude requirements (survival environments)	47
	Table C.1 – Pros and cons of testing in towing tanks	53
	Table C.2 – Pros and cons of testing in recirculating water channels/flumes	54
	Table C.3 – Pros and cons of open water push tests	54
	Table C.4 – Pros and cons of testing at tidal test sites	55
	Table C.5 – Comparison of facilities	56

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARINE ENERGY – WAVE, TIDAL AND OTHER WATER
CURRENT CONVERTERS –****Part 202: Early stage development of tidal energy converters –
Best practices and recommended procedures for the
testing of pre-prototype scale devices**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible in any way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 62600-202 has been prepared by IEC technical committee 114: Marine energy – Wave, tidal and other water current converters. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
114/407/DTS	114/414A/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

A list of all parts in the IEC 62600 series, published under the general title *Marine energy – Wave, tidal and other water current converters*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

To further develop the tidal energy industry, Stage Gates, best practices and recommended procedures for the testing of pre-prototype scale devices must be well understood. This document is a collaborative effort from technology developers, academic researchers and test facility managers.

The purpose of this document is to provide a structured approach in testing and evaluating Tidal Energy Converters. By following a standardised design path, risk will be reduced and stakeholder confidence increased. Through best practise guidance and applicable methodologies this document will ensure consistent, appropriate and comparable data is collected for the characterization and analysis required in the development of a Tidal Energy Converter. Furthermore, the reporting procedures will ensure that the results can be replicated by others.

The core of this document follows a Stage Gate approach; for each stage the program of work is outlined and supporting information relating to test planning and reporting presented. The specific recommendations are provided in a holistic manner guiding the process with respect to test planning, reporting requirements, data acquisition, test environment characterization, and characterization of both rotor and device (motion) performance. Annexes provide the reader with further information on facility selection and instrumentation.

The overall goal of this document is to accommodate the majority of technology developers and facilitate a coherent and structured approach that will accelerate the tidal energy sector in fulfilling its market potential as a renewable energy contributor. However, it is recognised that this document will not cover every eventuality that may be relevant for all users. Therefore, this document assumes that the user is familiar with the subject matter and has access to, and reviews relevant literature, including the literature cited herein.

NOTE This document presently does not describe testing under wave-current interaction, effects of turbulence on tidal energy converters beyond a basic introduction to some turbulence parameters typically reported, and quantification of uncertainty which is covered in other reference documents.

+

MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

Part 202: Early stage development of tidal energy converters – Best practices and recommended procedures for the testing of pre-prototype scale devices

1 Scope

This document specifies the development stages of Tidal Energy Converters up to the pre-prototype scale (Stages 1 to 3). It includes the hydraulic laboratory test programs, where environmental conditions are controlled so they can be scheduled, and the first scaled system open-water trials, where combinations of tidal currents, wind and waves occur naturally and the programs are adjusted and flexible to accommodate these conditions. Full-scale prototype (Stages 4 and 5) development is not covered in this document.

This document describes the minimum test programs that form the basis of a structured technology development schedule. For each testing campaign, the prerequisites, goals and minimum test plans are specified. This document addresses:

- a) Planning an experimental program, including a design statement, technical drawings, selection of scale and facility based on physical laws, site data and other inputs;
- b) Device representation and characterization, including the physical device model, power-take-off components, foundation and mooring arrangements where appropriate;
- c) Energy resource and environment characterization, concerning either the tank testing facility or the open-water deployment site, depending on the stage of development;
- d) Specification of explicit test goals, including power conversion performance and device loads.

Guidance on the measurement sensors and data acquisition packages is included, but not dictated. Providing that the specified parameters and tolerances are adhered to, the device developer is free to select the components and instrumentation.

An important element of testing is to define the limitations and accuracy of the raw data and, more specifically, the results and conclusions drawn from the trials. A methodology of addressing these limitations is presented with each goal so the plan always produces defensible results of defined uncertainty.

It is anticipated that this document will serve a wide audience of tidal energy stakeholders, including device developers and their technical advisors; government agencies and funding councils; test centers and certification bodies; private investors; and environmental regulators and non-governmental organizations.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 62600-1, *Marine energy – Wave, tidal and other water current converters – Part 1: Vocabulary*

IEC TS 62600-101, *Marine energy – Wave, tidal and other water current converters – Part 101: Wave energy resource assessment and characterization*