



BSI Standards Publication

## Industrial networks — Ethernet- APL port profile specification

---

## National foreword

This Published Document is the UK implementation of IEC TS 63444:2023.

The UK participation in its preparation was entrusted to Technical Committee GEL/65, Measurement and control.

A list of organizations represented on this committee can be obtained on request to its committee manager.

### Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2023  
Published by BSI Standards Limited 2023

ISBN 978 0 55 7 22362 0

ICS 29.240

**Compliance with a Published Document cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 November 2023.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

---



# TECHNICAL SPECIFICATION

---

Industrial networks – Ethernet-APL port profile specification

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 29.240

ISBN 978-2-8322-7821-5

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms, definitions, abbreviated terms and acronyms .....	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms, symbols and acronyms .....	10
4 APL overview .....	11
4.1 General.....	11
4.2 APL relationship to IEEE Std 802.3-2022 and 10BASE-T1L .....	14
4.3 Conformance test requirements .....	15
5 Port classification .....	15
5.1 Overview.....	15
5.2 Segment class .....	16
5.3 Port class.....	16
5.4 Power class .....	17
5.5 Intrinsically safe protection class .....	22
5.5.1 General .....	22
5.5.2 Intrinsically safe concept .....	23
6 General port requirements .....	24
6.1 Terminals and connectors .....	24
6.2 Cable shield termination .....	24
6.3 Polarity sensitivity.....	25
6.4 Electrical isolation.....	25
6.5 Short circuit behavior.....	26
7 Network configuration rules .....	26
7.1 Segment components .....	26
7.2 Topology.....	26
7.3 Cables .....	26
7.3.1 General .....	26
7.3.2 Cable category system .....	27
7.3.3 Cables for use in intrinsically safe installations .....	28
7.4 Wiring rules .....	28
7.5 APL segment definition .....	28
8 Electromagnetic compatibility .....	28
Annex A (normative) Connectors .....	29
A.1 General.....	29
A.2 M8 / M12 connectors.....	30
A.2.1 General .....	30
A.2.2 Requirements .....	30
A.2.3 Pin assignment.....	30
A.3 PCB and modular terminal blocks .....	31
A.3.1 General .....	31
A.3.2 Requirements .....	31
A.3.3 Pin assignment.....	32
A.4 Junction terminal blocks.....	33

A.4.1	General .....	33
A.4.2	Requirements .....	33
A.4.3	Pin assignment .....	33
Annex B (normative)	Auxiliary devices .....	34
B.1	General requirements .....	34
B.2	Surge protection .....	34
Bibliography	.....	36
Figure 1	– APL topology example .....	11
Figure 2	– Example APL segment including auxiliary devices and inline terminals .....	13
Figure 3	– Port classes and related options .....	16
Figure 4	– Powered trunk segments with cascade ports .....	17
Figure 5	– Example of port class matching between source and load .....	18
Figure 6	– Illustrative current step characteristics during start-up of a load port .....	22
Figure 7	– Example of intrinsically safe protection class matching to port class and power class .....	23
Figure 8	– Cable shield grounding options .....	25
Figure A.1	– Port class to connector type matching .....	30
Figure A.2	– Pin assignment of the plug and socket M8 A-coding connectors .....	31
Figure A.3	– Pin assignment of the plug and socket M12 A-coding connectors .....	31
Figure A.4	– Examples of modular pluggable terminal blocks .....	33
Figure A.5	– Representative junction terminal block .....	33
Figure B.1	– Basic circuit diagram of coordination between surge protector and powered APL port .....	34
Figure B.2	– Parallel connection of an SPL to an APL segment .....	35
Table 1	– IEEE Std 802.3-2022 PHY management and power options .....	14
Table 2	– Segment class .....	16
Table 3	– Port classes .....	17
Table 4	– Power classes .....	18
Table 5	– Electrical characteristics of power classes .....	19
Table 6	– Electrical characteristics for trunk ports .....	19
Table 7	– Electrical characteristics for spur ports .....	21
Table 8	– Intrinsically safe protection class .....	23
Table 9	– Minimum required shielding options of a port .....	24
Table 10	– Polarity sensitivity .....	25
Table 11	– Cable category system .....	27
Table A.1	– Supported terminal block / connector types .....	29
Table A.2	– Electrical requirements terminal block / connector .....	29
Table A.3	– Pin assignments for plug and socket M8 / M12 A-coding connectors .....	31
Table A.4	– Pin assignments for 3 position terminal blocks .....	32
Table A.5	– Pin assignments for 4 position terminal blocks .....	32
Table A.6	– Pin assignments for 6 position terminal blocks .....	32

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## INDUSTRIAL NETWORKS –

## Ethernet-APL port profile specification

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publications"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 63444 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
65C/1250/DTS	65C/1275/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Currently in preview, click buy full version

## INTRODUCTION

IEEE Std 802.3™-2022, Clause 146 specifies the Ethernet Physical Layer 10BASE-T1L, suitable to be used for full-duplex communication over a single balanced pair of conductors.

This physical layer is specifically designed for industrial applications, supporting the main requirements for advanced, robust process control and monitoring in safe or hazardous areas.

The primary physical layer solution focuses on four requirements:

- support of single pair cables providing both communication and optional power;
- increased data bandwidth, 10 Mbit/s;
- support of extended Ethernet cable length of up to 1 km;
- support of intrinsically safe protection for use in hazardous areas.

IEEE Std 802.3-2022, Clause 146 only specifies the digital communication method and its electrical characteristics. To assure interoperability between the various interconnected components at different parts of the network, applying this new physical layer for industrial applications requires a further set of specifications and classifications. The "Ethernet Advanced Physical Layer" (Ethernet-APL or APL) references and standardizes industrial automation extensions.

This document specifies port profiles for use in non-hazardous and hazardous areas, with and without power. Ethernet-APL intrinsically safe profiles facilitate the examination of the interconnection of different Ethernet-APL ports. Most common industrial rated connectors for use in process industries are part of this document. A multi-length cable category system maintains communication integrity, while permitting cable constructions optimized for specific applications or environmental ratings.

Ethernet-APL impacts the various physical layers in IEC 61158-2 and its associated Types. This document provides a neutral approach for the new advanced physical layer which can be then transferred to the next editions of different IEC intrinsically safe fieldbus documents. The following documents are representative of potentially affected next editions: IEC 61158-2, IEC 61784-1 series, IEC 61784-2 series, IEC 61918, IEC 61784-5 series.

This document is not intended to assure interoperability at the product level but only at the port level. No reference is made to any Ethernet-based communication protocol above the physical layer.

## INDUSTRIAL NETWORKS –

### Ethernet-APL port profile specification

#### 1 Scope

This document is applicable to process automation equipment using a 10BASE-T1L compliant (see IEEE Std 802.3-2022, Clause 146) Physical Layer (PHY). Ethernet-APL intrinsically safe profiles with different predefined entity or limitation parameters (for example voltage, current, power, capacitance, inductance, cable length) simplify the examination of the interconnection of different Ethernet-APL ports.

The following technical features are part of this document:

- topology with trunk/spur installation capability;
- 2-wire technology (full-duplex communication data rate of 10 Mbit/s);
- long distance (refers to cable lengths of several hundred meters, with spans up to 1 000 m);
- intrinsic safety (installation of Ethernet-capable field devices in hazardous areas);
- power supply to field devices over the same 2-wire cable used for data communication.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-11, *Explosive atmospheres – Part 11: Equipment protection by intrinsic safety "i"*

IEC 60079-14, *Explosive atmospheres – Part 14: Electrical installations design, selection and erection*

IEC 60079-25, *Explosive atmospheres – Part 25: Intrinsically safe electrical systems*

IEC TS 60079-47:2021, *Explosive atmospheres – Part 47: Equipment protection by 2-wire intrinsically safe ethernet concept (2-WISE)*

IEC 61010-1, *Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 1: General requirements*

IEC 61076-2-101, *Connectors for electronic equipment – Product requirements – Part 2-101: Circular connectors – Detail specification for circular connectors for M12 connectors with screw-locking*

IEC 61076-2-104, *Connectors for electronic equipment – Product requirements – Part 2-104: Circular connectors – Detail specification for circular connectors with M8 screw-locking or snap-locking*

IEC 61158-2:2023, *Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition*

IEC 61643-21, *Low voltage surge protective devices – Surge protective devices connected to telecommunications and signalling networks – Performance requirements and testing methods*