

PD IEC/TR 61282-14:2016

Incorporating corrigendum April 2016



BSI Standards Publication

Fibre optic communication system design guides

Part 14: Determination of the uncertainties of
attenuation measurements in fibre plants

bsi.

National foreword

This Published Document is the UK implementation of IEC/TR 61282-14:2016, incorporating corrigendum April 2016.

The UK participation in its preparation was entrusted by Technical Committee GEL/86, Fibre optics, to Subcommittee GEL/86/3, Fibre optic systems and active devices.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.

Published by BSI Standards Limited 2016

ISBN 978 0 580 94415 4

ICS 33.180.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 January 2016.

Amendments/corrigenda issued since publication

Date	Text affected
31 May 2016	Implementation of IEC corrigendum April 2016: Table C updated



TECHNICAL REPORT



**Fibre optic communication system design guide –
Part 14: Determination of the uncertainties of attenuation measurements in fibre
plants**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.180.01

ISBN 978-2-8322-3111-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviations	8
3.1 Terms and definitions.....	8
3.2 Abbreviations.....	10
4 Overview of uncertainty	10
4.1 What is uncertainty?	10
4.2 Origin of uncertainties.....	10
4.3 What may not be considered as uncertainty?	10
5 Fibre cabling attenuation measurement	11
5.1 Measurement methods.....	11
5.2 Sources of uncertainty to be considered	11
5.2.1 Analysis.....	11
5.2.2 Uncertainties due to the environment.....	14
5.2.3 Uncertainties due to operator skills.....	14
5.2.4 Uncertainties due to measurement method.....	14
5.2.5 Uncertainties due to measuring instruments.....	14
5.2.6 Uncertainties due to the setup	16
5.2.7 Uncertainties due to cabling.....	16
6 Uncertainties estimation	17
6.1 Measurement model.....	17
6.2 Accumulation of uncertainties.....	18
7 General representation of the equation using sensitivity coefficients.....	19
8 Calculation	22
8.1 Combined standard uncertainty.....	22
8.2 Expanded uncertainty.....	22
8.3 Determination of the coverage factor k	22
8.3.1 General approach.....	22
8.3.2 Discussion.....	22
8.3.3 Typical values of degree of freedom	23
Annex A (normative) Mathematical basis	24
A.1 General.....	24
A.2 Type A evaluation of uncertainty	24
A.3 Type B evaluation of uncertainty	24
A.4 Determining the combined standard uncertainty.....	25
A.5 Reporting.....	26
Annex B (informative) Measurement methods	27
B.1 Measurement methods as per IEC 61280-4-1 and 61280-4-2.....	27
B.1.1 General	27
B.1.2 Measurement configuration.....	27
B.1.3 One-cord reference configuration	27
B.1.4 Two-cord reference configuration	28
B.1.5 Three-cord reference configuration	28

B.2	Measurement methods as per ISO/IEC 14763-3:2014	28
B.2.1	General	28
B.2.2	Channels	29
B.2.3	Links.....	30
Annex C (normative)	Uncertainties evaluation.....	31
C.1	Type A uncertainties	31
C.1.1	General	31
C.1.2	Evaluation of optical source instability and associated uncertainties	31
C.2	Type B uncertainties	31
C.2.1	General	31
C.2.2	Evaluation of the power meter noise	31
C.2.3	Elements to be considered for power meter stability analysis.....	32
C.2.4	Evaluation of the centre wavelength dependence	32
C.2.5	Spectral width dependence.....	34
C.2.6	Evaluation of the uncertainties due to MM launch conditions	34
C.2.7	Evaluation of the PDL.....	35
C.2.8	Uncertainty of absolute power measurement	36
Annex D (normative)	Typical values of uncertainties	37
Annex E (informative)	Linear to dB scale conversion of uncertainties.....	38
E.1	Definition of decibel	38
E.2	Conversion of relative uncertainties	38
Bibliography	39
Figure 1	– Fish bone analysis	13
Figure 2	– Measurement model.....	17
Figure B.1	– Measurement configuration.....	27
Figure B.2	– One-cord reference measurement.....	27
Figure B.3	– Two-cord reference measurement.....	28
Figure B.4	– Three-cord reference measurement	28
Figure B.5	– Measurement on channel.....	29
Figure B.6	– Channel reference measurement	29
Figure B.7	– Link measurement configuration	30
Figure B.8	– Link reference measurement.....	30
Figure C.1	– Typical spectral response of a fibre	33
Figure C.2	– Uncertainties due to the launch conditions for a given loss	35
Table 1	– Source of uncertainty (raw list).....	11
Table 2	– Uncertainties due to measuring instruments	15
Table 3	– Uncertainties due to the setup.....	16
Table 4	– Uncertainties due to cabling	16
Table 5	– Sensitivity coefficients for IEC 61280-4-1 and IEC 61280-4-2 methods.....	20
Table 6	– Sensitivity coefficients for ISO/IEC 14763-3:2014 methods.....	21
Table 7	– Values of k_{95} for different values of ν	23
Table 8	– Typical values of ν_i	23
Table C.1	– Spectral attenuation coefficients	33

Table C.2 – Sensitivity coefficients	33
Table D.1 – Typical values of uncertainties	37

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE OPTIC COMMUNICATION SYSTEM DESIGN GUIDES –

**Part 14: Determination of the uncertainties of
attenuation measurements in fibre plants**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example, the "state of the art".

IEC TR 61282-14, which is a technical report, has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics.

This publication contains an attached file titled, "Supplemental Data for Section 8", in the form of an Excel spreadsheet. This file is intended to be used as a complement and does not form an integral part of the standard.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
86C/1339/DTR	86C/1351/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

A list of all parts in the IEC 61282 series, published under the general title *Fibre-optic communication system design guides*, can be found on the IEC website.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The determination of the uncertainty of every measurement is a key activity, which should be performed by applying dedicated methods as extensively presented in reference documents such as ISO/IEC Guide 98-3:2008, Guide to the uncertainty of measurement (GUM).

This Technical Report shows a practical application of these methods for the determination of the measurement uncertainty of the attenuation of fibre optic cabling using optical light sources and power meters as defined in IEC 61280-4-1 and IEC 61280-4-2.

It includes the review of all contributing factors to uncertainty (such as launch conditions, spectral width, stability of source, power meter polarization, resolution, linearity, quality of test cord reference connectors, etc.) to determine the overall measurement uncertainty. This Technical Report applies to the measurement of single mode or multimode fibres without restrictions to the fibre parameters, including mode field diameter, core diameter and numerical aperture. However, numerical values given in Clause C.2 and typical values given in Annex D are not valid for multimode fibres types A2, A3 and A4.

The list of uncertainties presented in this Technical Report is related to this particular application and should be reconsidered if measurement conditions are not compliant to measurement requirements defined by IEC 61280-4-1 and 61280-4-2.

The reference document for general uncertainty calculations is ISO/IEC Guide 98-3:2008, and this report does not intend to replace it; it only represents an example and should be used in conjunction with ISO/IEC Guide 98-3:2008. A brief introduction to the determination of measurement uncertainty according to ISO/IEC Guide 98-3:2008 is given in Annex A.

This Technical Report is associated with a calculation spreadsheet (Excel) containing practical calculations.

FIBRE OPTIC COMMUNICATION SYSTEM DESIGN GUIDES –

Part 14: Determination of the uncertainties of attenuation measurements in fibre plants

1 Scope

This part of IEC 61282, which is a Technical Report, establishes the detailed analysis and calculation of the uncertainties related to the measurement of the attenuation of both multimode and single mode optical fibre cabling using optical light sources and power meters.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61280-4-1:2009, *Fibre-optic communication subsystem test procedures – Part 4-1: Installed cable plant – Multimode attenuation measurement*

IEC 61280-4-2:2014, *Fibre-optic communication subsystem test procedures – Part 4-2: Installed cable plant – Single-mode attenuation and optical return loss measurement*

ISO/IEC Guide 98-3:2008, *Uncertainty of measurement – Part 3 Guide to the expression of uncertainty in measurement (GUM:1995)*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

attenuation

L

reduction of optical power induced by transmission through a medium such as cabling, given as *L* (dB)

$$L_{\text{dB}} = 10 \log_{10}(P_{\text{in}}/P_{\text{out}})$$

where P_{in} and P_{out} are the power, typically measured in mW, into and out of the cabling

3.1.2

calibration

set of operations that establish, under specified conditions, the relationship between the values of quantities indicated by a measuring instrument and the corresponding values realized by standards