



BSI Standards Publication

**High-voltage direct current (HVDC) power  
transmission using voltage sourced converters (VSC)**

---

## National foreword

This Published Document is the UK implementation of IEC/TR 62543:2011+A2:2017. It supersedes PD IEC/TR 62543:2011+A1:2013, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to IEC text carry the number of the IEC amendment. For example, text altered by IEC amendment 1 is indicated by A1 A1.

The UK participation in its preparation was entrusted to Technical Committee PEL/22, Power electronics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018  
Published by BSI Standards Limited 2018

ISBN 978 0 580 92723 2

ICS 29.200; 29.240.99

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 June 2011.

### Amendments/corrigenda issued since publication

Date	Text affected
31 August 2013	Implementation of IEC amendment 1:2013
31 May 2018	Implementation of IEC amendment 2:2017



# IEC/TR 62543

Edition 1.0 2011-03

## TECHNICAL REPORT



---

**High-voltage direct current (HVDC) power transmission using voltage sourced converters (VSC)**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE **XC**

---

ICS 29.200; 29.240.99

ISBN 978-2-88912-424-4

## Contents

Page

<b>FOREWORD</b> .....	<b>4</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
3.1 General.....	1
3.2 Letter symbols.....	2
3.5 VSC transmission.....	3
3.7 Type tests.....	4
3.8 Production tests.....	4
3.9 Sample tests.....	4
3.11 Power losses.....	4
<b>4 VSC transmission overview</b> .....	<b>5</b>
4.1 Basic operating principles of VSC transmission.....	5
4.1.1 The voltage sourced converter as a black box.....	5
4.1.2 The principles of active and reactive power control.....	6
4.1.3 Operating principles of a VSC transmission scheme.....	8
4.1.4 Applications of VSC transmission.....	9
4.2 Design life.....	9
4.3 VSC transmission configurations.....	9
4.3.1 General.....	9
4.3.2 D.C. circuit configurations.....	10
4.3.3 Monopole configuration.....	10
4.3.4 Bipolar configuration.....	11
4.3.5 Parallel connection of two converters.....	12
4.3.6 Series connection of two converters.....	12
4.3.7 Parallel and series connection of more than two converters.....	12
4.4 Semiconductors for VSC transmission.....	12
<b>5 VSC transmission converter topologies</b> .....	<b>14</b>
5.1 General.....	14
5.2 Converter topologies with VSC valves of “switch” type.....	14
5.2.1 General.....	14
5.2.2 Operating principles.....	15
5.2.3 Topologies.....	15
5.3 Converter topologies with VSC valves of the “controllable voltage source” type.....	18
5.3.1 General.....	18
5.3.2 MMC topology with VSC levels in half-bridge topology.....	20
5.3.3 MMC topology with VSC levels in full-bridge topology.....	21
5.3.4 CML topology with VSC cells in half-bridge topology <sup>(A1)</sup> .....	22
5.3.5 CTL topology with VSC cells in full-bridge topology <sup>(A1)</sup> .....	22
5.4 VSC valve design considerations.....	23
5.4.1 Reliability and failure mode.....	23
5.4.2 Current rating.....	23
5.4.3 Transient current and voltage requirements.....	23
5.4.4 Diode requirements.....	24
5.4.5 Additional design details.....	24
5.5 Other converter topologies.....	25
5.6 Other equipment for VSC transmission schemes.....	25
5.6.1 General.....	25
5.6.2 Power components of a VSC transmission scheme.....	25
5.6.3 VSC substation circuit breaker.....	25
5.6.4 A.C. system side harmonic filters.....	26
5.6.5 Radio frequency interference filters.....	26
5.6.6 Interface transformers and phase reactors.....	26

	5.6.7	Valve reactor	27
	5.6.8	D.C. capacitors	27
	5.6.9	D.C. reactor	29
	5.6.10	Common mode blocking reactor	29
	5.6.11	D.C. filter	30
	<b>A1</b> 5.6.12	Dynamic braking system <b>A1</b>	30
<b>6</b>		<b>Overview of VSC controls</b>	<b>30</b>
	6.1	General	30
	6.2	Operational modes and operational options	31
	6.3	Power transfer	32
	6.3.1	General	32
	6.3.2	Telecommunication between converter stations	33
	6.4	Reactive power and a.c. voltage control	33
	6.4.1	A.C. voltage control	33
	6.4.2	Reactive power control	33
	6.5	Black start capability	34
	6.6	Supply from a wind farm	34
<b>7</b>		<b>Steady state operation</b>	<b>35</b>
	7.1	Steady state capability	35
	7.2	Converter power losses	36
<b>8</b>		<b>Dynamic performance</b>	<b>36</b>
	8.1	A.C. system disturbances	36
	8.2	D.C. system disturbances	37
	8.2.1	D.C. cable fault	37
	8.2.2	D.C. overhead line fault	37
	8.3	Internal faults	37
<b>9</b>		<b>HVDC performance requirements</b>	<b>38</b>
	9.1	Harmonic performance	38
	9.2	Wave distortion	39
	9.3	Fundamental and harmonics	39
	9.3.1	Three-phase 2-level VSC	39
	9.3.3	Multi-pulse and multi-level converters	40
	9.4	Harmonic voltages of power systems due to VSC operation	40
	9.5	Design considerations for harmonic filters (a.c. side)	41
	9.6	D.C. side filtering	41
<b>10</b>		<b>Environmental impact</b>	<b>41</b>
	10.1	General	41
	10.2	Audible noise	41
	10.3	Electric and magnetic fields (EMF)	42
	10.4	Electromagnetic compatibility (EMC)	42
<b>11</b>		<b>Testing and commissioning</b>	<b>43</b>
	11.1	General	43
	11.2	Factory tests	43
	11.2.1	Component tests	43
	11.2.2	Control system tests	43
	11.3	Commissioning tests / System tests	43
	11.3.1	General	43
	11.3.2	Precommissioning tests	44
	11.3.3	Subsystem tests	44
	11.3.4	System tests	44
		<b>Annex A (informative) Functional specification requirements for VSC transmission systems</b>	<b>49</b>
	<b>A2</b>	<b>Annex B (informative) Modulation strategies for 2-level converters <b>A2</b></b>	<b>56</b>
		<b>Bibliography</b>	<b>59</b>

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC/TR 62543, which is a technical report, has been prepared by subcommittee 22F: Power electronics for electrical transmission and distribution systems, of IEC technical committee 22: Power electronic systems and equipment.

The present technical report cancels and replaces IEC/PAS 62543:2008 (Ed.1) which was published by IEC and CIGRÉ jointly, and combined with engineering experience.

The present IEC/TR 62543 bears the edition number 1.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
22F/230/DTR	22F/239A/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

A bilingual version of this publication may be issued at a later date.

## 1 Scope

This technical report gives general guidance on the subject of voltage-sourced converters used for transmission of power by high voltage direct current (HVDC). It describes converters that are not only voltage-sourced (containing a capacitive energy storage medium and where the polarity of d.c. voltage remains fixed) but also self-commutated, using semiconductor devices which can both be turned on and turned off by control action. <sup>A1</sup> The scope includes 2-level and 3-level converters with pulse-width modulation (PWM), along with multi-level converters, modular multi-level converters and cascaded two-level converters, but excludes 2-level and 3-level converters operated without PWM, in square wave output mode. <sup>A1</sup>

HVDC power transmission using voltage sourced converters is known as “VSC transmission”.

The various types of circuit that can be used for VSC transmission are described in the report, along with their principal operational characteristics and typical applications. The overall aim is to provide a guide for purchasers to assist with the task of specifying a VSC transmission scheme.

Line-commutated and current-sourced converters are specifically excluded from this report.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

<sup>A2</sup> Text deleted <sup>A2</sup>

IEC 61975, *High-voltage direct current (HVDC) installations – System tests*

<sup>A2</sup> IEC 62501, *Voltage sourced converter (VSC) valves for high-voltage direct current (HVDC) power transmission — Electrical testing*

IEC 62747, *Terminology for voltage-sourced converters (VSC) for high-voltage direct current (HVDC) systems*

IEC 62751 (all parts), *Power losses in voltage sourced converter (VSC) valves for high voltage direct current (HVDC) systems* <sup>A2</sup>

## 3 Terms and definitions

<sup>A2</sup> For the purposes of this document, the terms and definitions given in IEC 62747, IEC 62501 and the following apply. <sup>A2</sup>

### 3.1 General

<sup>A2</sup> Basic terms and definitions for voltage sourced converters used for HVDC transmission are given in IEC 62747. Terminology on electrical testing of VSC valves for HVDC transmission is given in IEC 62501.

To support the explanations, [Figure 1](#) presents the basic diagram of a VSC system. Dependent on the converter topology and the requirements in the project, some components can be omitted or can differ.