



BSI Standards Publication

Tutorial and application guide for high-voltage fuses

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

National foreword

This Published Document is the UK implementation of IEC/TR 62655:2013.

The UK participation in its preparation was entrusted to Technical Committee PEL/32, Fuses.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013

Published by BSI Standards Limited 2013

ISBN 978 0 580 73092 4

ICS 29.120.50

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 20 June 2013.

Amendments issued since publication

| Date | Text affected |
|------|---------------|
|------|---------------|



TECHNICAL REPORT

RAPPORT TECHNIQUE

Tutorial and application guide for high-voltage fuses

Guide explicatif et d'application pour les fusibles à haute tension

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XF

ICS 29.120.50

ISBN 978-2-83220-811-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|---|----|
| FOREWORD..... | 5 |
| INTRODUCTION..... | 7 |
| 0.1 Aims and objectives of this technical report..... | 7 |
| 0.2 How to use this technical report..... | 7 |
| 0.2.1 General..... | 7 |
| 0.2.2 Fuse tutorial..... | 7 |
| 0.2.3 Application information..... | 7 |
| 1 Scope..... | 9 |
| 2 Normative references..... | 9 |
| 3 Terms, definitions and abbreviations..... | 10 |
| 3.1 Terms and definitions..... | 10 |
| 3.2 Abbreviations..... | 10 |
| 4 Tutorial section..... | 10 |
| 4.1 A simple introduction to fuses..... | 10 |
| 4.1.1 General..... | 10 |
| 4.1.2 Fuse classifications and terms..... | 13 |
| 4.1.3 Basic principles of fuse operation..... | 15 |
| 4.1.4 Advantages of fuse protection..... | 15 |
| 4.1.5 Advantages of current-limiting fuses..... | 16 |
| 4.1.6 Types of high voltage fuses..... | 17 |
| 4.1.7 Application of fuse types..... | 20 |
| 4.2 Current-limiting fuses..... | 20 |
| 4.2.1 Construction and operation of current-limiting fuses..... | 20 |
| 4.2.2 Classification of current-limiting fuses..... | 24 |
| 4.2.3 Ratings of current-limiting fuses..... | 25 |
| 4.2.4 Characteristics of current-limiting fuses..... | 26 |
| 4.3 Expulsion fuses..... | 29 |
| 4.3.1 General operating principles..... | 29 |
| 4.3.2 Construction and operation of expulsion fuses..... | 30 |
| 4.3.3 Classification of expulsion fuses..... | 36 |
| 4.3.4 Ratings of expulsion fuses..... | 36 |
| 4.3.5 Characteristics of expulsion fuses..... | 37 |
| 4.4 Other related protective devices..... | 38 |
| 4.4.1 General..... | 38 |
| 4.4.2 Electronically activated devices..... | 38 |
| 4.4.3 Additional types of non-current limiting fuse..... | 40 |
| 4.5 Fuse-bases (fuse-mounts or fuse supports)..... | 41 |
| 4.5.1 General..... | 41 |
| 4.5.2 Insulation properties..... | 41 |
| 4.5.3 Current rating..... | 42 |
| 5 Application section..... | 43 |
| 5.1 General application information..... | 43 |
| 5.1.1 Service considerations..... | 43 |
| 5.1.2 Current rating selection..... | 52 |
| 5.1.3 Selection of the rated voltage of the fuse..... | 52 |
| 5.1.4 Coordination between fuses, and between fuses and other protective devices..... | 55 |

| | | |
|-----------------------|--|-----|
| 5.1.5 | Current rating and breaking capacity considerations for fuses in parallel | 64 |
| 5.1.6 | Voltage considerations of fuses in series | 65 |
| 5.1.7 | Fuse recovery voltage withstand | 66 |
| 5.1.8 | Partial discharge | 66 |
| 5.2 | Typical applications | 66 |
| 5.2.1 | Protection of cables and overhead lines | 66 |
| 5.2.2 | Distribution transformer applications | 71 |
| 5.2.3 | Motor-circuit applications | 86 |
| 5.2.4 | Capacitor protection applications | 90 |
| 5.2.5 | Voltage transformer applications | 94 |
| 5.2.6 | Wind power generation applications | 105 |
| 5.2.7 | Current-limiting fuses used in conjunction with mechanical switching devices | 108 |
| 5.3 | Installation, operation, maintenance and replacement considerations | 111 |
| 5.3.1 | General | 111 |
| 5.3.2 | Installation guidelines | 112 |
| 5.3.3 | Operation guidelines | 113 |
| 5.3.4 | Maintenance considerations | 114 |
| 5.3.5 | Replacement considerations | 116 |
| 5.4 | Recycling | 118 |
| Annex A (informative) | Practical guidelines for thermal de-rating of current-limiting fuses | 119 |
| | Bibliography | 126 |
| Figure 1 | – Fuse pre-arcing time-current characteristic curve | 11 |
| Figure 2 | – High current interruption by current-limiting fuse and expulsion fuse | 13 |
| Figure 3 | – Comparison of operating Joule integral (I^2t) versus prospective current for current-limiting fuses and non-current-limiting fuses | 17 |
| Figure 4 | – Cut-away drawing of typical current-limiting fuse-link of the "DIN" dimensioned type | 21 |
| Figure 5 | – Current ranges for which different fuse classifications are intended | 24 |
| Figure 6 | – Typical cut-off characteristics | 27 |
| Figure 7 | – Distribution fuse-cutout construction | 31 |
| Figure 8 | – Types of expulsion fuse | 34 |
| Figure 9 | – Class B expulsion fuse | 35 |
| Figure 10 | – Schematic of a commutating type of current-limiter | 39 |
| Figure 11 | – Schematic of pyrotechnically assisted fuse | 40 |
| Figure 12 | – Description of the terms "up-stream" and "down-stream" fuses | 56 |
| Figure 13 | – Current-limiting fuse/Current-limiting fuse coordination example | 58 |
| Figure 14 | – Current-limiting fuse/Current-limiting fuse TCC curve example | 59 |
| Figure 15 | – Current-limiting fuse/Expulsion fuse example | 60 |
| Figure 16 | – Current limiting fuse/Expulsion fuse TCC curve example | 60 |
| Figure 17 | – Expulsion fuse/Current-limiting fuse example | 61 |
| Figure 18 | – Expulsion fuse/Current-limiting fuse TCC curve example | 62 |
| Figure 19 | – Reach example | 69 |
| Figure 20 | – Characteristics relating to the protection of the HV/LV transformer circuit | 76 |

| | |
|---|-----|
| Figure 21 – An example of matched melt coordination | 81 |
| Figure 22 – An example of time-current crossover coordination | 84 |
| Figure 23 – Fuse "no-damage" margin | 85 |
| Figure 24 – Characteristics relating to the protection of a motor circuit | 90 |
| Figure 25 – An example of capacitor case rupture curve characteristics..... | 102 |
| Figure A.1 – Derating curves for some allowed temperature limits | 122 |
| Figure A.2 – Practical example: dimensions | 123 |
| Figure A.3 – Extract from IEC 60890..... | 124 |
| Figure A.4 – Practical example of application..... | 125 |
| | |
| Table 1 – Common types of current-limiting fuse..... | 18 |
| Table 2 – Common types of expulsion fuse | 19 |
| Table 3 – Types of non-current-limiting fuse | 19 |
| Table 4 – Fuse-related devices | 19 |
| Table A.1 – Contact Temperature limits extracted from Table 6 of IEC 60282-1:2009 | 122 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TUTORIAL AND APPLICATION GUIDE FOR HIGH-VOLTAGE FUSES

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 62655, which is a technical report, has been prepared by subcommittee 32A: High-Voltage Fuses, of IEC technical committee 32: Fuses

The text of this technical report is based on the following documents:

| | |
|---------------|------------------|
| Enquiry draft | Report on voting |
| 32A/296/DTR | 32A/301/RVC |

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

Significant portions of this technical report were excerpted and reprinted with permission from the Institute of Electrical and Electronics Engineers, Incorporated, (IEEE) from C37.48.1-2012, "IEEE Guide for Operation, Classification, Application, and Coordination of Current-Limiting Fuses with Rated Voltages 1-38kV", Copyright 2002 IEEE, all rights reserved, 445 Hoes Lane, Piscataway, NJ 08854.

Acknowledgments:

The Working Group thanks the Institute of Electrical and Electronics Engineers, Incorporated, (IEEE) for permission to reproduce information from its global Standards IEEE C37.48.1-2012. All such extracts are copyright of IEEE, Piscataway, New Jersey. All rights reserved. Further information on the IEEE is available from www.standards.ieee.org. IEEE has no responsibility for the placement and context in which the extracts and contents are reproduced by the authors, nor is IEEE in any way responsible for the other content or accuracy therein.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

0.1 Aims and objectives of this technical report

- a) To help prospective users and protection engineers understand the basics of high-voltage (>1 000 V a.c.) fuse technology and applications involving high-voltage (HV) fuses;
- b) to illustrate the particular and unique advantages of fuse protection for most service applications;
- c) to minimise possible misapplications of fuses which could lead to problems in the field;
- d) to list and describe the many types of fuse in use today, and the international standards that apply to them, including fuse types not specifically included in IEC or other recognized standards.

This technical report gathers information previously published in IEC and other publications, as well as new material. Duplicate information presently in these publications is therefore likely to be eliminated during their future revision.

0.2 How to use this technical report

0.2.1 General

If read from start to finish, this technical report will provide an in-depth study of HV fuses and their applications. It is essentially a tutorial covering all common (and some not so common) types of fuses and most fuse applications. However, it is assumed that few users will read the technical report in this way, but rather read the appropriate sections covering fuses and applications for which they require information. Based on this assumption, there is therefore some inevitable duplication of information. To assist the user in making best use of the document, a description of the content and relevance of each clause follows.

0.2.2 Fuse tutorial

After clauses on scope, references and definitions, Clause 4 contains primarily "tutorial" style information. The clause starts with a simple introduction to fuses, first with an explanation of how fuses work followed by information on basic fuse classifications and common fuse terms. Subclause 4.1.4 continues with lists of advantages gained by using fuses and then 4.1.6 provides a listing of basic fuse types for which application information will be given later. An in-depth look at the most common types of fuses is given in 4.2, current-limiting fuses and 4.3 expulsion fuses. The high level of detail given in 4.2 and 4.3, including information describing construction, operation, classification and published ratings and characteristics, may be necessary in order to understand the application information that follows in Clause 5. For completeness, 4.4 gives an overview of less common types of fuse (or fuse related) devices that may require additional testing to that covered in existing standards, and for which no further application information is provided. Subclause 4.5 covers fuse mountings.

0.2.3 Application information

Application information appears in Clause 5 and Annex A, and is split into four sections.

- a) Subclause 5.1: this covers information common to nearly all applications.
- b) Subclause 5.2: this contains information on specific applications.
- c) Subclause 5.3: this covers installation, operation, maintenance, and replacement of fuses.
- d) Annex A: this reproduces the current-limiting fuse temperature de-rating information previously published in IEC 60282-1:2009.

If a knowledgeable user requires application information on a specific subject in 5.2 (e.g. motor circuit fuses), it is possible that only the relevant subclause needs to be read – however in most cases additional information from 5.1 will be required for satisfactory fuse selection. It should be emphasized that the information contained in this report is intended to supplement

information supplied by the manufacturer of a fuse and not replace it. If there is any doubt or conflict of information, the fuse manufacturer should be consulted.

Currently in preview, click buy full version

TUTORIAL AND APPLICATION GUIDE FOR HIGH-VOLTAGE FUSES

1 Scope

This technical report provides information for understanding the construction, operation and application of high-voltage fuses in general. Current-limiting, expulsion, electronic, and other, non-current-limiting, fuses rated above 1 kV a.c. are all covered, as are North American, European and other application practices. As a technical report, this document contains no requirement and is informative only.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

IEC 60071-1, *Insulation co-ordination – Part 1: Definitions, principles and rules*

IEC 60076-1, *Power transformers – Part 1: General*

IEC 60076-7, *Power transformers – Part 7: Loading guide for oil-immersed power transformers*

IEC 60076-12, *Power transformers – Part 12: Loading guide for dry-type power transformers*

IEC 60282-1:2009, *High-voltage fuses – Part 1: Current-limiting fuses*

IEC 60282-2:2008, *High-voltage fuses – Part 2: Expulsion fuses*

IEC 60549, *High-voltage fuses for the external protection of shunt power capacitors*

IEC 60644, *Specification for high-voltage fuse-links for motor circuit applications*

IEC/TR 60890:1987, *A method of temperature-rise assessment by extrapolation for partially type-tested assemblies (PTTA) of low-voltage switchgear and controlgear*

IEC 60909-0, *Short-circuit currents in three-phase a.c. systems – Part 0: Calculation of currents*

IEC 62271-100:2012, *High-voltage switchgear and controlgear – Part 100: Alternating current circuit-breakers*

IEC 62271-102, *High-voltage switchgear and controlgear – Part 102: Alternating current disconnectors and earthing switches*

IEC 62271-103, *High-voltage switchgear and controlgear – Part 103: Switches for rated voltages above 1 kV up to and including 52 kV*