



BSI Standards Publication

Flexible printed circuit boards (FPCBs) — Method of compensation of impedance variations

National foreword

This Published Document is the UK implementation of IEC/TR 63017:2015.

The UK participation in its preparation was entrusted to Technical Committee EPL/501, Electronic Assembly Technology.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.

Published by BSI Standards Limited 2016

ISBN 978 0 580 91192 7

ICS 31.180

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 January 2016.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------



TECHNICAL REPORT



Flexible printed circuit boards (FPCBs) – Method of compensation of impedance variations

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.180

ISBN 978-2-8322-3083-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Apparatus.....	5
3.1 Time domain reflectometry.....	5
3.2 Block diagram for impedance measuring.....	5
4 Test specimen	6
4.1 General.....	6
4.2 Structure.....	6
4.3 Test method.....	7
4.4 Calculation.....	8
5 Report	9
Annex A (normative) Block diagram for impedance measuring with TDR.....	10
Annex B (informative) Theoretical background.....	11
Annex C (informative) Example of an impedance measurement with TDR.....	12
Annex D (informative) Hand contact effect.....	13
Annex E (informative) Test result.....	14
E.1 Shield 1 FPCB	14
E.2 Shield 2 FPCB	15
Bibliography.....	16
Figure 1 – TDR test system.....	5
Figure 2 – Two types of impedance structure of FPCB.....	6
Figure 3 – Schematic diagram of a test specimen	7
Figure 4 – Impedance value of two type FPCB (bare and shield)	8
Figure 5 – Compensation value (A) of the Cu line width for the shield FPCB	9
Figure A.1 – TDR test system according to IPC 2141a-9-1.....	10
Figure A.2 – TDR test system according to Agilent TDR 54754A.....	10
Figure B.1 – Two types of impedance structure of FPCBs.....	11
Figure B.2 – Comparison of the impedance value of a bare FPCB versus a shield FPCB.....	11
Figure C.1 – Photographic view of the impedance measurement with TDR	12
Figure D.1 – Effect of impedance variation by hand contact for bare FPCB	13
Figure E.1 – Measurement result of the test specimen for shield 1 FPCB.....	14
Figure E.2 – Measurement result of the test specimen for shield 2 FPCB.....	15
Table E.1 – Cross-section of test specimen with using shield 1 FPCB.....	14
Table E.2 – Cross-section of test specimen with using shield 2 FPCB.....	15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FLEXIBLE PRINTED CIRCUIT BOARDS (FPCBs) – METHOD OF COMPENSATION OF IMPEDANCE VARIATIONS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 63017, which is a technical report, has been prepared by IEC technical committee 91: Electronic assembly technology.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
91/1283/DTR	91/1308/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

FLEXIBLE PRINTED CIRCUIT BOARDS (FPCBs) – METHOD OF COMPENSATION OF IMPEDANCE VARIATIONS

1 Scope

This Technical Report specifies a compensation method of Cu linewidth according to impedance reduction by using noise suppression materials (hereafter referred to as NSMs) for FPCBs.

This Technical Report presents an optimum result for maintaining a designated performance of FPCBs by using NSMs. It also indicates a measuring method for an impedance variation of FPCBs using NSMs with the prevailing TDR (time domain reflectometry) method. This method is restricted to measuring only the variation of an impedance value in accordance with the variation of the Cu linewidth by using NSMs for FPCBs. This report, however, neither determines nor indicates the structure or material of FPCBs.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IPC 2141A *Design Guide for High-Speed Controlled Impedance Circuits Boards*
<http://www.ipc.org/>

3 Apparatus

3.1 Time domain reflectometry

Time domain reflectometry (hereafter referred to as TDR) is utilized to identify the impedance data at the specific frequency range of FPCBs.

3.2 Block diagram for impedance measuring

Figure 1 gives one example of a TDR setup.




Figure 1 – TDR test system