



BSI Standards Publication

Electricity metering data exchange – The DLMS/COSEM suite

Part 9-1: Communication profile using
web-services to access a DLMS/COSEM
server via a COSEM Access Service (CAS)

National foreword

This Published Document is the UK implementation of IEC/TS 62056-9-1:2016.

The UK participation in its preparation was entrusted to Technical Committee PEL/13, Electricity Meters.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.
Published by BSI Standards Limited 2016

ISBN 978 0 580 87212 9
ICS 17.220.20; 35.100.01; 91.140.50

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2016.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------



TECHNICAL SPECIFICATION



**Electricity metering data exchange – The DLMS/COSEM suite –
Part 9-1: Communication profile using web-services to access a DLMS/COSEM
server via a COSEM Access Service (CAS)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 17.220.20; 35.100.01; 91.140.50

ISBN 978-2-8322-3329-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references.....	6
3 Terms, definitions and abbreviations	7
4 Relation to the IEC 62056 smart metering architecture	8
4.1 Overview.....	8
4.2 Example: Using the S-FSK profile according to IEC 62056-8-3	8
5 Use cases	8
5.1 General.....	8
5.2 Use case: Device Access	9
5.2.1 Overview	9
5.2.2 On-demand Device Access	9
5.2.3 Scheduled Device Access	11
5.2.4 Device Access with Data-Notification.....	14
5.3 Use case: Device groups.....	15
6 Web services interface model	15
7 Message organisation for the WS interface.....	15
7.1 Overview.....	15
7.2 IEC 62056 messages	15
7.2.1 Overview	15
7.2.2 General	15
7.2.3 Verbs.....	16
7.2.4 Nouns.....	17
7.2.5 Payloads.....	17
7.2.6 Payload for noun Device Access	17
7.3 Common Message Envelope	23
7.3.1 Overview	23
7.3.2 General	23
7.3.3 Message header structure	23
7.3.4 Request message structure	25
7.3.5 Response message structure	27
7.3.6 Event message structure.....	30
7.3.7 Fault message structure	31
8 Interface specification.....	32
8.1 Overview.....	32
8.2 Interface using SOAP	32
8.2.1 General	32
8.2.2 WSDL structure.....	33
8.2.3 SOAP envelope	33
Annex A (informative) XML schema for the COSEM XML representation	35
A.1 COSEMpdu.....	35
A.2 XML schema for the payload definitions.....	56
A.2.1 DeviceAccess	56
A.2.2 DeviceGroup.....	57
A.3 XML Schema for common message envelope	57

A.4 WSDL for interface using SOAP58
 Bibliography59

Figure 1 – Reference model for the COSEM Access Client to DLMS/COSEM server connection via a COSEM Access Service6
 Figure 2 – The smart metering architecture of IEC 62056.....8
 Figure 3 – Use case: On-demand Device Access.....10
 Figure 4 – Use case: Scheduled Device Access12
 Figure 5 – Use case: Scheduled Device Access with Events13
 Figure 6 – Use case: Device Access with Data-Notification14
 Figure 7 – IEC 62056 messages between CAS Client and COSEM Access Service (CAS).....16
 Figure 8 – DeviceAccess overview structure.....17
 Figure 9 – DeviceGroups structure18
 Figure 10 – CosemAccessDescriptor sub-structure19
 Figure 11 – ACSEDescriptor sub-structure19
 Figure 12 – XDLMSDescriptor substructure20
 Figure 13 – cosemAccessResult substructure.....21
 Figure 14 – errorResult substructure21
 Figure 15 – ACSEResult substructure21
 Figure 16 – XDLMSResult substructure22
 Figure 17 – Common Message Envelope.....23
 Figure 18 – Common Message header structure24
 Figure 19 – RequestMessage structure26
 Figure 20 – XML for RequestMessage to create DeviceAccess27
 Figure 21 – ResponseMessage structure28
 Figure 22 – XML for ResponseMessage on create DeviceAccess.....29
 Figure 23 – EventMessage structure30
 Figure 24 – XML for EventMessage on change of DeviceAccess.....31
 Figure 25 – FaultMessage structure32
 Figure 26 – XML for FaultMessage on create of DeviceAccess32
 Figure 27 – SOAP message with RequestMessage.....34

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICITY METERING DATA EXCHANGE –
THE DLMS/COSEM SUITE –****Part 9-1: Communication profile using web-services to access
a DLMS/COSEM server via a COSEM Access Service (CAS)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparatory work. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62056-9-1, which is a technical specification, has been prepared by IEC technical committee 13: Electrical energy measurement and control.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
13/1641/DTS	13/1662/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62056 series, published under the general title *Electricity metering data exchange – The DLMS/COSEM suite*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –


Part 9-1: Communication profile using web-services to access a DLMS/COSEM server via a COSEM Access Service (CAS)

1 Scope

This part of IEC 62056, which is a Technical Specification, defines how DLMS/COSEM servers can be accessed from a COSEM Access Client via an intermediate COSEM Access Service (CAS) providing Web services. The DLMS/COSEM server contains an application server supporting the data model of IEC 62056-6-1 / IEC 62056-6-2 and the application layer of IEC 62056-5-3. The underlying communication layers between the CAS and the DLMS/COSEM server are not covered by this specification. However, it is assumed that a profile standard exists describing how the underlying communication technology is used in conjunction with IEC 62056-6-1/ IEC 62056-6-2 and IEC 62056-5-3.

The Web services defined in this Technical Specification concern the C2 interface according to the architecture defined in IEC 62056-1-0.

The contents of this document define the Web services between the COSEM Access Client and the COSEM Access Service (CAS) as shown in Figure 1.



IEC

Figure 1 – Reference model for the COSEM Access Client to DLMS/COSEM server connection via a COSEM Access Service

The COSEM Access Client identifies the DLMS/COSEM server by its system title (see IEC 62056-5-3).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61968-1:2012, *Application integration at electric utilities – System interfaces for distribution management – Part 1: Interface architecture and general recommendations*

IEC 61968-100:2013, *Application integration at electric utilities – System interfaces for distribution management – Part 100: Implementation profiles*

IEC 62056-1-0, *Electricity metering data exchange – Part 1-0: Smart metering standardization framework*