

Guidance for determination of clearances, creepage distances and requirements for solid insulation for equipment with a rated voltage above 1 000 V AC and 1 500 V DC, and up to 2 000 V AC and 3 000 V DC

National foreword

This Published Document is the UK implementation of IEC TS 62993:2017.

The UK participation in its preparation was entrusted to Technical Committee GEL/109, Insulation co-ordination for low voltage equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 92357 9

ICS 29.080.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 August 2017.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------



IEC TS 62993

Edition 1.0 2017-07

TECHNICAL SPECIFICATION

Guidance for determination of clearances, creepage distances and requirements for solid insulation for equipment with a rated voltage above 1 000 V AC and 1 500 V DC, and up to 2 000 V AC and 3 000 V DC





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
 3, rue de Varembe
 CH-1211 Geneva 20
 Switzerland

Tel.: +41 22 919 02 11
 Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - www.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC TS 62993

Edition 1.0 2017-07

TECHNICAL SPECIFICATION

Guidance for determination of clearances, creepage distances and requirements for solid insulation for equipment with a rated voltage above 1 000 V AC and 1 500 V DC, and up to 2 000 V AC and 3 000 V DC

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.080.30

ISBN 978-2-8322-4501-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Basic information for the determination of INSULATION requirements.....	11
4.1 General.....	11
4.2 Voltages	12
4.2.1 General	12
4.2.2 Determination of RECURRING PEAK VOLTAGE	12
4.3 OVERVOLTAGE categories.....	12
4.4 Material groups	13
4.5 POLLUTION DEGREES	14
4.5.1 General	14
4.5.2 Degrees of POLLUTION in the MICRO-ENVIRONMENT.....	14
4.5.3 Conditions of conductive POLLUTION	14
4.5.4 Clearances	14
5 Dimensioning rules	15
5.1 Clearances	15
5.2 CREEPAGE DISTANCES	17
5.2.1 General	17
5.2.2 Voltage	17
5.2.3 POLLUTION.....	17
5.2.4 Shape of insulating surface	17
5.2.5 Relationship to CLEARANCE	18
5.2.6 CREEPAGE DISTANCES where more than one material is used or more than one POLLUTION DEGREE occurs.....	18
5.2.7 CREEPAGE DISTANCES split by floating conductive part	18
5.2.8 Dimensioning of CREEPAGE DISTANCES of BASIC INSULATION, SUPPLEMENTARY INSULATION and REINFORCED INSULATION	19
5.2.9 CREEPAGE DISTANCES for DC applications	20
5.3 SOLID INSULATION.....	21
5.3.1 General	21
5.3.2 Withstand of voltage stresses	21
6 Tests and measurements.....	21
6.1 Tests	21
6.1.1 General	21
6.1.2 Test for verification of CLEARANCES	22
6.1.3 Tests for the verification of SOLID INSULATION	24
6.2 Measuring CLEARANCES and CREEPAGE DISTANCES.....	27
Bibliography.....	28
Figure 1 – RECURRING PEAK VOLTAGE	12
Figure 2 – Determination of the width (<i>W</i>) and height (<i>H</i>) of a rib	18
Table 1 – RATED IMPULSE VOLTAGES according to OVERVOLTAGE CATEGORIES.....	13

Table 2 – Clearances to withstand TRANSIENT OVERVOLTAGES	15
Table 3 – Dimensioning of clearances to WORKING VOLTAGES, TEMPORARY OVERVOLTAGES or RECURRING PEAK VOLTAGES	16
Table 4 – Altitude correction factors	17
Table 5 – CREEPAGE DISTANCES to avoid failure due to tracking	20
Table 6 – Test voltages based on CLEARANCES and a test site altitude of 2 000 m above sea level.....	23
Table 7 – Correction factors according to test site altitude for test voltages for CLEARANCES	24
Table 8 – Severities for conditioning of SOLID INSULATION	26

Currently in preview, click buy full version.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

GUIDANCE FOR DETERMINATION OF CLEARANCES, CREEPAGE DISTANCES AND REQUIREMENTS FOR SOLID INSULATION FOR EQUIPMENT WITH A RATED VOLTAGE ABOVE 1 000 V AC AND 1 500 V DC, AND UP TO 2 000 V AC AND 3 000 V DC

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62993, which is a technical specification, has been prepared by IEC technical committee 109: Insulation co-ordination for low-voltage equipment.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
109/158A/DTS	109/162/RVDTS

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements: in roman type;
- NOTES: in small roman type;
- *conformity and tests: in italic type;*
- terms used throughout this standard which have been defined in Clause 3: SMALL ROMAN CAPITALS.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://www.stc.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

IEC TS 62993 is developed in a JWG between several interested committees: TC 9, SC 22G, TC 31, TC 66, TC 82, SC 121A, and ACOS under the leadership of TC 109.

This document provides additional steps for a smooth transition between the low voltage (up to 1 000 V AC and 1 500 V DC) in IEC 60664 (all parts) and high voltage insulation coordination (although IEC 60071-1 is applicable from above 1 000 V, it only gives values starting at 3 600 V). IEC 60071-1 states that it does not cover the requirements for human safety. Moreover IEC 60071-1 does not provide values for creepage distances.

This document has been requested by several TCs dealing with equipment with a rated voltage above 1 000 V AC and 1 500 V DC up to 2 000 V AC and 3 000 VDC.

It is not the intention to extend the limit of low voltage range – having a conventionally accepted limit of 1 000 V AC and 1 500 V DC – into the high voltage range.

GUIDANCE FOR DETERMINATION OF CLEARANCES, CREEPAGE DISTANCES AND REQUIREMENTS FOR SOLID INSULATION FOR EQUIPMENT WITH A RATED VOLTAGE ABOVE 1 000 V AC AND 1 500 V DC, AND UP TO 2 000 V AC AND 3 000 V DC

1 Scope

IEC TS 62993, which is a Technical Specification, gives guidance to technical committees which deal with equipment having a RATED VOLTAGE of more than 1 000 V AC and up to 2 000 V AC, or a RATED VOLTAGE of more than 1 500 V DC and up to 3 000 V DC. RATED VOLTAGES up to 1 000 V AC and 1 500 V DC, as well as higher or lower internal voltages, are covered by IEC 60664-1.

This document applies to equipment for use up to 2 000 m above sea level, and provides guidance for use at higher altitudes.

This document gives guidance for CLEARANCES, CREEPAGE DISTANCES and SOLID INSULATION for equipment to achieve safety. It includes methods of electric testing.

NOTE Requirements for functional insulation are not specified as they are not regarded as safety requirements.

This document does not deal with distances

- through liquid insulation,
- through gases other than air, and
- through compressed air.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60112:2003, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*
IEC 60112:2003/AMD1:2009

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 61180:2016, *High-voltage test techniques for low-voltage equipment – Definitions, test and procedure requirements, test equipment*