



BSI Standards Publication

Information technology — Generic cabling for customer premises

Part 9909: Evaluation of balanced cabling in support of 25 Gbit/s for reach greater than 30 metres

National foreword

This Published Document is the UK implementation of ISO/IEC TR 11801-9909:2020.

The UK participation in its preparation was entrusted to Technical Committee TCT/7, Telecommunications - Installation requirements.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020
Published by BSI Standards Limited 2020

ISBN 978 0 539 14091 0

ICS 35.200

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 August 2020.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------



ISO/IEC TR 11801-9909

Edition 1.0 2020-06

TECHNICAL REPORT



**Information technology – Generic cabling for customer premises –
Part 9909: Evaluation of balanced cabling in support of 25 Gbit/s for reach
greater than 30 metres**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.200

ISBN 978-2-8322-8487-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
3.1 Terms and definitions.....	7
3.2 Abbreviated terms.....	7
4 Extended reach channel specifications	8
4.1 General.....	8
4.2 Channel performance enhancement methods for increased SNR	8
4.2.1 General	8
4.2.2 Reduced delay and delay skew.....	9
4.2.3 Enhanced cable.....	9
4.2.4 Enhanced connector.....	9
4.3 Example channel specifications with length scaling.....	9
4.3.1 General	9
4.3.2 Return loss (RL)	10
4.3.3 Insertion loss (IL).....	10
4.3.4 Near-end crosstalk loss (NEXT).....	11
4.3.5 Attenuation to crosstalk loss ratio near-end (ACR-N).....	11
4.3.6 Attenuation to crosstalk ratio far-end (ACR-F)	12
4.3.7 Alien (exogenous) crosstalk.....	12
4.3.8 DC loop resistance	13
4.3.9 Propagation delay.....	13
4.3.10 Delay skew	13
4.3.11 Unbalance attenuation near end (TCL) and far end (ELTCTL), and coupling attenuation.....	14
Annex A (informative) Reduced delay and delay skew	15
A.1 Reduced delay relation to extended reach	15
A.1.1 General	15
A.1.2 Example reduced delay evaluation.....	15
A.2 Delay relation to insertion loss (IL).....	15
A.2.1 General	15
A.2.2 Relation of variable relative permittivity to attenuation	16
A.2.3 Relation of dissipation factor to attenuation:	16
Annex B (informative) Enhanced capacity	18
B.1 Enhanced cabling components.....	18
B.1.1 General	18
B.1.2 Enhanced cable.....	18
B.1.3 Enhanced connector.....	18
B.2 Channel SNR margin-to-capacity	18
B.2.1 General	18
B.2.2 Margin-to-capacity calculation and comparison.....	18
B.2.3 Margin-to-capacity versus frequency.....	19
B.2.4 Margin-to-capacity versus reach.....	20
Bibliography.....	21

Figure B.1 – Margin-to-capacity versus frequency for 25 Gbit/s rate for 50 m reach	19
Figure B.2 – Margin-to-capacity versus reach for 25 Gbit/s at 1 000 MHz frequency	20
Table 1 – Enhancement methods for 25 Gbit/s extended reach	9
Table 2 – Formulae for return loss specifications for example 50 m channel	10
Table 3 – Formulae for insertion loss specifications for example 50 m channel	10
Table 4 – Formulae for pair-to-pair NEXT specifications for example 50 m channel	11
Table 5 – Formula for PS NEXT specifications for example 50 m channel	11
Table 6 – Formulae for ACR-F specifications for example 50 m channel	12
Table 7 – Formulae for PS ACR-F specifications for example 50 m channel	12
Table 8 – Formulae for PS ANEXT specifications for example 50 m channel	13
Table 9 – Formulae for PS AACR-F specifications for example 50 m channel	13
Table 10 – Formulae for propagation delay specifications for a 50 m channel	13
Table 11 – Delay skew specifications for a 50 m channel	13
Table 12 – TCL for example 50 m channel	14
Table 13 – ELTCTL for example 50 m channel	14
Table 14 – Coupling attenuation for example 50 m channel for E_1 and E_2	14

**INFORMATION TECHNOLOGY –
GENERIC CABLING FOR CUSTOMER PREMISES –****Part 9909: Evaluation of balanced cabling in support
of 25 Gbit/s for reach greater than 30 metres****FOREWORD**

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for any way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC document may be the subject of patent rights. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

The main task of IEC and ISO technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

ISO/IEC TR 11801-9909, which is a Technical Report, has been prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

The list of all currently available parts of the ISO/IEC 11801 series, under the general title *Information technology – Generic cabling for customer premises*, can be found on the IEC and ISO websites.

The text of this Technical Report is based on the following documents:

DTR	Report on voting
JTC1-SC25/2932/DTR	JTC1-SC25/2948/RVDTR

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document provides an evaluation of balanced cabling in support of 25 Gbit/s data transmission. The evaluation covers enhanced balanced cabling channel specifications, which are based on Category 8.1 and Category 8.2 balanced cabling components. The enhanced channel specifications are intended to support extended reach greater than 30 m.

The extended reach evaluation is intended to support various emerging use-cases including

- 25 Gbit/s LAN,
- extended reach high definition audio/video,
- Wi-Fi®¹ application greater than 10 Gbit/s, and
- 5G intrabuilding sites.

¹ Wi-Fi is a registered trademark of Wi-Fi Alliance. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO or IEC.

INFORMATION TECHNOLOGY – GENERIC CABLING FOR CUSTOMER PREMISES –

Part 9909: Evaluation of balanced cabling in support of 25 Gbit/s for reach greater than 30 metres

1 Scope

This part of ISO/IEC 11801, which is a Technical Report, covers evaluation and recommendations for achieving extended reach, greater than 30 m, for 25 Gbit/s applications over balanced cabling channels.

This document covers channel reference implementations, based on Category 8.1 and Category 8.2, 2 000 MHz, components.

The channel and component category specifications covered in this document are not intended to be normative.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 11801-1, *Information technology – Generic cabling for customer premises – Part 1: General requirements*

3 Terms and definitions

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 11801-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.2 Abbreviated terms

For the purposes of this document, the abbreviated terms given in ISO/IEC 11801-1 and the following apply.

SNR	signal to noise ratio
NVP	nominal velocity of propagation